
AP1-124 WALL

PEX SERIES



ARCHITECTURAL COMMERCIAL INDUSTRIAL PANEL

CONCEALED FASTENED


12" COVERAGE WALL AND LINER PANEL OPEN FRAMING OR SOLID SUBSTRATE

PANEL OVERVIEW

- ► Finish: Standard: PVDF and Acrylic-Coated Galvalume®
 - Optional: multi-pass Kynar 500^{\circledast} and Fluropon $^{\! \otimes}$ PURE
- ► Corrosion Protection: AZ50 per ASTM A 792 for Painted Galvalume®

AZ55 per ASTM A 792 for Acrylic-Coated Galvalume[®] G90 per ASTM A 653 for Painted Galvanized

- ► Gauges: 24 ga standard; 22 ga and 20 ga optional
- ▶ 12" panel coverage, 1" panel height
- ► Trapezoidal ribs on 4" centers
- ► Clip-attached, concealed-fastened panel system
- ▶ Panel Length: 6' minimum, 30' maximum
- Panels can be installed horizontally or vertically
- Panels are interchangeable for accent effects
- ▶ Use on single-skin or field-assembled wall systems




TESTING

- ► ASTM E 283 Air Leakage
- ► ASTM E 331 Water Penetration
- ► ASTM E 330 Load Test
- ► ASTM E 1592 Load Test

Metal Sales

P1-124 WALL

PANEL ATTACHMENT



FASTENING INFORMATION

- Concealed Wall Clip 4" Low is 1-3/4" x 4" x 3/8", from 16 ga, G90 material with 2 fastener holes.
- Clip Fastener(s) should be driven just to contact between fastener head / clip / support. Overdriven fasteners will cause panel distortions.
- Fasteners should extend 1/2" or more past the inside face of the support material for steel and wood sheathing support materials.
- Clip Fasteners:

Attaching to Wood:

#12-11 Low Profile Wood Screw

Attaching to Steel:

< 18 ga: 1/4"-13 Deck Screw


≥ 18 ga, ≤ 12 ga: #12-14 Self Drilling Screw > 12 ga: 1/4"-14 Self Driller, No Washer

INSTALLATION DIRECTION

Horizontally-oriented panels must be installed from the bottom to the top.

Vertically-oriented panels may be installed from the right-to-left or left-to-right.

Left-to-Right Installation of Vertically-Oriented Panels



SECTION PROPERTIES									ALLOWABLE UNIFORM LOADS, psf For various clip spacings									
Ga	Width in	Yield ksi	Weight psf		mpression	Bottom In Compression		Inward Load					Outward Load					
				lxx in⁴/ft	Sxx in³/ft	lxx in⁴/ft	Sxx in³/ft	IIIwaru Loau				Outward Load						
								2'	3'	4'	5'	6'	2'	3'	4'	5'	6'	
24	12	50	1.37	0.0479	0.0843	0.0503	0.1028	117	60	38	27	21	88	47	31	22	18	
22	12	50	1.79	0.0679	0.1241	0.0698	0.1473	117	60	38	27	21	88	47	31	22	18	
20	12	33	2.18	0.0920	0.1789	0.0910	0.1825	117	60	38	27	21	88	47	31	22	18	

- 1. Theoretical section properties have been calculated per AISI S100 2016(20) 'North American Specification for the Design of Cold-Formed Steel Structural Members'. Ixx and Sxx are effective section properties for deflection and bending.
- Allowable load is calculated in accordance with AISI S100 specification considering bending, shear, combined bending & shear, deflection and load testing of comparable profiles on 16 ga girts. Allowable load does not address web crippling, fasteners or support material. Panel weight is not considered.
- Allowable load considers the three or more equal spans condition.
- Deflection consideration is limited by a maximum deflection ratio of L/180 of span.
- 5. Allowable loads do not include a 1/3 stress increase for wind.

িও Metal Sales

metalsales.us.com

Anchorage, AK 866.640.7663 Bay City. MI 888.777.7640 Deer Lake, PA 800.544.2577 Denver, CO 800.289.7663

Detroit Lakes. MN 888.594.1394 Fontana, CA 800,782,7953 Fort Smith, AR 877.452.3915 Independence, MO 800.747.0012

Jacksonville, FL 800,394,4419 Jefferson, OH 800.321.5833 Mocksville, NC 800,228,6119 Nashville, TN 800.251.8508 Rock Island, IL 800.747.1206 Rogers, MN 800.328.9316

Seattle, WA 800.431.3470 Sellersburg, IN 800.999.7777 Sioux Falls, SD 888,299,0024 Spokane. WA 800.572.6565 Temple, TX 800.543.4415 Woodland, CA 800.759.6019