773 Metal Sales

Installation Guide EM15 SERIES

metalsales.us.com

Important Information



The application and detail drawings in this manual are strictly for illustration purposes and may not be applicable to all building designs or product installations. All projects should conform to applicable building codes for that particular area. It is recommended to follow all building regulations and standard industry practices.

Metal Sales Manufacturing Corporation is not responsible for the performance of the wall system if it is not installed in accordance with the suggested instructions referenced in this manual. If there is a conflict between this manual and the actual erection drawings, the erection drawings are to take precedence.

Prior to ordering and installing materials, all dimensions should be verified by field measurements.

Metal Sales reserves the right to modify, without notice, any details, recommendations or suggestions. Any questions you may have regarding proper installation of these Concealed Fastened Wall Panel systems should be directed to your local Metal Sales representative (see pages 2 and 3).

Oil canning is not a cause for rejection. Oil canning can be described as the amount of waviness found in the flat areas of metal panels. Oil canning is an inherent characteristic of light gauge cold formed metal products, particularly those with broad flat areas. There are many factors which may contribute to oil canning that Metal Sales is not able to control. These factors include: misalignment of the support system, over driving of fasteners used on the panels, stress (whether inherent in the panel or induced), thermal expansion and contraction of the panel, improper material handling, width, gauge, length, color of panels and improper installation (reference Metal Construction Association "Oil Canning Position Paper"- Appendix A).

Consult your local Metal Sales Branch for any additional information not outlined in this manual.

This manual is designed to be utilized as a guide when installing a Concealed Fastened Wall Panel system. It is the responsibility of the erector to ensure the safe installation of this product system.

SAFETY

STUDY APPLICABLE OSHA AND OTHER SAFETY REQUIREMENTS BEFORE FOLLOWING THESE INSTRUCTIONS.


The installation of metal wall systems is a dangerous procedure and should be supervised by trained knowledgeable erectors. USE EXTREME CARE WHILE INSTALLING WALL PANELS. It is not possible for Metal Sales to be aware of all the possible job site situations that could cause an unsafe condition to exist. The erector of the wall system is responsible for reading these instructions and determining the safest way to install the wall system.

These instructions are provided only as a guide to show a knowledgeable, trained erector the correct relationship of parts to one another. If following any of the installation steps would endanger a worker, the erector should stop work and decide upon a corrective action.

Fall protection for workers installing wall panels must be provided.



Metal Sales



NOTE: Shaded areas represent territories served by each location.

Branch Locations



1. DENVER

7990 East I-25 Frontage Road Longmont, CO 80504 303.702.5440 800.289.7663 800.289.1617 Fax

2. JACKSONVILLE

7110 Stuart Avenue Jacksonville, FL 32254 904.783.3660 800.394.4419 904.783.9175 Fax 800.413.3292 Fax

3. JEFFERSON

352 East Erie Street Jefferson, OH 44047 440.576.9070 800.321.5833 440.576.9242 Fax 800.233.5719 Fax

4. INDEPENDENCE

1306 South Powell Road Independence, MO 64057 816.796.0900 800.747.0012 816.796.0906 Fax

5. SELLERSBURG

7800 Highway 60 Sellersburg, IN 47172 812.246.1866 800.999.7777 812.246.0893 Fax 800.477.9318 Fax

6. ROGERS

22651 Industrial Boulevard Rogers, MN 55374 763.428.8080 800.328.9316 763.428.8525 Fax 800.938.9119 Fax

7. NASHVILLE

4314 Hurricane Creek Boulevard Antioch, TN 37013 615.641.7100 800.251.8508 615.641.7118 Fax 800.419.4372 Fax

8. SPOKANE

2727 East Trent Avenue Spokane, WA 99202 509.536.6000 800.572.6565 509.534.4427 Fax

9. SEATTLE

20213 84th Avenue, South Kent, WA 98032 253.872.5750 800.431.3470 (Outside WA) 800.742.7900 (Inside WA) 253.872.2008 Fax

11. ROCK ISLAND

8111 West 29th Street Rock Island, IL 61201 309.787.1200 800.747.1206 309.787.1833 Fax

12. DEER LAKE

29 Pinedale Industrial Road Orwigsburg, PA 17961 570.366.2020 800.544.2577 570.366.1648 Fax 800.544.2574 Fax

13. TEMPLE

3838 North General Bruce Drive Temple, TX 76501 254.791.6650 800.543.4415 254.791.6655 Fax 800.543.4473 Fax

14. WOODLAND

1326 Paddock Place Woodland, CA 95776 530.668.5690 800.759.6019 530.668.0901 Fax

15. FONTANA

14213 Whittram Avenue Fontana, CA 92335 909.829.8618 800.782.7953 909.829.9083 Fax

16. ANCHORAGE

4637 Old Seward Highway Anchorage, AK 99503 907.646.7663 866.640.7663 907.646.7664 Fax

17. BAY CITY

5209 Mackinaw Road Bay City, MI 48706 989.686.5879 888.777.7640 989.686.5870 Fax 888.777.0112 Fax

18. DETROIT LAKES

1435 Egret Avenue Detroit Lakes, MN 56501 218.847.2988 888.594.1394 218.847.4835 Fax 888.594.1454 Fax

19. MOCKSVILLE

188 Quality Drive Mocksville, NC 27028 336.751.6381 800.228.6119 336.751.6301 Fax 800.228.7916 Fax

20. FORT SMITH

7510 Ball Road Fort Smith, AR 72908 479.646.1176 877.452.3915 479.646.5204 Fax

21. SIOUX FALLS

2700 West 3rd Street, Suite 4 Sioux Falls, SD 57104 605.335.2745 888.299.0024

TECHNICAL SUPPORT

TECHNICAL SERVICES

7800 Highway 60 Sellersburg, IN 47172 502.855.4300 800.406.7387 800.944.6884 Fax



Important Information	1
Branch Map	2
Branch Locations	3
Table of Contents	4
General Instructions	5
Panel Profiles	6 - 9
Flashing Profiles	10 - 13
Accessories	
Fasteners	15
Design Information	16 - 31
DETAILS	
Base - H, V	32, 33
Sill - H, V	34, 35
Jamb - H, V	36, 37
Head - H, V	38, 39
Outside Corner - H, V	40, 41
Inside Corner - H, V	42, 43
Coping - H, V	44, 45
Sill To Soffit - H, V	46, 47
Vertical Transition with Reveal - H	48
Vertical Transition - H to V	49
Horizontal Transition - V over H	50
Horizontal Transition - H over V	51
Horizontal Transition - V	52
Panel End - H	53
Care and Maintenance	54
Notes	55

'H' indicates horizontal panels, 'V' indicates vertical panels

General Instructions



Safety Use proper safety gear, safe equipment and safe processes. Safety gear includes gloves, arm guards, safety goggles and fall protection. Safe equipment includes maintained screw gun, saw, snips and folder. Safe processes include being aware of dangers and taking appropriate measures to avoid them.

Material Availability Panels are available in 24 ga, 22 ga and 20 ga steel and 0.032" and 0.040" aluminum. Flashings are available in 24 ga and 22 ga steel and 0.032" aluminum. Only 24 ga panel and flashing materials, in standard colors, are stocked. Custom 24 ga colors, all 22 ga, all 20 ga, all 0.032" and all 0.040" materials are secured per project and require minimum order quantities. Not all materials are available at all producing branches.

Material Receipt Upon receipt of material, confirm all parts have been delivered and that there is no damage. Any shortages should be reported to the Metal Sales contact. Transit damage must be noted on the bill of lading.

Material Storage Material not used right away, should be stored inside, out of the elements. If inside storage is not available, cover the materials with a tarp such that air can circulate. Elevate the crates off the ground and slope so that water will run off.

Handling Transport panels in the crates to the installation site. Adequate support for individual panels every 6' to 8' is necessary. When carrying a panel, grasp the panel by one side and let the other side hang down. Handling panels with care can avoid a cause of oil-canning.

Wall Condition Before installing panels, ensure the wall support material is plumb, square and true. Variance from in-plane should not exceed 1/4" in 10'.

Wall Assembly Cover building envelope sheathing with a moisture barrier, such as peel-and-stick underlayment or synthetic building wrap for resistance to air and water penetration through the wall assembly. Install the moisture barrier horizontally from the bottom upward, overlapping each run over the previous, lower run.

Spacers Spacers with a minimum depth of 1/4" are recommended at clips and trims to hold the wall assembly off of the wall line and allow water to drain. Spacers may be shims, hat channels or furring strips installed to not hold water.

Plan the Work Before installing panels on a wall section, plan for alignment with panels on adjacent wall sections. Consider the locations of wall penetrations and openings and how the panels will align. Decide if the first panel will be a full or partial panel.

Clip Fasteners Do not overtighten the panel clip fasteners. The fasteners should be brought just to firm contact between the clip, panel and support material. The panel must be capable of sliding along its length after the clips are installed. A clip must be installed within 6" of each end of the panels.

Installation Practice For horizontal panels, start at the bottom of the wall and work up the wall toward the top. Always 'shingle' panels and trims so that water will run down off of one member on to the next. Ensure every surface has adequate slope to permit water to run off and not collect on any surface. When installing panels, give effort to stay on module by checking the coverage of each panel. Panels cannot be endlapped due to the 90 degree ribs.


Strippable Film Panels and trim are typically provided with strippable film as protection against minor fabrication, transit and handling damage. The strippable film must be removed just before installation. Waiting until after panel installation to remove the strippable film or after significant exposure to sunlight or heat can make removal very difficult.

Cutting Material When panel and trim parts must be cut, Metal Sales recommends the use of shears, such as power shears or double-cut shears. Saw cutting is not reccomended as it tends to damage the paint film near the cut and leave a rough edge that is prone to excessive red rusting on steel panels. When materials are saw-cut, it is recommended to conceal such cuts by the use of hems or cutting the end that will concealed by covering at a lap or by covering with a piece of trim, such as at the top of wall condition.

1.5" EMPIRE SERIES INSTALL GUIDE Panel Profiles




EM15-126 Box Rib



Panel can be produced in lengths from 6' to 30'.

Product No.	Coverage	Description	Thick	Finish
2774041	12"	2 ribs	24 ga	Galvalume® (ACG)
27740XX	12"	2 ribs	24 ga	PVDF
2974041	12"	2 ribs	22 ga	Galvalume® (ACG)
29740XX	12"	2 ribs	22 ga	PVDF
30740XX	12"	2 ribs	20 ga	PVDF
27740XXA	12"	2 ribs	0.032"	PVDF Aluminum
29740XXA	12"	2 ribs	0.040"	PVDF Aluminum


EM15-168 Box Rib



Product No.	Coverage	Description	Thick	Finish
2774241	16"	2 ribs	24 ga	Galvalume® (ACG)
27742XX	16"	2 ribs	24 ga	PVDF
2974241	16"	2 ribs	22 ga	Galvalume® (ACG)
29742XX	16"	2 ribs	22 ga	PVDF
30742XX	16"	2 ribs	20 ga	PVDF
27742XXA	16"	2 ribs	0.032"	PVDF Aluminum
29742XXA	16"	2 ribs	0.040"	PVDF Aluminum




EM15-1266



Panel can be produced in lengths from 6' to 30'.

Product No.	Coverage	Description	Thick	Finish
2777041	12"	1 rib	24 ga	Galvalume® (ACG)
27770XX	12"	1 rib	24 ga	PVDF Painted
2977041	12"	1 rib	22 ga	Galvalume® (ACG)
29770XX	12"	1 rib	22 ga	PVDF
30770XX	12"	1 rib	20 ga	PVDF
27770XXA	12"	1 rib	0.032"	PVDF Aluminum
29770XXA	12"	1 rib	0.040"	PVDF Aluminum


EM15-1275



Product No.	Coverage	Description	Thick	Finish
2777541	12"	1 rib	24 ga	Galvalume® (ACG)
27775XX	12"	1 rib	24 ga	PVDF
2977541	12"	1 rib	22 ga	Galvalume® (ACG)
29775XX	12"	1 rib	22 ga	PVDF
30775XX	12"	1 rib	20 ga	PVDF
27775XXA	12"	1 rib	0.032"	PVDF Aluminum
29775XXA	12"	1 rib	0.040"	PVDF Aluminum




EM15-1284



Panel can be produced in lengths from 6' to 30'.

Product No.	Coverage	Description	Thick	Finish
2778041	12"	1 rib	24 ga	Galvalume® (ACG)
27780XX	12"	1 rib	24 ga	PVDF
2978041	12"	1 rib	22 ga	Galvalume® (ACG)
29780XX	12"	1 rib	22 ga	PVDF
30780XX	12"	1 rib	20 ga	PVDF
27780XXA	12"	1 rib	0.032"	PVDF Aluminum
29780XXA	12"	1 rib	0.040"	PVDF Aluminum


EM15-1293



Product No.	Coverage	Description	Thick	Finish
2778541	12"	1 rib	24 ga	Galvalume® (ACG)
27785XX	12"	1 rib	24 ga	PVDF
2978541	12"	1 rib	22 ga	Galvalume® (ACG)
29785XX	12"	1 rib	22 ga	PVDF
30785XX	12"	1 rib	20 ga	PVDF
27785XXA	12"	1 rib	0.032"	PVDF Aluminum
29785XXA	12"	1 rib	0.040"	PVDF Aluminum




EM15-1210 Box Rib



Panel can be produced in lengths from 6' to 30'.

Product No.	Coverage	Description	Thick	Finish
2773941	12"	1 rib	24 ga	Galvalume® (ACG)
27739XX	12"	1 rib	24 ga	PVDF Painted
2775241	12"	1 rib	22 ga	Galvalume® (ACG)
27752XX	12"	1 rib	22 ga	PVDF
27753XX	12"	1 rib	20 ga	PVDF
27739XXA	12"	1 rib	0.032"	PVDF Aluminum
27752XXA	12"	1 rib	0.040"	PVDF Aluminum

EM15-1211 Box Rib




Product No.	Coverage	Description	Thick	Finish
2780141	12"	1 rib	24 ga	Galvalume® (ACG)
27801XX	12"	1 rib	24 ga	PVDF
2780241	12"	1 rib	22 ga	Galvalume® (ACG)
27802XX	12"	1 rib	22 ga	PVDF
27803XX	12"	1 rib	20 ga	PVDF
27801XXA	12"	1 rib	0.032"	PVDF Aluminum
27802XXA	12"	1 rib	0.040"	PVDF Aluminum

Flashing Profiles




BASE TRIM 1.5"



Product No.	Length	Thick	Finish
5870841	10'-2"	24 ga	Galvalume® (ACG)
58708XX	10'-2"	24 ga	PVDF Painted
6070841	10'-2"	22 ga	Galvalume® (ACG)
60708XX	10'-2"	22 ga	PVDF Painted
58708XXA	10'-2"	0.032"	PVDF Aluminum

Flashing Stretch Out = 55/8"


C-CLOSURE 1.5"



Product No.	Length	Thick	Finish
5871241	10'-2"	24 ga	Galvalume® (ACG)
58712XX	10'-2"	24 ga	PVDF Painted
6071241	10'-2"	22 ga	Galvalume® (ACG)
60712XX	10'-2"	22 ga	PVDF Painted
58712XXA	10'-2"	0.032"	PVDF Aluminum

Flashing Stretch Out = $5^{1}/2$ "

Z-CLOSURE 1.5"




Product No.	Length	Thick	Finish
5872941	10'-2"	24 ga	Galvalume® (ACG)
58729XX	10'-2"	24 ga	PVDF Painted
6072941	10'-2"	22 ga	Galvalume® (ACG)
60729XX	10'-2"	22 ga	PVDF Painted
58729XXA	10'-2"	0.032"	PVDF Aluminum

Flashing Stretch Out = 3³/₄"

This Flashing can be used as an alternate to C-Closure.

OUTSIDE CORNER




Product No.	Length	Thick	Finish
5872441	10'-2"	24 ga	Galvalume® (ACG)
58724XX	10'-2"	24 ga	PVDF Painted
6072441	10'-2"	22 ga	Galvalume® (ACG)
60724XX	10'-2"	22 ga	PVDF Painted
58724XXA	10'-2"	0.032"	PVDF Aluminum

Flashing Stretch Out = 81/8"

Flashing Profiles




INSIDE CORNER



Product No.	Length	Thick	Finish
5872641	10'-2"	24 ga	Galvalume® (ACG)
58726XX	10'-2"	24 ga	PVDF Painted
6072641	10'-2"	22 ga	Galvalume® (ACG)
60726XX	10'-2"	22 ga	PVDF Painted
58726XXA	10'-2"	0.032"	PVDF Aluminum

Flashing Stretch Out = 81/8"


TRANSITION 1.5"



Product No.	Length	Thick	Finish
5873841	10'-2"	24 ga	Galvalume® (ACG)
58738XX	10'-2"	24 ga	PVDF Painted
6073841	10'-2"	22 ga	Galvalume® (ACG)
60738XX	10'-2"	22 ga	PVDF Painted
58738XXA	10'-2"	0.032"	PVDF Aluminum

Flashing Stretch Out = 63/4"


REVEAL



Product No.	Length	Thick	Finish
5874041	10'-2"	24 ga	Galvalume® (ACG)
58740XX	10'-2"	24 ga	PVDF Painted
6074041	10'-2"	22 ga	Galvalume® (ACG)
60740XX	10'-2"	22 ga	PVDF Painted
58740XXA	10'-2"	0.032"	PVDF Aluminum

Flashing Stretch Out = 51/8"

SILL/JAMB TRIM




Product No.	Length	Thick	Finish
5871841	10'-2"	24 ga	Galvalume® (ACG)
58718XX	10'-2"	24 ga	PVDF Painted
6071841	10'-2"	22 ga	Galvalume® (ACG)
60718XX	10'-2"	22 ga	PVDF Painted
58718XXA	10'-2"	0.032"	PVDF Aluminum

Flashing Stretch Out = 8"

X= 95° for Sill or 90° for Jamb

Flashing Profiles






Flashing Stretch Out = 151/2" for 8" Coping

COPING CLEAT	T1" -		
	85°		
С		3"	

Product No.	Length	Thick	Finish
5873441	10'-2"	24 ga	Galvalume® (ACG)
58734XX	10'-2"	24 ga	PVDF Painted
6073441	10'-2"	22 ga	Galvalume® (ACG)
60734XX	10'-2"	22 ga	PVDF Painted
58734XXA	10'-2"	0.032"	PVDF Aluminum

Flashing Stretch Out = $4^{1}/2$ "






Closed Hem

Product No.	Length	Thick	Finish
5872241	10'-2"	24 ga	Galvalume® (ACG)
58722XX	10'-2"	24 ga	PVDF Painted
6072241	10'-2"	22 ga	Galvalume® (ACG)
60722XX	10'-2"	22 ga	PVDF Painted
58722XXA	10'-2"	0.032"	PVDF Aluminum

Flashing Stretch Out = 111/8"


JAMB SUPPORT



Product No.	Length	Thick	Finish
5735241	10'-2"	24 ga	Galvalume® (ACG)
57352XX	10'-2"	24 ga	PVDF Painted
5935441	10'-2"	22 ga	Galvalume® (ACG)
59354XX	10'-2"	22 ga	PVDF Painted
59655XX	10'-2"	0.032"	PVDF Aluminum

Flashing Stretch Out = 3⁵/₈" See Page 53.

OPENING TRIM 1.5"




Product No.	Length	Thick	Finish
5837741	10'-2"	24 ga	Galvalume® (ACG)
58377XX	10'-2"	24 ga	PVDF Painted
5837841	10'-2"	22 ga	Galvalume® (ACG)
58378XX	10'-2"	22 ga	PVDF Painted
58379XX	10'-2"	0.032"	PVDF Aluminum


Flashing Stretch Out = $6^{1}/4$ " See page 53.

12

Flashing Profiles








Product No.	Length	Thick	Finish
5873241	10'-2"	24 ga	Galvalume® (ACG)
58732XX	10'-2"	24 ga	PVDF Painted
6073241	10'-2"	22 ga	Galvalume® (ACG)
60732XX	10'-2"	22 ga	PVDF Painted
58732XXA	10'-2"	0.032"	PVDF Aluminum

Flashing Stretch Out = 67/8"


OFFSET CLEAT



Product No.	Length	Thick	Finish
5806499	10'-2"	24 ga	PVDF Painted

Flashing Stretch Out = 3"


WINDOW CLOSURE 1.5"



Product No.	Length	Thick	Finish
5874441	10'-2"	24 ga	Galvalume® (ACG)
58744XX	10'-2"	24 ga	PVDF Painted
6074441	10'-2"	22 ga	Galvalume® (ACG)
60744XX	10'-2"	22 ga	PVDF Painted
58744XXA	10'-2"	0.032"	PVDF Aluminum

Flashing Stretch Out = $9^7/8$ " See page 53.

MITER TRIM



Product No.	Length	Thick	Finish
5865441	10'-2"	24 ga	Galvalume® (ACG)
58654XX	10'-2"	24 ga	PVDF
6065441	10'-2"	22 ga	Galvalume® (ACG)
60654XX	10'-2"	22 ga	PVDF
58654XXA	10'-2"	0.032"	PVDF Aluminum

Flashing Stretch Out = 3" See pages 39, 47, 50 and 52.

1.5" EMPIRE SERIES INSTALL GUIDE Accessories



CONCEALED WALL CLIP - 4" LOW



Product No.	Size	WT/100	Finish
4934600	1 ³ / ₄ " x 4" x ³ / ₈ "	16 lbs	G90 Galv
49346F01	1 ³ / ₄ " x 4" x ³ / ₈ "	16 lbs	Stainless

UNIVERSAL CLOSURE



Product No.	Description	WT/Each	Type
6411100	1" x 1 ¹ / ₂ " x 50'	4.00 lbs	Foam
6411199	1" x 1 ¹ / ₂ " x 10'	0.80 lbs	Foam

DOUBLE BEAD TAPE SEALANT



Product No.	Description	WT/Ctn.	Type
6403899	⁷ /8" x ³ /16" x 25'	40.00 lbs	Butyl
	20 Rolls per Carton		

TUBE SEALANT



Product No.	Description	WT/Each	Color
6402800	Acrylic Tube Sealant	3.31 lbs	Clear
64028XX	Tube Sealant	3.31 lbs	Color Match

Fasteners



POP RIVET	Product No.	Description	WT/250	Finish
	8240201	1/8" x 3/8" Pop Rivet	0.75 lbs	Bare
	82402XX	1/8" x 3/8" Pop Rivet	0.75 lbs	Painted

Used to attach trim to trim or trim to panel.

PANCAKE HEAD WOOD SCREW



Product No.	Description	WT/250	Finish
8243100	#10-12 x 1" Pancake Head Wood Screw	1.90 lbs	Plated

Used to attach trim to wood supports.

PANCAKE HEAD DRILLER



Product No.	Description	WT/250	Finish
8242100	#10-16 x 1" Pancake Head Driller	1.90 lbs	Plated

Used to attach trim or panel clip to steel framing supports.

LOW PROFILE WOOD SCREW



Product No.	Description	WT/250	Finish
8244100	#12-11 x 1 ¹ / ₂ " Low Profile Wood Screw	2.75 lbs	Plated

Used to attach panel clip to wood supports.

WOOD SCREW XL



Product No.	Description	WT/250	Finish
8212300	#10-14 x 11/2" Wood Screw XL	3.75 lbs	Plated
82123XX	#10-14 x 11/2" Wood Screw XL	3.75 lbs	Painted

Used to attach a vertical panel to wood supports.

SELF DRILLER XL



Product No.	Description	WT/250	Finish
8235300	#12-14 x 11/4" Self Driller XL	3.75 lbs	Plated
82353XX	#12-14 x 11/4" Self Driller XL	3.75 lbs	Painted


Used to attach a vertical panel to steel framing supports.

Design Information



EM15-126 Box Rib

PANEL ATTACHMENT



FASTENING INFORMATION

- Concealed Wall Clip 4" Low is 13/4" x 4" x 3/8", from 16 ga, G90 material with 2 fastener holes.
- Clip Fastener(s) should be driven just to contact between fastener head / clip / support. Over-driven fasteners can cause panel distortions.
- Fasteners should extend 1/2" or more past the inside face of the support material for steel and wood sheathing support materials.
- Clip Fasteners:

Attaching to Wood:

#12-11 x 11/2" Low Profile Wood Screw

Attaching to Steel:

< 18 ga: 1/4"-13 Deck Screw

≥ 18 ga, ≤ 12 ga: #10-16 Pancake Head Driller

> 12 ga: 1/4"-14 Self Driller, No Washer

INSTALLATION DIRECTION

Horizontally-oriented panels must be installed from the bottom to the top.

Vertically-oriented panels may be installed from the right-to-left or left-to-right.

	STEEL SECTION PROPERTIES					ALL					M LO spaci		, psf				
	140.141				mpression	Bottom In C	ompression	Inward Load Outward Lo			nad	had					
Ga	Width in	Yield ksi	Weight psf	lxx	Sxx	lxx	Sxx		iliwalu Loau		Outward Load						
			ρο.	in⁴/ft	in³/ft	in⁴/ft	in³/ft	2'	3'	4'	5'	6'	2'	3'	4'	5'	6'
24	12	50	1.56	0.1189	0.1156	0.1324	0.1549	117	60	38	27	21	78	43	29	21	17
22	12	50	2.04	0.1702	0.1710	0.1845	0.2248	117	60	38	27	21	78	43	29	21	17
20	12	33	2.49	0.2390	0.2550	0.2480	0.3239	117	60	38	27	21	78	43	29	21	17

- Theoretical section properties have been calculated per AISI 2016 'North American Specification for the Design of Cold-Formed Steel Structural Members'.
 Ixx and Sxx are effective section properties for deflection and bending.
- Allowable loads are calculated in accordance with AISI 2016 specifications considering bending, shear, combined bending and shear, deflection and load
 testing on 16 ga girts of comparable profiles. Panel weight is not considered. Allowable loads do not consider other support conditions, including
 web crippling, fasteners or support materials.
- 3. Allowable loads consider the three or more equal spans condition.
- 4. Deflection consideration is limited by a maximum deflection ratio of L/180 of span.
- 5. Allowable loads do not include a 1/3 stress increase for wind.

ALLOWABLE UNIFORM LOADS, psf **ALUMINUM SECTION PROPERTIES** for various clip spacings **Inward Load Outward Load** Thick Width Yield Weight 1 S_{Top} in³/ft S_{Botton} in³/ft Z in4/ft in3/ft ksi psf 2.5' 3' 4' 6' 2.5' 3' 4' 5' 6' 2' 5' 2' 0.032 17 0.75 12 0.2680 0.3189 0.4068 0.385 98 63 17 12 58 38 19 45 26 46 29 23 0.040 12 17 0.93 0.3300 0.3930 0.5002 0.477 98 63 45 26 17 12 58 38 29 23 19

- 1. Theoretical section properties have been calculated per 2015 Aluminum Design Manual. I, S and Z are section properties for deflection and bending.
- Allowable loads are calculated in accordance with 2015 Aluminum Design Manual specifications considering bending, shear, combined bending & shear, deflection and load testing on 16 ga girts of comparable profiles. Panel weight is not considered. Allowable loads do not consider other support conditions, including web crippling, fasteners or support material.
- 3. Allowable load considers the three or more equal span case.
- 4. Deflection consideration is limited by a maximum deflection ratio of L/180 of span.
- Allowable loads do not include a 1/3 stress increase in uplift.



EM15-126 on 16 ga Girts

Wall Clip Spacing (feet)

Wind Speed (mph)
Exposure Category

100C

20 ft, Mean Roof Height						
	Field	Edge				
Thickness	-25.1 psf	-31 psf				
24 ga	6.00	5.50				
22 ga	6.00	5.50				
20 ga	6.00	5.50				
0.032"	6.00	6.00				

40 ft, Mean Roof Height					
	Field	Edge			
Thickness	-29.1 psf	-35.9 ps			
24 ga	5.50	4.50			
22 ga	5.50	4.50			
20 ga	5.50	4.50			
0.032"	6.00	5 00			

60 it, Mean Roof Height					
	Field	Edge			
Thickness	-31.7 psf	-39.1 psf			
24 ga	5.00	4.50			
22 ga	5.00	4.50			
20 ga	5.00	4.50			
0.032"	5.50	4.50			

110C

	Field	Edge
Thickness	-30.4 psf	-37.5 psf
24 ga	5.50	4.50
22 ga	5.50	4.50
20 ga	5.50	4.50
0.032"	6.00	5.00

	Field	Edge
Thickness	-35.2 psf	-43.4 psf
24 ga	5.00	4.00
22 ga	5.00	4.00
20 ga	5.00	4.00
0.032"	5.00	4.00

	Field	Edge
Thickness	-38.3 psf	-47.3 psf
24 ga	4.50	4.00
22 ga	4.50	4.00
20 ga	4.50	4.00
0.032"	4.50	4.00

120C

	Field	Edge
Thickness	-36.2 psf	-44.7 psf
24 ga	4.50	4.00
22 ga	4.50	4.00
20 ga	4.50	4.00
0.032"	5.00	4.00

	Field	Edge
Thickness	-41.9 psf	-51.7 psf
24 ga	4.00	3.50
22 ga	4.00	3.50
20 ga	4.00	3.50
0.032"	4.50	3.50

	Field	Edge
Thickness	-45.6 psf	-56.3 psf
24 ga	4.00	3.50
22 ga	4.00	3.50
20 ga	4.00	3.50
0.032"	4.00	3.00

130C

	Field	Edge
Thickness	-42.5 psf	-52.4 psf
24 ga	4.00	3.50
22 ga	4.00	3.50
20 ga	4.00	3.50
0.032"	4.00	3.50

	Field	Edge
Thickness	-49.1 psf	-60.6 psf
24 ga	3.50	3.00
22 ga	3.50	3.00
20 ga	3.50	3.00
0.032"	3.50	3.00

	Field	Edge
Thickness	-53.5 psf	-66 psf
24 ga	3.50	3.00
22 ga	3.50	3.00
20 ga	3.50	3.00
0.032"	3.50	2.50

140C

Thickness	Field -49.2 psf	Edge -60.8 psf
24 ga	3.50	3.00
22 ga	3.50	3.00
20 ga	3.50	3.00
0.032"	3.50	3.00

	Field	Edge
Thickness	-57 psf	-70.3 psf
24 ga	3.50	3.00
22 ga	3.50	3.00
20 ga	3.50	3.00
0.032"	3.00	2.50

	Field	Edge
Thickness	-62 psf	-76.6 psf
24 ga	3.00	2.50
22 ga	3.00	2.50
20 ga	3.00	2.50
0.022"	2 00	2.50

150C

	Field	Edge
Thickness	-56.5 psf	-69.8 psf
24 ga	3.50	3.00
22 ga	3.50	3.00
20 ga	3.50	3.00
0.032"	3.00	2.50

	Field	Edge
Thickness	-65.4 psf	-80.7 psf
24 ga	3.00	2.50
22 ga	3.00	2.50
20 ga	3.00	2.50
0.032"	2.50	2.00

Thickness	Field -71.2 psf	Edge -87.9 psf
24 ga	3.00	2.50
22 ga	3.00	2.50
20 ga	3.00	2.50
0.032"	2.50	2.00

160C

	Field	Edge
Thickness	-64.3 psf	-79.4 psf
24 ga	3.00	2.50
22 ga	3.00	2.50
20 ga	3.00	2.50
0.032"	2.50	2.00

	Field	Edge
Thickness	-74.4 psf	-91.9 psf
24 ga	2.50	2.50
22 ga	2.50	2.50
20 ga	2.50	2.50
0.032"	2.50	2.00

	Field	Edge
Thickness	-81 psf	-100 psf
24 ga	2.50	2.00
22 ga	2.50	2.00
20 ga	2.50	2.00
0.032"	_	

170C

	Field	Edge
Thickness	-72.6 psf	-89.6 psf
24 ga	2.50	2.50
22 ga	2.50	2.50
20 ga	2.50	2.50
0.032"	2.50	2.00

	Field	Edge
Thickness	-84 psf	-103.7 psf
24 ga	2.50	2.00
22 ga	2.50	2.00
20 ga	2.50	2.00
0.032"	-	-


	Field	Edge
Thickness	-91.5 psf	-112.9 psf
24 ga	2.50	2.00
22 ga	2.50	2.00
20 ga	2.50	2.00
0.032"		-

Notes:

 Allowable spacing is based on capacities determined in AISI 2016, North American Specification for the Design of Cold-Structural Members and ADM 2015, Aluminum Design Manual.

- Allowable spacing is based on an applied load determined using ASCE 7-16 for the wind speeds and Wind Exposures tabulated.
 Assumptions include a tributary area of 10 square feet, an Enclosed building, a Topographic Factor of 1.0 and panel bearing length of 2.5 inches.
- Allowable spacing is determined using IBC 2018 combinations.
 For wind suction and pressure, the combination is 0.6W.
 The arrangement is 3 or more equal spans.
- 4. Testing is the basis for the load carrying capacity.

- (4) FIELD (5) - EDGE
- a LEAST OF 10% MINIMUM BUILDING WIDTH OR 40% OF MEAN ROOF HEIGHT BUT NOT LESS THAN 3'.




Design Information



EM15-168 Box Rib

PANEL ATTACHMENT



FASTENING INFORMATION

- Concealed Wall Clip 4" Low is 13/4" x 4" x 3/8", from 16 ga, G90 material with 2 fastener holes.
- Clip Fastener(s) should be driven just to contact between fastener head / clip / support. Over-driven fasteners can cause panel distortions.
- Fasteners should extend 1/2" or more past the inside face of the support material for steel and wood sheathing support materials.
- Clip Fasteners:

Attaching to Wood:

#12-11 x 11/2" Low Profile Wood Screw

Attaching to Steel:

- < 18 ga: 1/4"-13 Deck Screw
- ≥ 18 ga, ≤ 12 ga: #10-16 Pancake Head Driller
- > 12 ga: 1/4"-14 Self Driller, No Washer

INSTALLATION DIRECTION

Horizontally-oriented panels must be installed from the bottom to the top.

Vertically-oriented panels may be installed from the right-to-left or left-to-right.

		ST	EEL S	ECTION	PROPE	RTIES			ALL					M LO paci		, psf	
	1A/: al4la	Viald	Mainh4		mpression	Bottom In C	ompression	Inward Load				Outward Load					
Ga	Width in	Yield ksi	Weight psf	lxx	Sxx	lxx	Sxx	IIIWalu Loau		Outward Load							
			ρο.	in⁴/ft	in³/ft	in⁴/ft	in³/ft	2'	3'	4'	5'	6'	2'	3'	4'	5'	6'
24	16	50	1.39	0.0960	0.0895	0.1118	0.1208	117	60	38	27	21	78	43	29	21	17
22	16	50	1.82	0.1380	0.1331	0.1568	0.1758	117	60	38	27	21	78	43	29	21	17
20	16	33	2.22	0.1973	0.2012	0.2138	0.2558	117	60	38	27	21	78	43	29	21	17

- Theoretical section properties have been calculated per AISI 2016 'North American Specification for the Design of Cold-Formed Steel Structural Members'.
 Ixx and Sxx are effective section properties for deflection and bending.
- Allowable loads are calculated in accordance with AISI 2016 specifications considering bending, shear, combined bending & shear, deflection, load testing
 on 16 ga girts and load testing of comparable profiles. Panel weight is not considered. Allowable loads do not consider other support conditions, including
 web crippling, fasteners or support materials.
- 3. Allowable loads consider the three or more equal spans condition.
- 4. Deflection consideration is limited by a maximum deflection ratio of L/180 of span.
- 5. Allowable loads do not include a 1/3 stress increase for wind.

ALLOWABLE UNIFORM LOADS, psf **ALUMINUM SECTION PROPERTIES** for various clip spacings S_{Bottom} in³/ft **Inward Load Outward Load** S_{Top} in³/ft **Thick** Width Yield Weight Z in4/ft in3/ft in ksi psf in 2' 2.5' 3' 4' 3' 6' 6' 2.5' 0.67 0.3066 98 19 0.032 16 17 0.2520 0.3723 0.358 63 45 26 17 12 58 46 38 29 23 0.040 16 17 0.83 0.3105 0.3782 0.4583 0.444 98 63 45 26 17 12 58 46 38 29 23 19

- 1. Theoretical section properties have been calculated per 2015 Aluminum Design Manual. I, S and Z are section properties for deflection and bending.
- 2. Allowable loads are calculated in accordance with 2015 Aluminum Design Manual specifications considering bending, shear, combined bending & shear, deflection, load testing on 16 ga girts and load testing of comparable profiles. Panel weight is not considered. Allowable loads do not consider other support conditions, including web crippling, fasteners or support material.
- 3. Allowable load considers the three or more equal span case.
- 4. Deflection consideration is limited by a maximum deflection ratio of L/180 of span.
- Allowable loads do not include a 1/3 stress increase in uplift.

Edge -35.9 psf



EM15-168 on 16 ga Girts

Wall Clip Spacing (feet)

100C

20 ft, Mean Roof Height						
	Field	Edge				
Thickness	-25.1 psf	-31 psf				
24 ga	6.00	5.50				
22 ga	6.00	5.50				
20 ga	6.00	5.50				
0.032"	6.00	6.00				

40 ft, Mean Roof Height						
	Field	Edge				
Thickness	-29.1 psf	-35.9 ps				
24 ga	5.50	4.50				
22 ga	5.50	4.50				
20 ga	5.50	4.50				
0.032"	6.00	5.00				

60 ft, Mean Roof Height					
	Field	Edge			
Thickness	-31.7 psf	-39.1 psf			
24 ga	5.00	4.50			
22 ga	5.00	4.50			
20 ga	5.00	4.50			
0.032"	5.50	4.50			

110C

	Field	Edge
Thickness	-30.4 psf	-37.5 psf
24 ga	5.50	4.50
22 ga	5.50	4.50
20 ga	5.50	4.50
0.032"	6.00	5.00

	Field	Edge
Thickness		-47.3 psf
24 ga	4.50	4.00
22 ga	4.50	4.00
20 ga	4.50	4.00
0.032"	4.50	4.00

120C

	Field	Edge
Thickness	-36.2 psf	-44.7 ps
24 ga	4.50	4.00
22 ga	4.50	4.00
20 ga	4.50	4.00
0.032"	5.00	4.00

	Field	Edge
hickness	-41.9 psf	-51.7 psf
24 ga	4.00	3.50
22 ga	4.00	3.50
20 ga	4.00	3.50
በ በ32"	4 50	3.50

	Field	Edge
Thickness	-45.6 psf	-56.3 psf
24 ga	4.00	3.50
22 ga	4.00	3.50
20 ga	4.00	3.50
0.032"	4.00	3.00

130C

Thickness	Field -42.5 psf	Edge -52.4 psf
24 ga	4.00	3.50
22 ga	4.00	3.50
20 ga	4.00	3.50
0.032"	4.00	3.50

	Field	Edge
Thickness	-49.1 psf	-60.6 psf
24 ga	3.50	3.00
22 ga	3.50	3.00
20 ga	3.50	3.00
0.032"	3.50	3.00

T 1 1 1	Field	Edge -66 psf
Thickness	-53.5 psf	-oo psi
24 ga	3.50	3.00
22 ga	3.50	3.00
20 ga	3.50	3.00
0.032"	3.50	2.50

140C

	Field	Edge
Thickness	-49.2 psf	-60.8 psf
24 ga	3.50	3.00
22 ga	3.50	3.00
20 ga	3.50	3.00
0.032"	3.50	3.00

	Field	Edge
Thickness	-57 psf	-70.3 psf
24 ga	3.50	3.00
22 ga	3.50	3.00
20 ga	3.50	3.00
0.032"	3.00	2.50

	Field	Edge
Thickness	-62 psf	-76.6 psf
24 ga	3.00	2.50
22 ga	3.00	2.50
20 ga	3.00	2.50
0.032"	3.00	2.50

150C

	Field	Edge
Thickness	-56.5 psf	-69.8 psf
24 ga	3.50	3.00
22 ga	3.50	3.00
20 ga	3.50	3.00
0.032"	3.00	2.50

	Field	Edge
Thickness	-65.4 psf	-80.7 psf
24 ga	3.00	2.50
22 ga	3.00	2.50
20 ga	3.00	2.50
0.032"	2.50	2.00

	Field	Edge
Thickness	-71.2 psf	-87.9 psf
24 ga	3.00	2.50
22 ga	3.00	2.50
20 ga	3.00	2.50
0.032"	2.50	2.00

160C

	Field	Edge
Thickness	-64.3 psf	-79.4 psf
24 ga	3.00	2.50
22 ga	3.00	2.50
20 ga	3.00	2.50
0.032"	2.50	2.00

	Field	Edge
Thickness	-74.4 psf	-91.9 psf
24 ga	2.50	2.50
22 ga	2.50	2.50
20 ga	2.50	2.50
0.032"	2.50	2.00

	Field	Edge
Thickness	-81 psf	-100 psf
24 ga	2.50	2.00
22 ga	2.50	2.00
20 ga	2.50	2.00
0.032"	_	_

170C

Thickness	Field -72.6 psf	Edge -89.6 psf
24 ga	2.50	2.50
22 ga	2.50	2.50
20 ga	2.50	2.50
0.032"	2.50	2.00


Thickness	Field -84 psf	Edge -103.7 psf
24 ga	2.50	2.00
22 ga	2.50	2.00
20 ga	2.50	2.00
0.032"	-	-

	Field	Edge
Thickness	-91.5 psf	-112.9 psf
24 ga	2.50	2.00
22 ga	2.50	2.00
20 ga	2.50	2.00
0.032"	-	

 Allowable spacing is based on capacities determined in AISI 2016, North American Specification for the Design of Cold-Structural Members and ADM 2015, Aluminum Design Manual.

- 2. Allowable spacing is based on an applied load determined using ASCE 7-16 for the wind speeds and Wind Exposures tabulated. Assumptions include a tributary area of 10 square feet, an Enclosed building, a Topographic Factor of 1.0 and panel bearing length of 2.5 inches.
- 3. Allowable spacing is determined using IBC 2018 combinations. For wind suction and pressure, the combination is 0.6W. The arrangement is 3 or more equal spans.
- 4. Testing is the basis for the load carrying capacity.

- (4) FIELD (5) - EDGE
- \boldsymbol{a} LEAST OF 10% MINIMUM BUILDING WIDTH OR 40% OF MEAN ROOF HEIGHT BUT NOT LESS THAN 33




Design Information



EM15-1266 Box Rib

PANEL ATTACHMENT



FASTENING INFORMATION

- Concealed Wall Clip 4" Low is 13/4" x 4" x 3/8", from 16 ga, G90 material with 2 fastener holes.
- Clip Fastener(s) should be driven just to contact between fastener head / clip / support. Over-driven fasteners can cause panel distortions.
- Fasteners should extend 1/2" or more past the inside face of the support material for steel and wood sheathing support materials.
- Clip Fasteners:

Attaching to Wood:

#12-11 x 11/2" Low Profile Wood Screw

Attaching to Steel:

- < 18 ga: 1/4"-13 Deck Screw
- ≥ 18 ga, ≤ 12 ga: #10-16 Pancake Head Driller
- > 12 ga: 1/4"-14 Self Driller, No Washer

INSTALLATION DIRECTION

Horizontally-oriented panels must be installed from the bottom to the top.

Vertically-oriented panels may be installed from the right-to-left or left-to-right.

ALLOWABLE UNIFORM LOADS, psf STEEL SECTION PROPERTIES For various clip spacings Top In Compression Bottom In Compression **Inward Load Outward Load** Width Yield Weight lxx Sxx lxx Sxx in⁴/ft in³/ft in⁴/ft in3/ft 2' 3' 4' 5' 6' 2' 3' 4' 5' 6' 0.0726 0.0623 0.1016 0.1062 60 27 21 100 37 27 21 24 12 50 1.33 117 38 55 22 12 50 1.74 0.1058 0.0930 0.1417 0.1531 117 60 38 27 21 100 55 37 27 21 20 12 33 2.12 0.1545 0.1423 0.1914 117 27 37 27 21 0.2188 60 38 21 100 55

- Theoretical section properties have been calculated per AISI 2016 'North American Specification for the Design of Cold-Formed Steel Structural Members'
 Ixx and Sxx are effective section properties for deflection and bending.
- Allowable loads are calculated in accordance with AISI 2016 specifications considering bending, shear, combined bending & shear, deflection, load
 testing on 16 ga girts and load testing of comparable profiles. Panel weight is not considered. Allowable loads do not consider other support conditions,
 including web crippling, fasteners or support materials.
- 3. Allowable loads consider the three or more equal spans condition.
- 4. Deflection consideration is limited by a maximum deflection ratio of L/180 of span.
- 5. Allowable loads do not include a 1/3 stress increase for wind.

ALLOWABLE UNIFORM LOADS, psf **ALUMINUM SECTION PROPERTIES** for various clip spacings **Inward Load Outward Load** S_{Top} in³/ft S_{Bottom} in³/ft **Thick** Width Yield Weight Ζ in4/ft in3/ft in ksi psf in 3' 4' 3' 6' 2' 2.5' 6' 2.5' 5' 0.2500 0.2958 15 0.032 12 17 0.64 0.3827 0.341 98 63 45 26 17 12 95 64 47 29 20 0.040 12 17 0.80 0.3090 0.3653 0.4712 0.423 98 63 45 26 17 12 95 64 47 29 20 15

- 1. Theoretical section properties have been calculated per 2015 Aluminum Design Manual. I, S and Z are section properties for deflection and bending.
- Allowable loads are calculated in accordance with 2015 Aluminum Design Manual specifications considering bending, shear, combined bending & shear, deflection, load testing on 16 ga girts and load testing of comparable profiles. Panel weight is not considered. Allowable loads do not consider other support conditions, including web crippling, fasteners or support material.
- 3. Allowable load considers the three or more equal span case.
- 4. Deflection consideration is limited by a maximum deflection ratio of L/180 of span.
- Allowable loads do not include a 1/3 stress increase in uplift.



EM15-1266 on 16 ga Girts

Wall Clip Spacing (feet)

Wind Speed (mph) Exposure Category

100C

20 ft, Mean Roof Height		
	Field	Edge
Thickness	-25.1 psf	-31 psf
24 ga	6.00	6.00
22 ga	6.00	6.00
20 ga	6.00	6.00
0.032"	6.00	5.00

40 ft, Mean Roof Height		
	Field	Edge
Thickness	-29.1 psf	-35.9 psf
24 ga	6.00	5.50
22 ga	6.00	5.50
20 ga	6.00	5.50
0.032"	5.50	4.50

60 ft, Mean Roof Height		
	Field	Edge
Thickness	-31.7 psf	-39.1 psf
24 ga	6.00	5.50
22 ga	6.00	5.50
20 ga	6.00	5.50
0.032"	5.00	4.50

110C

	Field	Edge
Thickness	-30.4 psf	-37.5 psf
24 ga	6.00	5.50
22 ga	6.00	5.50
20 ga	6.00	5.50
0.032"	5.00	4.50

Thickness	Field -35.2 psf	Edge -43.4 psf
24 ga	6.00	5.00
22 ga	6.00	5.00
20 ga	6.00	5.00
0.032"	4.50	4.00

	Field	Edge
Thickness	-38.3 psf	-47.3 psf
24 ga	5.50	4.50
22 ga	5.50	4.50
20 ga	5.50	4.50
0.032"	4.50	4.00

120C

	Field	Edge
Thickness	-36.2 psf	-44.7 psf
24 ga	5.50	5.00
22 ga	5.50	5.00
20 ga	5.50	5.00
0.032"	4.50	4.00

	Field	Edge
Thickness	-41.9 psf	-51.7 psf
24 ga	5.00	4.50
22 ga	5.00	4.50
20 ga	5.00	4.50
0.032"	4.00	3.50

	Field	Edge
Thickness	-45.6 psf	-56.3 psf
24 ga	4.50	4.00
22 ga	4.50	4.00
20 ga	4.50	4.00
0.032"	4.00	3.50

130C

	Field	Edge
Thickness	-42.5 psf	-52.4 psf
24 ga	5.00	4.00
22 ga	5.00	4.00
20 ga	5.00	4.00
0.032"	4.00	3.50

	Field	Edge
Thickness	-49.1 psf	-60.6 psf
24 ga	4.50	4.00
22 ga	4.50	4.00
20 ga	4.50	4.00
0.032"	3.50	3.00

	Field	Edge
Thickness	-53.5 psf	-66 psf
24 ga	4.00	3.50
22 ga	4.00	3.50
20 ga	4.00	3.50
0.032"	3.50	3.00

140C

	Field	Edge
Thickness	-49.2 psf	-60.8 psf
24 ga	4.50	4.00
22 ga	4.50	4.00
20 ga	4.50	4.00
0.032"	3.50	3.00

	Field	Edas
		Edge
Thickness	-57 psf	-70.3 psf
24 ga	4.00	3.50
22 ga	4.00	3.50
20 ga	4.00	3.50
0.032"	3.50	3 00

	Field	Edge
Thickness	-62 psf	-76.6 psf
24 ga	3.50	3.00
22 ga	3.50	3.00
20 ga	3.50	3.00
0.032"	3.00	3.00

150C

	Field	Edge
Thickness	-56.5 psf	-69.8 psf
24 ga	4.00	3.50
22 ga	4.00	3.50
20 ga	4.00	3.50
0.032"	3.50	3.00

	Field	Edge
Thickness	-65.4 psf	-80.7 psf
24 ga	3.50	3.00
22 ga	3.50	3.00
20 ga	3.50	3.00
0.032"	3.00	2.50

	Field	Edge
Thickness	-71.2 psf	-87.9 psf
24 ga	3.50	3.00
22 ga	3.50	3.00
20 ga	3.50	3.00
0.032"	3.00	2.50

160C

	Field	Edge
Thickness	-64.3 psf	-79.4 psf
24 ga	3.50	3.00
22 ga	3.50	3.00
20 ga	3.50	3.00
0.032"	3.00	2.50

	Field	Edge
Thickness	-74.4 psf	-91.9 psf
24 ga	3.00	2.50
22 ga	3.00	2.50
20 ga	3.00	2.50
0.032"	3.00	2.50

	Field	Edge
Thickness	-81 psf	-100 psf
24 ga	3.00	2.50
22 ga	3.00	2.50
20 ga	3.00	2.50
0.032"	2.50	2.50

170C

	Field	Edge
Thickness	-72.6 psf	-89.6 psf
24 ga	3.50	3.00
22 ga	3.50	3.00
20 ga	3.50	3.00
0.032"	3.00	2.50

	Field	Edge
Thickness	-84 psf	-103.7 psf
24 ga	3.00	2.50
22 ga	3.00	2.50
20 ga	3.00	2.50
0.032"	2.50	2.50

	Field	Edge
Thickness	-91.5 psf	-112.9 psf
24 ga	2.50	2.50
22 ga	2.50	2.50
20 ga	2.50	2.50
0.032"	2.50	2.00

Notes:


 Allowable spacing is based on capacities determined in AISI 2016, North American Specification for the Design of Cold-Structural Members and ADM 2015, Aluminum Design Manual.

 Allowable spacing is based on an applied load determined using ASCE 7-16 for the wind speeds and Wind Exposures tabulated.
 Assumptions include a tributary area of 10 square feet, an
 Enclosed building, a Topographic Factor of 1.0 and
 panel bearing length of 2.5 inches.

Allowable spacing is determined using IBC 2018 combinations.For wind suction and pressure, the combination is 0.6W.The arrangement is 3 or more equal spans.

4. Testing is the basis for the load carrying capacity.

(4) - FIELD (5) - EDGE a - LEAST OF 10% MINIMUM BUILDING WIDTH OR 40% OF MEAN ROOF HEIGHT BUT NOT LESS THAN 3'.




Design Information



EM15-1275 Box Rib

PANEL ATTACHMENT



FASTENING INFORMATION

- Concealed Wall Clip 4" Low is 13/4" x 4" x 3/8", from 16 ga, G90 material with 2 fastener holes.
- Clip Fastener(s) should be driven just to contact between fastener head / clip / support. Over-driven fasteners can cause panel distortions.
- Fasteners should extend 1/2" or more past the inside face of the support material for steel and wood sheathing support materials.
- Clip Fasteners:

Attaching to Wood:

#12-11 x 11/2" Low Profile Wood Screw

Attaching to Steel:

- < 18 ga: 1/4"-13 Deck Screw
- ≥ 18 ga, ≤ 12 ga: #10-16 Pancake Head Driller
- > 12 ga: 1/4"-14 Self Driller, No Washer

INSTALLATION DIRECTION

Horizontally-oriented panels must be installed from the bottom to the top.

Vertically-oriented panels may be installed from the right-to-left or left-to-right.

ALLOWABLE UNIFORM LOADS, psf STEEL SECTION PROPERTIES For various clip spacings Top In Compression Bottom In Compression **Outward Load Inward Load** Width Yield Weight Ixx Sxx lxx Sxx psf in4/ft in3/ft in⁴/ft in³/ft 2' 3' 4' 5' 6' 2' 3' 4' 5' 6' 0.0690 0.0602 0.1072 0.1072 27 21 100 27 21 24 12 50 1.33 117 60 38 55 37 22 12 50 1.74 0.1024 0.0924 0.1497 0.1545 117 60 38 27 21 100 55 37 27 21 20 12 33 2.12 0.1494 0.1419 0.2028 0.2205 117 27 37 27 21 60 38 21 100 55

- . Theoretical section properties have been calculated per AISI 2016 'North American Specification for the Design of Cold-Formed Steel Structural Members' Ixx and Sxx are effective section properties for deflection and bending.
- Allowable loads are calculated in accordance with AISI 2016 specifications considering bending, shear, combined bending & shear, deflection and load
 testing on 16 ga girts of comparable profiles. Panel weight is not considered. Allowable loads do not consider other support conditions, including
 web crippling, fasteners or support materials.
- 3. Allowable loads consider the three or more equal spans condition.
- 4. Deflection consideration is limited by a maximum deflection ratio of L/180 of span.
- 5. Allowable loads do not include a 1/3 stress increase for wind.

ALLOWABLE UNIFORM LOADS, psf **ALUMINUM SECTION PROPERTIES** for various clip spacings **Outward Load Inward Load Thick** Width Yield Weight $\mathbf{S}_{\mathsf{Top}}$ in $^3/\mathsf{ft}$ Z 1 in4/ft in3/ft ksi psf in 2' 2.5' 3' 4' 6' 2.5' 3' 5' 6' 0.032 12 17 0.64 0.2550 0.3352 0.3460 0.364 98 63 45 26 17 12 68 49 38 26 19 15 12 0.80 0.4260 63 26 68 15 0.040 17 0.3150 0.4138 0.451 98 45 17 12 49 38 26 19

- 1. Theoretical section properties have been calculated per 2015 Aluminum Design Manual. I, S and Z are section properties for deflection and bending.
- Allowable loads are calculated in accordance with 2015 Aluminum Design Manual specifications considering bending, shear, combined bending & shear, deflection and load testing on 16 ga girts of comparable profiles. Panel weight is not considered. Allowable loads do not consider other support conditions, including web crippling, fasteners or support material.
- 3. Allowable load considers the three or more equal span case.
- 4. Deflection consideration is limited by a maximum deflection ratio of L/180 of span.
- Allowable loads do not include a 1/3 stress increase in uplift.



EM15-1275 on 16 ga Girts

Wall Clip Spacing (feet)

Wind Speed (mph)
Exposure Category

100C

20 ft, Mean Roof Height		
	Field	Edge
Thickness	-25.1 psf	-31 psf
24 ga	6.00	6.00
22 ga	6.00	6.00
20 ga	6.00	6.00
0.032"	6.00	5.00

40 ft, Mean Roof Height		
	Field	Edge
Thickness	-29.1 psf	-35.9 psf
24 ga	6.00	5.50
22 ga	6.00	5.50
20 ga	6.00	5.50
0.032"	5.00	4.50

60 ft, Mean Roof Height		
	Field	Edge
Thickness	-31.7 psf	-39.1 psf
24 ga	6.00	5.50
22 ga	6.00	5.50
20 ga	6.00	5.50
0.032"	5.00	4.00

110C

	Field	Edge
Thickness	-30.4 psf	-37.5 pst
24 ga	6.00	5.50
22 ga	6.00	5.50
20 ga	6.00	5.50
0.032"	5.00	4.00

	Field	Edge
Thickness	-35.2 psf	-43.4 psf
24 ga	6.00	5.00
22 ga	6.00	5.00
20 ga	6.00	5.00
0.032"	4.50	3.50

	Field	Edge
Thickness	-38.3 psf	-47.3 psf
24 ga	5.50	4.50
22 ga	5.50	4.50
20 ga	5.50	4.50
0.032"	4.00	3.50

120C

	Field	Edge
Thickness	-36.2 psf	-44.7 ps
24 ga	5.50	5.00
22 ga	5.50	5.00
20 ga	5.50	5.00
0.032"	4.50	3.50

	Field	Edge
Thickness	-41.9 psf	-51.7 psf
24 ga	5.00	4.50
22 ga	5.00	4.50
20 ga	5.00	4.50
0.032"	4.00	3.00

	Field	Edge
Thickness	-45.6 psf	-56.3 psf
24 ga	4.50	4.00
22 ga	4.50	4.00
20 ga	4.50	4.00
0.032"	3.50	3.00

130C

	Field	Edge
Thickness	-42.5 psf	-52.4 ps
24 ga	5.00	4.00
22 ga	5.00	4.00
20 ga	5.00	4.00
0.032"	4.00	3.00

	Field	Edge
Thickness	-49.1 psf	-60.6 psf
24 ga	4.50	4.00
22 ga	4.50	4.00
20 ga	4.50	4.00
0.032"	3.50	3.00

	Field	Edge
Thickness	-53.5 psf	-66 psf
24 ga	4.00	3.50
22 ga	4.00	3.50
20 ga	4.00	3.50
0.032"	3.00	2 50

140C

	Field	Edge
Thickness	-49.2 psf	-60.8 psf
24 ga	4.50	4.00
22 ga	4.50	4.00
20 ga	4.50	4.00
0.032"	3.50	3.00

	Field	Edge
Thickness	-57 psf	-70.3 psf
24 ga	4.00	3.50
22 ga	4.00	3.50
20 ga	4.00	3.50
0.032"	3.00	2.50

	Field	Edge
Thickness	-62 psf	-76.6 psf
24 ga	3.50	3.00
22 ga	3.50	3.00
20 ga	3.50	3.00
0.032"	3.00	2.50

150C

	Field	Edge
Thickness	-56.5 psf	-69.8 psf
24 ga	4.00	3.50
22 ga	4.00	3.50
20 ga	4.00	3.50
0.032"	3.00	2.50

1		Field	Edge
	Thickness	-65.4 psf	-80.7 psf
	24 ga	3.50	3.00
	22 ga	3.50	3.00
	20 ga	3.50	3.00
	0.032"	2.50	2.50

	Field	Edge
Thickness	-71.2 psf	-87.9 psf
24 ga	3.50	3.00
22 ga	3.50	3.00
20 ga	3.50	3.00
0.032"	2.50	2.00

160C

	Field	Edge
Thickness	-64.3 psf	-79.4 psf
24 ga	3.50	3.00
22 ga	3.50	3.00
20 ga	3.50	3.00
0.032"	2.50	2.50

	Field	Edge
Thickness	-74.4 psf	-91.9 psf
24 ga	3.00	2.50
22 ga	3.00	2.50
20 ga	3.00	2.50
0.032"	2.50	2.00

Thickness	Field -81 psf	Edge -100 psf
24 ga	3.00	2.50
22 ga	3.00	2.50
20 ga	3.00	2.50
0.032"	2.50	2.00

170C

Thickness	Field -72.6 psf	Edge -89.6 psf
24 ga	3.50	3.00
22 ga	3.50	3.00
20 ga	3.50	3.00
0.032"	2.50	2.00

	Field	Edge
Thickness	-84 psf	-103.7 psf
24 ga	3.00	2.50
22 ga	3.00	2.50
20 ga	3.00	2.50
0.032"	2.00	2.00

Thickness	Field -91.5 psf	Edge -112.9 psf
24 ga	2.50	2.50
22 ga	2.50	2.50
20 ga	2.50	2.50
0.032"	2.00	2.00

Notes

 Allowable spacing is based on capacities determined in AISI 2016, North American Specification for the Design of Cold-Structural Members and ADM 2015, Aluminum Design Manual.


Allowable spacing is based on an applied load determined using ASCE 7-16 for the wind speeds and Wind Exposures tabulated. Assumptions include a tributary area of 10 square feet, an Enclosed building, a Topographic Factor of 1.0 and panel bearing length of 2.5 inches.

Allowable spacing is determined using IBC 2018 combinations.
 For wind suction and pressure, the combination is 0.6W.
 The arrangement is 3 or more equal spans.

4. Testing is the basis for the load carrying capacity.



a - LEAST OF 10% MINIMUM BUILDING WIDTH OR 40% OF MEAN ROOF HEIGHT BUT NOT LESS THAN 3'.




Design Information



EM15-1284 Box Rib

PANEL ATTACHMENT



FASTENING INFORMATION

- Concealed Wall Clip 4" Low is 13/4" x 4" x 3/8", from 16 ga, G90 material with 2 fastener holes.
- Clip Fastener(s) should be driven just to contact between fastener head / clip / support. Over-driven fasteners can cause panel distortions.
- Fasteners should extend 1/2" or more past the inside face of the support material for steel and wood sheathing support materials.
- Clip Fasteners:

Attaching to Wood:

#12-11 x 11/2" Low Profile Wood Screw

Attaching to Steel:

- < 18 ga: 1/4"-13 Deck Screw
- ≥ 18 ga, ≤ 12 ga: #10-16 Pancake Head Driller
- > 12 ga: 1/4"-14 Self Driller, No Washer

INSTALLATION DIRECTION

Horizontally-oriented panels must be installed from the bottom to the top.

Vertically-oriented panels may be installed from the right-to-left or left-to-right.

		ST	EEL S	ECTION	PROPE	RTIES			ALL				FORI clip s			, psf	
	\A/: a 4 a	Viald	Mainh4		npression	Bottom In C	ompression		lnw	ard L	oad			Outv	vard I	Load	
Ga	Width in	Yield ksi	Weight psf	lxx	Sxx	lxx	Sxx		11100	aiu L	oau			Outv	varu	Loau	
			ρο.	in⁴/ft	in³/ft	in⁴/ft	in³/ft	2'	3'	4'	5'	6'	2'	3'	4'	5'	6'
24	12	50	1.33	0.0671	0.0605	0.1118	0.1080	117	60	38	27	21	100	55	37	27	21
22	12	50	1.74	0.0982	0.0915	0.1564	0.1553	117	60	38	27	21	100	55	37	27	21
20	12	33	2.12	0.1428	0.1409	0.2121	0.2209	117	60	38	27	21	100	55	37	27	21

- Theoretical section properties have been calculated per AISI 2016 'North American Specification for the Design of Cold-Formed Steel Structural Members'.
 Ixx and Sxx are effective section properties for deflection and bending.
- Allowable loads are calculated in accordance with AISI 2016 specifications considering bending, shear, combined bending & shear, deflection and load
 testing on 16 ga girts of comparable profiles. Panel weight is not considered. Allowable loads do not consider other support conditions, including
 web crippling, fasteners or support materials.
- 3. Allowable loads consider the three or more equal spans condition.
- 4. Deflection consideration is limited by a maximum deflection ratio of L/180 of span.
- 5. Allowable loads do not include a 1/3 stress increase for wind.

ALLOWABLE UNIFORM LOADS, psf **ALUMINUM SECTION PROPERTIES** for various clip spacings **Inward Load Outward Load** S_{Top} in³/ft S_{Bottom} in³/ft Width Z **Thick** Yield Weight in⁴/ft in³/ft ksi psf in 2' 2.5' 3' 4' 5' 6' 2' 2.5' 3' 4' 5' 6' 0.032 12 17 0.64 0.2520 0.3727 0.3071 0.359 98 63 45 26 17 12 68 49 38 26 19 15 0.040 12 17 0.80 0.3110 0.4598 0.3780 0.444 98 63 45 26 17 12 68 49 38 19 15

- 1. Theoretical section properties have been calculated per 2015 Aluminum Design Manual. I, S and Z are section properties for deflection and bending.
- Allowable loads are calculated in accordance with 2015 Aluminum Design Manual specifications considering bending, shear, combined bending & shear, deflection and load testing on 16 ga girts of comparable profiles. Panel weight is not considered. Allowable loads do not consider other support conditions, including web crippling, fasteners or support material.
- 3. Allowable load considers the three or more equal span case.
- Deflection consideration is limited by a maximum deflection ratio of L/180 of span.
- Allowable loads do not include a 1/3 stress increase in uplift.



EM15-1284 on 16 ga Girts

Wall Clip Spacing (feet)

Wind Speed (mph) Exposure Category

100C

20 ft, Mean Roof Height					
	Field	Edge			
Thickness	-25.1 psf	-31 psf			
24 ga	6.00	6.00			
22 ga	6.00	6.00			
20 ga	6.00	6.00			
0.032"	6.00	5 00			

40 it, Mean Rooi Height					
	Field	Edge			
Thickness	-29.1 psf	-35.9 ps			
24 ga	6.00	5.50			
22 ga	6.00	5.50			
20 ga	6.00	5.50			
0.032"	5.00	4.50			

60 ft, Mean Roof Height					
	Edge				
Thickness	-31.7 psf	-39.1 psf			
24 ga	6.00	5.50			
22 ga	6.00	5.50			
20 ga	6.00	5.50			
0.032"	5.00	4.00			

110C

Thickness -30.4 psf -37.5 psf 24 ga 6.00 5.50 22 ga 6.00 5.50 20 ga 6.00 5.50 0.032" 5.00 4.00		Field	Edge
22 ga 6.00 5.50 20 ga 6.00 5.50	Thickness	-30.4 psf	-37.5 psf
20 ga 6.00 5.50	24 ga	6.00	5.50
	22 ga	6.00	5.50
0.032" 5.00 4.00		6.00	5.50
	0.032"	5.00	4.00

	Field	Edge
Thickness	-35.2 psf	-43.4 psf
24 ga	6.00	5.00
22 ga	6.00	5.00
20 ga	6.00	5.00
0.032"	4.50	3.50

	Field	Edge
Thickness	-38.3 psf	-47.3 psf
24 ga	5.50	4.50
22 ga	5.50	4.50
20 ga	5.50	4.50
0.032"	4.00	3.50

120C

	Field	Edge
Thickness	-36.2 psf	-44.7 psf
24 ga	5.50	5.00
22 ga	5.50	5.00
20 ga	5.50	5.00
0.032"	4.50	3.50

	E:	
	Field	Edge
Thickness	-41.9 psf	-51.7 psf
24 ga	5.00	4.50
22 ga	5.00	4.50
20 ga	5.00	4.50
0.032"	4.00	3.00

	Field	Edge
Thickness	-45.6 psf	-56.3 psf
24 ga	4.50	4.00
22 ga	4.50	4.00
20 ga	4.50	4.00
0.032"	3.50	3.00

130C

	Field	Edge
Thickness	-42.5 psf	-52.4 psf
24 ga	5.00	4.00
22 ga	5.00	4.00
20 ga	5.00	4.00
0.032"	4.00	3.00

	Field	Edge
Thickness	-49.1 psf	-60.6 psf
24 ga	4.50	4.00
22 ga	4.50	4.00
20 ga	4.50	4.00
0.032"	3.50	3.00

	Field	Edge
Thickness	-53.5 psf	-66 psf
24 ga	4.00	3.50
22 ga	4.00	3.50
20 ga	4.00	3.50
0.032"	3.00	2.50

140C

	Field	Edge
Thickness	-49.2 psf	-60.8 psf
24 ga	4.50	4.00
22 ga	4.50	4.00
20 ga	4.50	4.00
0.032"	3.50	3.00

	Field	Edge
Thickness	-57 psf	-70.3 psf
24 ga	4.00	3.50
22 ga	4.00	3.50
20 ga	4.00	3.50
0.032"	3.00	2.50

	Field	Edge
Thickness	-62 psf	-76.6 psf
24 ga	3.50	3.00
22 ga	3.50	3.00
20 ga	3.50	3.00
0.032"	3.00	2.50

150C

	Field	Edge
Thickness	-56.5 psf	-69.8 psf
24 ga	4.00	3.50
22 ga	4.00	3.50
20 ga	4.00	3.50
0.032"	3 00	2.50

	Field	Edge
Thickness	-65.4 psf	-80.7 psf
24 ga	3.50	3.00
22 ga	3.50	3.00
20 ga	3.50	3.00
0.032"	2.50	2.50

	Field	Edge
Thickness	-71.2 psf	-87.9 psf
24 ga	3.50	3.00
22 ga	3.50	3.00
20 ga	3.50	3.00
0.032"	2.50	2.00

160C

	Field	Edge
Thickness	-64.3 psf	-79.4 psf
24 ga	3.50	3.00
22 ga	3.50	3.00
20 ga	3.50	3.00
0.032"	2.50	2.50

	Field	Edge
Thickness	-74.4 psf	-91.9 psf
24 ga	3.00	2.50
22 ga	3.00	2.50
20 ga	3.00	2.50
0.032"	2.50	2.00

	Field	Edge
Thickness	-81 psf	-100 psf
24 ga	3.00	2.50
22 ga	3.00	2.50
20 ga	3.00	2.50
0.032"	2.50	2.00

170C

	Field	Edge
Thickness	-72.6 psf	-89.6 psf
24 ga	3.50	3.00
22 ga	3.50	3.00
20 ga	3.50	3.00
0.032"	2.50	2.00

	Field	Edge
Thickness	-84 psf	-103.7 psf
24 ga	3.00	2.50
22 ga	3.00	2.50
20 ga	3.00	2.50
0.032"	2.00	2.00


	Field	Edge
Thickness	-91.5 psf	-112.9 psf
24 ga	2.50	2.50
22 ga	2.50	2.50
20 ga	2.50	2.50
0.032"	2.00	2.00

Notes:

 Allowable spacing is based on capacities determined in AISI 2016, North American Specification for the Design of Cold-Structural Members and ADM 2015, Aluminum Design Manual.

- Allowable spacing is based on an applied load determined using ASCE 7-16 for the wind speeds and Wind Exposures tabulated.
 Assumptions include a tributary area of 10 square feet, an Enclosed building, a Topographic Factor of 1.0 and panel bearing length of 2.5 inches.
- Allowable spacing is determined using IBC 2018 combinations.For wind suction and pressure, the combination is 0.6W.The arrangement is 3 or more equal spans.
- 4. Testing is the basis for the load carrying capacity.

- (4) FIELD (5) - EDGE
- a LEAST OF 10% MINIMUM BUILDING WIDTH OR 40% OF MEAN ROOF HEIGHT BUT NOT LESS THAN 3'.




Design Information



EM15-1293 Box Rib

PANEL ATTACHMENT



FASTENING INFORMATION

- Concealed Wall Clip 4" Low is 13/4" x 4" x 3/8", from 16 ga, G90 material with 2 fastener holes.
- Clip Fastener(s) should be driven just to contact between fastener head / clip / support. Over-driven fasteners can cause panel distortions.
- Fasteners should extend 1/2" or more past the inside face of the support material for steel and wood sheathing support materials.
- Clip Fasteners:

Attaching to Wood:

#12-11 x 11/2" Low Profile Wood Screw

Attaching to Steel:

- < 18 ga: 1/4"-13 Deck Screw
- ≥ 18 ga, ≤ 12 ga: #10-16 Pancake Head Driller
- > 12 ga: 1/4"-14 Self Driller, No Washer

INSTALLATION DIRECTION

Horizontally-oriented panels must be installed from the bottom to the top.

Vertically-oriented panels may be installed from the right-to-left or left-to-right.

ALLOWABLE UNIFORM LOADS, psf STEEL SECTION PROPERTIES For various clip spacings Top In Compression Bottom In Compression **Inward Load Outward Load** Width Yield Weight lxx Sxx lxx Sxx psf in4/ft in3/ft in⁴/ft in3/ft 2' 3' 4' 5' 6' 2' 3' 4' 5' 6' 0.0640 0.0600 0.1156 0.1083 27 21 103 39 30 24 24 12 50 1.33 117 60 38 58 22 12 50 1.74 0.0929 0.0901 0.1618 0.1555 117 60 38 27 21 103 58 39 30 24 20 12 33 2.12 0.1346 0.1392 0.2191 117 27 24 0.2198 60 38 21 103 58 39 30

- Theoretical section properties have been calculated per AISI 2016 'North American Specification for the Design of Cold-Formed Steel Structural Members'.
 Ixx and Sxx are effective section properties for deflection and bending.
- Allowable loads are calculated in accordance with AISI 2016 specifications considering bending, shear, combined bending & shear, deflection, load
 testing on 16 ga girts and load testing of comparable profiles. Panel weight is not considered. Allowable loads do not consider other support conditions,
 including web crippling, fasteners or support materials.
- 3. Allowable loads consider the three or more equal spans condition.
- Deflection consideration is limited by a maximum deflection ratio of L/180 of span.
- 5. Allowable loads do not include a 1/3 stress increase for wind.

ALLOWABLE UNIFORM LOADS, psf **ALUMINUM SECTION PROPERTIES** for various clip spacings **Inward Load Outward Load** S_{Top} in³/ft S_{Bottom} in³/ft **Thick** Width Yield Weight Ζ in4/ft in3/ft in ksi psf in 2' 3' 4' 3' 6' 2.5' 6' 2.5 24 19 0.032 12 17 0.64 0.2420 0.4072 0.2667 0.322 98 63 45 26 17 12 68 52 42 30 0.040 12 17 0.80 0.2980 0.5023 0.3282 0.398 98 63 45 26 17 12 68 52 42 30 24 19

- 1. Theoretical section properties have been calculated per 2015 Aluminum Design Manual. I, S and Z are section properties for deflection and bending.
- Allowable loads are calculated in accordance with 2015 Aluminum Design Manual specifications considering bending, shear, combined bending & shear, deflection, load testing on 16 ga girts and load testing of comparable profiles. Panel weight is not considered. Allowable loads do not consider other support conditions, including web crippling, fasteners or support material.
- 3. Allowable load considers the three or more equal span case.
- 4. Deflection consideration is limited by a maximum deflection ratio of L/180 of span.
- Allowable loads do not include a 1/3 stress increase in uplift.



EM15-1293 on 16 ga Girts

Wall Clip Spacing (feet)

Wind Speed (mph) Exposure Category

100C

20 ft, Mean Roof Height		
	Field	Edge
Thickness	-25.1 psf	-31 psf
24 ga	6.00	6.00
22 ga	6.00	6.00
20 ga	6.00	6.00
0.032"	6.00	6.00

40 ft, Mean Roof Height		
	Field	Edge
Thickness	-29.1 psf	-35.9 psf
24 ga	6.00	6.00
22 ga	6.00	6.00
20 ga	6.00	6.00
0.032"	6.00	5.00
0.032"	6.00	5.00

60 ft, Mean Roof Height		
	Field	Edge
Thickness	-31.7 psf	-39.1 psf
24 ga	6.00	6.00
22 ga	6.00	6.00
20 ga	6.00	6.00
0.032"	6.00	5.00

110C

	Field	Edge
Thickness	-30.4 psf	-37.5 ps
24 ga	6.00	6.00
22 ga	6.00	6.00
20 ga	6.00	6.00
0.032"	6.00	5.00

	Field	Edge
Thickness	-35.2 psf	-43.4 psf
24 ga	6.00	5.50
22 ga	6.00	5.50
20 ga	6.00	5.50
0.032"	5.50	4.50

	Field	Edge
Thickness	-38.3 psf	-47.3 psf
24 ga	6.00	5.00
22 ga	6.00	5.00
20 ga	6.00	5.00
0.032"	5.00	4.00

120C

	Field	Edge
Thickness	-36.2 psf	-44.7 pst
24 ga	6.00	5.00
22 ga	6.00	5.00
20 ga	6.00	5.00
0.032"	5.00	4.00

	Field	Edge
Thickness	-41.9 psf	-51.7 psf
24 ga	5.50	4.50
22 ga	5.50	4.50
20 ga	5.50	4.50
0.032"	4.50	3.50

	Field	Edge
Thickness	-45.6 psf	-56.3 psf
24 ga	5.00	4.50
22 ga	5.00	4.50
20 ga	5.00	4.50
0.032"	4.00	3.50

130C

	Field	Edge
Thickness	-42.5 psf	-52.4 pst
24 ga	5.50	4.50
22 ga	5.50	4.50
20 ga	5.50	4.50
0.032"	4.50	3.50

	Field	Edge
Thickness	-49.1 psf	-60.6 psf
24 ga	5.00	4.00
22 ga	5.00	4.00
20 ga	5.00	4.00
0.032"	4.00	3.00

	Field	Edge
Thickness	-53.5 psf	-66 psf
24 ga	4.50	3.50
22 ga	4.50	3.50
20 ga	4.50	3.50
0.032"	3.50	3.00

140C

	Field	Edge
Thickness	-49.2 psf	-60.8 psf
24 ga	5.00	4.00
22 ga	5.00	4.00
20 ga	5.00	4.00
0.032"	4.00	3.00

	: -:	
	Field	Edge
Thickness	-57 psf	-70.3 psf
24 ga	4.00	3.50
22 ga	4.00	3.50
20 ga	4.00	3.50
0.032"	3.50	2.50

Thickness	Field -62 psf	Edge -76.6 psf
24 ga	4.00	3.50
22 ga	4.00	3.50
20 ga	4.00	3.50
0.032"	3 00	2 50

150C

	Field	Edge
Thickness	-56.5 psf	-69.8 psf
24 ga	4.50	3.50
22 ga	4.50	3.50
20 ga	4.50	3.50
0.032"	3.50	3.00

-		
	Field	Edge
Thickness	-65.4 psf	-80.7 psf
24 ga	4.00	3.00
22 ga	4.00	3.00
20 ga	4.00	3.00
0.032"	3.00	2.50

	Field	Edge
Thickness	-71.2 psf	-87.9 psf
24 ga	3.50	3.00
22 ga	3.50	3.00
20 ga	3.50	3.00
0.032"	2.50	2.00

160C

	Field	Edge
Thickness	-64.3 psf	-79.4 psf
24 ga	4.00	3.00
22 ga	4.00	3.00
20 ga	4.00	3.00
0.032"	3.00	2.50

	Field	Edge
Thickness	-74.4 psf	-91.9 psf
24 ga	3.50	3.00
22 ga	3.50	3.00
20 ga	3.50	3.00
0.032"	2.50	2.00

	Field	Edge
Thickness	-81 psf	-100 psf
24 ga	3.00	2.50
22 ga	3.00	2.50
20 ga	3.00	2.50
0.032"	2.50	2.00

170C

Thickness	Field -72.6 psf	Edge -89.6 psf
24 ga	3.50	3.00
22 ga	3.50	3.00
20 ga	3.50	3.00
0.032"	2.50	2.00

Thickness	Field -84 psf	Edge -103.7 psf
24 ga	2.00	2.50
22 ga	2.00	2.50
20 ga	2.00	2.50
0.032"	2.50	2.00

Thickness	Field -91.5 psf	Edge -112.9 psf
24 ga	3.00	2.50
22 ga	3.00	2.50
20 ga	3.00	2.50
0.032"	2.00	2.00

Notes:

 Allowable spacing is based on capacities determined in AISI 2016, North American Specification for the Design of Cold-Structural Members and ADM 2015, Aluminum Design Manual.


2. Allowable spacing is based on an applied load determined using ASCE 7-16 for the wind speeds and Wind Exposures tabulated. Assumptions include a tributary area of 10 square feet, an Enclosed building, a Topographic Factor of 1.0 and panel bearing length of 2.5 inches.

Allowable spacing is determined using IBC 2018 combinations.For wind suction and pressure, the combination is 0.6W.The arrangement is 3 or more equal spans.

4. Testing is the basis for the load carrying capacity.



a - LEAST OF 10% MINIMUM BUILDING WIDTH OR 40% OF MEAN ROOF HEIGHT BUT NOT LESS THAN 3'.




Design Information



EM15-1210 Box Rib

PANEL ATTACHMENT



FASTENING INFORMATION

- Concealed Wall Clip 4" Low is 13/4" x 4" x 3/8", from 16 ga, G90 material with 2 fastener holes.
- Clip Fastener(s) should be driven just to contact between fastener head / clip / support. Over-driven fasteners can cause panel distortions.
- Fasteners should extend 1/2" or more past the inside face of the support material for steel and wood sheathing support materials.
- Clip Fasteners:

Attaching to Wood:

#12-11 x 11/2" Low Profile Wood Screw

Attaching to Steel:

- < 18 ga: 1/4"-13 Deck Screw
- ≥ 18 ga, ≤ 12 ga: #10-16 Pancake Head Driller
- > 12 ga: 1/4"-14 Self Driller, No Washer

INSTALLATION DIRECTION

Horizontally-oriented panels must be installed from the bottom to the top.

Vertically-oriented panels may be installed from the right-to-left or left-to-right.

ALLOWABLE UNIFORM LOADS, psf STEEL SECTION PROPERTIES For various clip spacings Top In Compression Bottom In Compression **Inward Load Outward Load** Width Yield Weight lxx Sxx lxx Sxx psf in4/ft in3/ft in⁴/ft in3/ft 2' 3' 4' 5' 6' 2' 3' 4' 5' 6' 0.0596 0.0586 0.1185 27 78 49 35 28 24 12 50 1.33 0.1081 117 60 38 22 12 50 1.74 0.0863 0.0881 0.1655 0.1545 117 60 38 27 78 49 35 28 20 12 33 2.12 0.1240 0.1364 0.2230 0.2157 117 27 78 35 60 38 49 28

- Theoretical section properties have been calculated per AISI 2016 'North American Specification for the Design of Cold-Formed Steel Structural Members'.
 Ixx and Sxx are effective section properties for deflection and bending.
- Allowable loads are calculated in accordance with AISI 2016 specifications considering bending, shear, combined bending & shear, deflection and load
 testing on 16 ga girts of comparable profiles. Panel weight is not considered. Allowable loads do not consider other support conditions, including
 web crippling, fasteners or support materials.
- 3. Allowable loads consider the three or more equal spans condition.
- 4. Deflection consideration is limited by a maximum deflection ratio of L/180 of span.
- 5. Allowable loads do not include a 1/3 stress increase for wind.

ALLOWABLE UNIFORM LOADS, psf **ALUMINUM SECTION PROPERTIES** for various clip spacings **Inward Load Outward Load** S_{Top} in³/ft S_{Bottom} in³/ft **Thick** Width Yield Weight Ζ in4/ft in3/ft in ksi psf in 2' 3' 4' 3' 6' 2.5' 5' 6' 2.5 5' 0.032 12 17 0.64 0.2230 0.4382 0.2252 0.276 98 63 45 26 17 68 52 42 30 24 0.040 12 17 0.80 0.2740 0.5395 0.2769 0.341 98 63 45 26 17 68 52 42 30 24

- 1. Theoretical section properties have been calculated per 2015 Aluminum Design Manual. I, S and Z are section properties for deflection and bending.
- Allowable loads are calculated in accordance with 2015 Aluminum Design Manual specifications considering bending, shear, combined bending & shear, deflection and load testing on 16 ga girts of comparable profiles. Panel weight is not considered. Allowable loads do not consider other support conditions, including web crippling, fasteners or support material.
- 3. Allowable load considers the three or more equal span case.
- 4. Deflection consideration is limited by a maximum deflection ratio of L/180 of span.
- Allowable loads do not include a 1/3 stress increase in uplift.



EM15-1210 on 16 ga Girts

Wall Clip Spacing (feet)

Wind Speed (mph) Exposure Category

100C

20 ft, Mean Roof Height		
	Field	Edge
Thickness	-25.1 psf	-31 psf
24 ga	5.50	5.50
22 ga	5.50	5.50
20 ga	5.50	5.50
0.032"	5.50	5.50

<u>40 ft, Mean Roof Height</u>		
	Field	Edge
Thickness	-29.1 psf	-35.9 ps
24 ga	5.50	5.50
22 ga	5.50	5.50
20 ga	5.50	5.50
0.032"	5.50	5.00

60 ft, Mean Roof Height		
	Field	Edge
Thickness	-31.7 psf	-39.1 psf
24 ga	5.50	5.50
22 ga	5.50	5.50
20 ga	5.50	5.50
0.032"	5.50	4.50

110C

	Field	Edge
Thickness	-30.4 psf	-37.5 psf
24 ga	5.50	5.50
22 ga	5.50	5.50
20 ga	5.50	5.50
0.032"	5.50	5.00

	Field	Edge
Thickness	-35.2 psf	-43.4 psf
24 ga	5.50	5.00
22 ga	5.50	5.00
20 ga	5.50	5.00
0.032"	5.00	4.00

	Field	Edge
Thickness	-38.3 psf	-47.3 psf
24 ga	5.50	4.50
22 ga	5.50	4.50
20 ga	5.50	4.50
0.032"	4 50	4 00

120C

	Field	Edge
Thickness	-36.2 psf	-44.7 psf
24 ga	5.50	5.00
22 ga	5.50	5.00
20 ga	5.50	5.00
0.032"	5.00	4.00

	Field	Edge
Thickness	-41.9 psf	-51.7 psf
24 ga	5.50	4.50
22 ga	5.50	4.50
20 ga	5.50	4.50
0.032"	4.50	3.50

Thickness	Field -45.6 psf	Edge -56.3 psf
Thickness	-43.0 psi	-30.3 psi
24 ga	5.00	4.00
22 ga	5.00	4.00
20 ga	5.00	4.00
0.032"	4.00	3.50

130C

	Field	Edge
Thickness	-42.5 psf	-52.4 psf
24 ga	5.00	4.00
22 ga	5.00	4.00
20 ga	5.00	4.00
0.032"	4.50	3.50

	Field	Edge
Thickness	-49.1 psf	-60.6 psf
24 ga	4.50	3.50
22 ga	4.50	3.50
20 ga	4.50	3.50
0.032"	4.00	3.00

	Field	Edge
Thickness	-53.5 psf	-66 psf
24 ga	4.00	3.50
22 ga	4.00	3.50
20 ga	4.00	3.50
0.032"	3.50	3.00

140C

	Field	Edge
Thickness	-49.2 psf	-60.8 psf
24 ga	4.50	3.50
22 ga	4.50	3.50
20 ga	4.50	3.50
0.032"	4.00	3.00

	Field	Edge
Thickness	-57 psf	-70.3 psf
24 ga	4.00	3.00
22 ga	4.00	3.00
20 ga	4.00	3.00
0.032"	3.50	2.50

	Field	Edge
Thickness	-62 psf	-76.6 psf
24 ga	3.50	3.00
22 ga	3.50	3.00
20 ga	3.50	3.00
0.032"	3.00	2.50

150C

	Field	Edge
Thickness	-56.5 psf	-69.8 psf
24 ga	4.00	3.00
22 ga	4.00	3.00
20 ga	4.00	3.00
0.032"	3.50	2.50

	Field	Edge
Thickness	-65.4 psf	-80.7 psf
24 ga	3.50	3.00
22 ga	3.50	3.00
20 ga	3.50	3.00
0.032"	3.00	2.50

Thickness	Field -71.2 psf	Edge -87.9 psf
24 ga	3.00	2.50
22 ga	3.00	2.50
20 ga	3.00	2.50
0.032"	2.50	2.00

160C

	Field	Eage
Thickness	-64.3 psf	-79.4 psf
24 ga	3.50	3.00
22 ga	3.50	3.00
20 ga	3.50	3.00
0.032"	3.00	2.50

	Field	Edge
Thickness	-74.4 psf	-91.9 psf
24 ga	3.00	2.50
22 ga	3.00	2.50
20 ga	3.00	2.50
0.032"	2.50	2.00

	Field	Edge
Thickness	-81 psf	-100 psf
24 ga	3.00	2.50
22 ga	3.00	2.50
20 ga	3.00	2.50
0.032"	2.50	2.00

170C

Thickness	Field -72.6 psf	Edge -89.6 psf
24 ga	3.00	2.50
22 ga	3.00	2.50
20 ga	3.00	2.50
0.032"	2.50	2.00

Thickness	Field -84 psf	Edge -103.7 psf
24 ga	2.50	2.00
22 ga	2.50	2.00
20 ga	2.50	2.00
0.032"	2.50	2.00


	Field	Edge
Thickness	-91.5 psf	-112.9 psf
24 ga	2.50	2.00
22 ga	2.50	2.00
20 ga	2.50	2.00
0.032"	2.00	2.00

Notes

 Allowable spacing is based on capacities determined in AISI 2016, North American Specification for the Design of Cold-Structural Members and ADM 2015, Aluminum Design Manual.

- Allowable spacing is based on an applied load determined using ASCE 7-16 for the wind speeds and Wind Exposures tabulated.
 Assumptions include a tributary area of 10 square feet, an Enclosed building, a Topographic Factor of 1.0 and panel bearing length of 2.5 inches.
- Allowable spacing is determined using IBC 2018 combinations.
 For wind suction and pressure, the combination is 0.6W.
 The arrangement is 3 or more equal spans.
- 4. Testing is the basis for the load carrying capacity.

- (4) FIELD (5) - EDGE
- a LEAST OF 10% MINIMUM BUILDING WIDTH OR 40% OF MEAN ROOF HEIGHT BUT NOT LESS THAN 3'.




Design Information



EM15-1211 Box Rib

PANEL ATTACHMENT



FASTENING INFORMATION

- Concealed Wall Clip 4" Low is 13/4" x 4" x 3/8", from 16 ga, G90 material with 2 fastener holes.
- Clip Fastener(s) should be driven just to contact between fastener head / clip / support. Over-driven fasteners can cause panel distortions.
- Fasteners should extend 1/2" or more past the inside face of the support material for steel and wood sheathing support materials.
- Clip Fasteners:

Attaching to Wood:

#12-11 x 11/2" Low Profile Wood Screw

Attaching to Steel:

< 18 ga: 1/4"-13 Deck Screw

≥ 18 ga, ≤ 12 ga: #10-16 Pancake Head Driller

> 12 ga: 1/4"-14 Self Driller, No Washer

INSTALLATION DIRECTION

Horizontally-oriented panels must be installed from the bottom to the top.

Vertically-oriented panels may be installed from the right-to-left or left-to-right.

ALLOWABLE UNIFORM LOADS, psf STEEL SECTION PROPERTIES For various clip spacings Top In Compression Bottom In Compression **Inward Load Outward Load** Width Yield Weight lxx Sxx lxx Sxx psf in4/ft in3/ft in⁴/ft in3/ft 2' 3' 4' 5' 6' 2' 3' 4' 5' 6' 50 0.0541 0.0566 0.1191 0.1057 27 _ 78 53 32 24 12 1.33 117 60 38 40 22 12 50 1.74 0.0780 0.0852 0.1660 0.1505 117 60 38 27 78 53 40 32 20 12 33 2.12 0.1120 0.1322 0.2190 0.2033 117 27 78 60 38 53 40 32

- Theoretical section properties have been calculated per AISI 2016 'North American Specification for the Design of Cold-Formed Steel Structural Members'.
 Ixx and Sxx are effective section properties for deflection and bending.
- Allowable loads are calculated in accordance with AISI 2016 specifications considering bending, shear, combined bending & shear, deflection, load
 testing on 16 ga girts and load testing of comparable profiles. Panel weight is not considered. Allowable loads do not consider other support conditions,
 including web crippling, fasteners or support materials.
- 3. Allowable loads consider the three or more equal spans condition.
- 4. Deflection consideration is limited by a maximum deflection ratio of L/180 of span.
- 5. Allowable loads do not include a 1/3 stress increase for wind.

ALLOWABLE UNIFORM LOADS, psf **ALUMINUM SECTION PROPERTIES** for various clip spacings **Inward Load Outward Load** S_{Top} in³/ft S_{Bottom} in³/ft **Thick** Width Yield Weight Ζ in⁴/ft in3/ft in ksi psf in 2' 3' 4' 3' 6' 2.5' 5' 6' 2.5 0.032 12 17 0.64 0.1960 0.4625 0.1828 0.230 98 63 45 26 17 77 59 48 34 27 0.040 12 17 0.80 0.2140 0.5684 0.2245 0.284 98 63 45 26 17 77 59 48 34 27

- 1. Theoretical section properties have been calculated per 2015 Aluminum Design Manual. I, S and Z are section properties for deflection and bending.
- Allowable loads are calculated in accordance with 2015 Aluminum Design Manual specifications considering bending, shear, combined bending & shear, deflection, load testing on 16 ga girts and load testing of comparable profiles. Panel weight is not considered. Allowable loads do not consider other support conditions, including web crippling, fasteners or support material.
- 3. Allowable load considers the three or more equal span case.
- 4. Deflection consideration is limited by a maximum deflection ratio of L/180 of span.
- Allowable loads do not include a 1/3 stress increase in uplift.



EM15-1211 on 16 ga Girts

Wall Clip Spacing (feet)

Wind Speed (mph) Exposure Category

100C

20 ft, Mean Roof Height		
	Field	Edge
Thickness	-25.1 psf	-31 psf
24 ga	5.50	5.50
22 ga	5.50	5.50
20 ga	5.50	5.50

40 II, Mean Roof Height		
	Field	Edge
Thickness	-29.1 psf	-35.9 ps
24 ga	5.50	5.50
22 ga	5.50	5.50
20 ga	5.50	5.50
0.032"	5.50	5.50

60 ft, Mean Roof Height		
	Field	Edge
Thickness	-31.7 psf	-39.1 psf
24 ga	5.50	5.50
22 ga	5.50	5.50
20 ga	5.50	5.50
0.032"	5.50	5.50

110C

	Field	Edge
Thickness	-30.4 psf	-37.5 ps
24 ga	5.50	5.50
22 ga	5.50	5.50
20 ga	5.50	5.50
0.032"	5.50	5.50

	Field	Edge
Thickness	-35.2 psf	-43.4 psf
24 ga	5.50	5.50
22 ga	5.50	5.50
20 ga	5.50	5.50
0.032"	5.50	5.00

	Field	Edge
Thickness	-38.3 psf	-47.3 psf
24 ga	5.50	5.50
22 ga	5.50	5.50
20 ga	5.50	5.50
0.032"	5.50	4.50

120C

	Field	Edge
Thickness	-36.2 psf	-44.7 psf
24 ga	5.50	5.50
22 ga	5.50	5.50
20 ga	5.50	5.50
0.032"	5.50	5.00

	Field	Edge
Thickness	-41.9 psf	-51.7 psf
24 ga	5.50	5.00
22 ga	5.50	5.00
20 ga	5.50	5.00
0.032"	5.00	4.00

	rieid	⊏age
Thickness	-45.6 psf	-56.3 psf
24 ga	5.50	4.50
22 ga	5.50	4.50
20 ga	5.50	4.50
0.032"	4.50	4.00

130C

	Field	Edge
Thickness	-42.5 psf	-52.4 ps
24 ga	5.50	5.00
22 ga	5.50	5.00
20 ga	5.50	5.00
0.032"	5.00	4.00

	Field	Edge
Thickness	-49.1 psf	-60.6 psf
24 ga	5.00	4.00
22 ga	5.00	4.00
20 ga	5.00	4.00
0.032"	4.50	3.50

	Field	Edge
Thickness	-53.5 psf	-66 psf
24 ga	4.50	4.00
22 ga	4.50	4.00
20 ga	4.50	4.00
0.032"	4.00	3.50

140C

	Field	Edge
Thickness	-49.2 psf	-60.8 psf
24 ga	5.00	4.00
22 ga	5.00	4.00
20 ga	5.00	4.00
0.032"	4.50	3.50

Thickness	Field -57 psf	Edge -70.3 psf
24 ga	4.50	3.50
22 ga	4.50	3.50
20 ga	4.50	3.50
0.032"	4 00	3 00

	Field	Edge
Thickness	-62 psf	-76.6 psf
24 ga	4.00	3.00
22 ga	4.00	3.00
20 ga	4.00	3.00
0.032"	3.50	3.00

150C

	Field	Edge
Thickness	-56.5 psf	-69.8 psf
24 ga	4.50	3.50
22 ga	4.50	3.50
20 ga	4.50	3.50
0.032"	4.00	3.00

	Field	Edge
Thickness	-65.4 psf	-80.7 psf
24 ga	4.00	3.00
22 ga	4.00	3.00
20 ga	4.00	3.00
0.032"	3.50	2.50

	Field	Edge
Thickness	-71.2 psf	-87.9 psf
24 ga	3.50	2.50
22 ga	3.50	2.50
20 ga	3.50	2.50
0.032"	3.00	2.50

160C

	Field	Edge
Thickness	-64.3 psf	-79.4 psf
24 ga	4.00	3.00
22 ga	4.00	3.00
20 ga	4.00	3.00
0.032"	3.50	3.00

	Field	Edge
Thickness	-74.4 psf	-91.9 psf
24 ga	3.50	2.50
22 ga	3.50	2.50
20 ga	3.50	2.50
0.032"	3.00	2.50

	Field	Edge
Thickness	-81 psf	-100 psf
24 ga	3.00	2.50
22 ga	3.00	2.50
20 ga	3.00	2.50
0.032"	2.50	2.00

170C

	Field	Edge
Thickness	-72.6 psf	-89.6 psf
24 ga	3.50	2.50
22 ga	3.50	2.50
20 ga	3.50	2.50
0.032"	3.00	2.50

	Field	Edge		
Thickness	-84 psf	-103.7 psf		
24 ga	3.00	2.50		
22 ga	3.00	2.50		
20 ga	3.00	2.50		
0.032"	2.50	2.00		

	Field	Edge
Thickness	-91.5 psf	-112.9 psf
24 ga	2.50	2.00
22 ga	2.50	2.00
20 ga	2.50	2.00
0.032"	2.50	2.00

Notes:

 Allowable spacing is based on capacities determined in AISI 2016, North American Specification for the Design of Cold-Structural Members and ADM 2015, Aluminum Design Manual.


 Allowable spacing is based on an applied load determined using ASCE 7-16 for the wind speeds and Wind Exposures tabulated.
 Assumptions include a tributary area of 10 square feet, an Enclosed building, a Topographic Factor of 1.0 and panel bearing length of 2.5 inches.

Allowable spacing is determined using IBC 2018 combinations.For wind suction and pressure, the combination is 0.6W.The arrangement is 3 or more equal spans.

Testing is the basis for the load carrying capacity.




a - LEAST OF 10% MINIMUM BUILDING WIDTH OR 40% OF MEAN ROOF HEIGHT BUT NOT LESS THAN 3°.





INSTALL ORDER

- 1. BASE TRIM
- 2. MOISTURE BARRIER
- 3. SPACER & OFFSET CLEAT
- 4. PANEL




 $\frac{1}{4}$ " SPACER AT FASTENER FOR DRAINAGE (BY OTHERS)

TRIM FASTENER (C), 12" ON CENTER


OFFSET CLEAT (B)

TRIM FASTENER (C), 48" ON CENTER

– BASE TRIM 1.5" (A)




ELEVATION VIEW



NO FASTENERS THROUGH TRIM LAP

	Part	Description	Product #	Length	Installation Information
(A)	25/8" — 17/8" — 5/8" — Closed Hem	Base Trim 1.5", 24 Ga Base Trim 1.5", 22 Ga Base Trim 1.5", 0.032"	58708XX 60708XX 58708XXA	10'-2"	Install Moisture Barrier over top of Base Trim
(B)	C - 1½" - 1" - 3½6"	Offset Cleat, 24 Ga	5806499	10'-2"	Install 2" x 2" x ½" spacer behind Offset Cleat. Hook panel onto 1" leg of Offset Cleat.
(C)) tattititititi	#10-16 x 1" Pancake Head Driller	8242100	1"	For trim attachment to steel framing
(C)	MINIMITA	#10-12 x 1"Pancake Head Wood Screw	8243100	1"	For trim attachment to wood sheathing or framing





INSTALL ORDER

- 1. BASE TRIM
- 2. MOISTURE BARRIER
- 3. PANEL

NO FASTENERS THROUGH TRIM LAP


BEHIND TO ENGAGE

FIELD NOTCH HEM 2" AND SLIDE

TUBE SEALANT (SEE PAGE 14)

	Part	Description	Product #	Length	Installation Information
(A)	25/8" — 17/8" — 5/8" — Closed Hem	Base Trim 1.5", 24 Ga Base Trim 1.5", 22 Ga Base Trim 1.5", 0.032"	58708XX 60708XX 58708XXA	10'-2"	Install Moisture Barrier over top of Base Trim
(B)		Concealed Wall Clip 4" Low 16 Ga Galv	4934600	4"	Install along the length of every panel spaced per design and within 6" of the panel ends.
(C)		#12-11 x 1½" Low Profile Wood Screw	8244100	1½"	For clip attachment to wood sheathing or framing
(C), (D)		#10-16 x 1" Pancake Head Driller	8242100	1"	For clip / trim attachment to steel framing
(D)	Juinininin -	#10-12 x 1" Pancake Head Wood Screw	8243100	1"	For trim attachment to wood sheathing or framing






NO FASTENERS THROUGH TRIM LAP

	Part	Description	Product #	Length	Installation Information
(A)	4"	Sill/Jamb Trim, 24 Ga Sill/Jamb Trim, 22 Ga Sill/Jamb Trim, 0.032"	58718XX 60718XX 58718XXA	10'-2"	Hook Sill/Jamb Trim onto C-Closure and fasten in place. Ensure Sill/Jamb Trim is installed with slope to allow for water drainage.
(B)	1 ³ / ₄ "	C-Closure 1.5", 24 Ga C-Closure 1.5", 22 Ga C-Closure 1.5", 0.032"	58712XX 60712XX 58712XXA	10'-2"	Install C-Closure and hook Sill/Jamb Trim over 1" leg.
(C)		#10-16 x 1" Pancake Head Driller	8242100	1"	For trim attachment to steel framing
(C)	dillitititititi	#10-12 x 1" Pancake Head Wood Screw	8243100	1"	For trim attachment to wood sheathing or framing
(D)		⅓" x ¾" Pop Rivet	82402XX		For Sill/Jamb attachment to C-Closure and panel.
34		X 1 2 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2	(0.1: 1		






NO FASTENERS THROUGH TRIM LAP

	Part	Description	Product #	Length	Installation Information	
(A)	4"	Sill/Jamb Trim, 24 Ga Sill/Jamb Trim, 22 Ga Sill/Jamb Trim, 0.032"	58718XX 60718XX 58718XXA	10'-2"	Hook Sill/Jamb Trim onto C-Closure and fasten in place. Ensure Sill/Jamb Trim is installed with slope to allow for water drainage.	
(B)	1 ³ / ₄ "	C-Closure 1.5", 24 Ga C-Closure 1.5", 22 Ga C-Closure 1.5", 0.032"	58712XX 60712XX 58712XXA	10'-2"	Install C-Closure and hook Sill/Jamb Trim over 1" leg.	
(C)		#10-16 x 1" Pancake Head Driller	8242100	1"	For trim attachment to steel framing	
(C)	Janannana -	#10-12 x 1" Pancake Head Wood Screw	8243100	1"	For trim attachment to wood sheathing or framing	
(D)		#12-14 x 1½" Self Driller XL	82353XX	11/4"	For panel attachment to steel framing	
(D)		#10-14 x 1½" Wood Screw XL	82123XX	1½"	For panel attachment to wood sheathing or framing	
35						

1.5" EMPIRE SERIES INSTALL GUIDE Jamb - Horizontal Panels






	Part	Description	Product #	Length	Installation Information		
(A)	4" C 2½" 1" Open Hem	Sill/Jamb Trim, 24 Ga Sill/Jamb Trim, 22 Ga Sill/Jamb Trim, 0.032"	58718XX 60718XX 58718XXA	10'-2"	Hook Sill/Jamb Trim onto Z-Closure and fasten into place.		
(B)	13/4" C	Z-Closure 1.5", 24 Ga Z-Closure 1.5", 22 Ga Z-Closure 1.5", 0.032"	58729XX 60729XX 58729XXA	10'-2"	Install Z-Closure and hook Sill/Jamb Trim over 1" leg.		
(C)		Concealed Wall Clip 4" Low 16 Ga Galv	4934600	4"	Install along the length of every panel spaced per design and within 6" of the panel ends.		
(D)		#12-11 x 1½" Low Profile Wood Screw	8244100	1½"	For clip attachment to wood sheathing or framing		
(D), (E)		#10-16 x 1" Pancake Head Driller	8242100	1"	For clip / trim attachment to steel framing		
(E)	THE	#10-12 x 1" Pancake Head Wood Screw	8243100	1"	For trim attachment to wood sheathing or framing		
(F)		⅓" x ¾" Pop Rivet	82402XX		For Sill/Jamb Trim attachment to Z-Closure		
-36	@ Matal Salas Manufacturing Comparation / Subject to change without notice 0/2022						


1.5" EMPIRE SERIES INSTALL GUIDE Jamb - Vertical Panels





(A) 30 2½ Sill/Jamb Trim, 22 Ga 60718XX 58718XXA 10'-2" C-Closure and place (B) 1³¾ C C-Closure 1.5", 24 Ga 60712XX 60712XX 10'-2" hook Sill/Jamb C-Closure 1.5", 0.032" 58712XX 10'-2" hook Sill/Jamb 1" leg (C) 2½ Panel Starter, 24 Ga Panel Starter, 24 Ga Panel Starter, 22 Ga Panel Starter, 0.032" 58728XX 60728XX 10'-2" Fasten to face of slide low rib of open here. (D) #10-16 x 1" 8242100 1" For trim atta	ormation	Installation Information	Length	Product #	Description	Part	
(B) 13/4" C-Closure 1.5", 24 Ga C-Closure 1.5", 22 Ga C-Closure 1.5", 0.032" S8712XX 60712XX 58712XXA 10'-2" Install C-Closure 1.5", 0.032" S8712XXA 10'-2" Install C-Closure 1.5", 0.032" S8712XXA 10'-2" Install C-Closure 1.5", 0.032" S8712XXA 10'-2" Fasten to face of slide low rib of open here. (C) 25/8" C Panel Starter, 24 Ga Panel Starter, 22 Ga Panel Starter, 0.032" S8728XXA 10'-2" For trim attallocation of the slide low rib of open here.	asten into	Hook Sill/Jamb Trim ont C-Closure and fasten int place.	10'-2"	60718XX	Sill/Jamb Trim, 22 Ga	4" 90°] 1" Open _ 2½"	(A)
Panel Starter, 22 Ga 60728XX 10'-2" slide low rib of open he for trim atta	Trim over	Install C-Closure and hook Sill/Jamb Trim ove 1" leg.	10'-2"	60712XX	C-Closure 1.5", 22 Ga	13/4" C	(B)
[(1)) [(1)] [(panel into	Fasten to face of C-Closu slide low rib of panel into open hem.	10'-2"	60728XX	Panel Starter, 22 Ga		(C)
		For trim attachment to steel framing	1"	8242100			(D)
1 (1) 1 (1) 1		For trim attachment to wood sheathing or fram	1"	8243100			(D)
1 (F)		For Sill/Jamb attachment C-Closure and panel.		82402XX			(E)






	Part	Description	Product #	Length	Installation Information			
(A)	2½" + 1¾" + 1½" +	Head Trim 1.5", 24 Ga Head Trim 1.5", 22 Ga Head Trim 1.5", 0.032"	58722XX 60722XX 58722XXA	10'-2"	Install Moisture Barrier over top of Head Trim and fasten in place. Ensure Head Trim is installed with slope to allow for water drainage.			
(B)	C 1½" - 1" - 1" - 3/16"	Offset Cleat, 24 Ga	5806499	10'-2"	Install 2" x 2" x ¼" spacer behind Offset Cleat. Hook panel onto 1" leg of Offset Cleat.			
(C)		#10-16 x 1" Pancake Head Driller	8242100	1"	For trim attachment to steel framing			
(C)	THINTINIA	#10-12 x 1" Pancake Head Wood Screw	8243100	1"	For trim attachment to wood sheathing or framing			
_38	© Metal Sales Manufacturing Corporation / Subject to change without notice 9/2023							


1.5" EMPIRE SERIES INSTALL GUIDE Head - Vertical Panels





	Part	Description	Product #	Length	Installation Information			
(A)	2½" + 1¾" + 1½" +	Head Trim 1.5", 24 Ga Head Trim 1.5", 22 Ga Head Trim 1.5", 0.032"	58722XX 60722XX 58722XXA	10'-2"	Install Head Trim and fasten in place with Moisture Barrier over the top of the Head Trim. Ensure Head Trim is installed with slope to allow for water drainage.			
(B)		Concealed Wall Clip 4" Low 16 Ga Galv	4934600	4"	Install along the length of every panel spaced per design and within 6" of the panel ends.			
(C)	Closed Hem	Miter Trim, 24 Ga Miter Trim, 22 Ga Miter Trim, 0.032"	58654XX 60654XX 58654XXA	10'-2"	Install at bottom of panels above header, attach with Pop Rivets.			
(D)		#12-11 x 1½" Low Profile Wood Screw	8244100	1½"	For clip attachment to wood sheathing or framing			
(D), (E)		#10-16 x 1" Pancake Head Driller	8242100	1"	For clip / trim attachment to steel framing			
(E)		#10-12 x 1" Pancake Head Wood Screw	8243100	1"	For trim attachment to wood sheathing or framing			
(F)		⅓" x ¾" Pop Rivet	82402XX		For Sill/Jamb attachment to C-Closure and panel.			
	© Matal Salas Manufacturing Corneration / Subject to change without notice 0/2023							


1.5" EMPIRE SERIES INSTALL GUIDE Outside Corner - Horiz. Panels 115



	Part	Description	Product #	Length	Installation Information
(A)	1" Open Hem 1" Open Hem	Outside Corner, 24 Ga Outside Corner, 22 Ga Outside Corner, 0.032"	58724XX 60724XX 58724XXA	10'-2"	Hook Outside Corner around C-Closure, pull C-Closure into place. Pop Rivet to C-Closures under trim lap.
(B)	13/4" C C	C-Closure 1.5", 24 Ga C-Closure 1.5", 22 Ga C-Closure 1.5", 0.032"	58712XX 60712XX 58712XXA	10'-2"	Install C-Closure before panel. An alternate is to use Z-Closure to ease panel installation.
(C)		Concealed Wall Clip 4" Low 16 Ga Galv	4934600	4"	Install along the length of every panel spaced per design and within 6" of the panel ends.
(D)		#12-11 x 1½" Low Profile Wood Screw	8244100	1½"	For clip attachment to wood sheathing or framing
(D), (E)		#10-16 x 1" Pancake Head Driller	8242100	1"	For clip / trim attachment to steel framing
(E)		#10-12 x 1" Pancake Head Wood Screw	8243100	1"	For trim attachment to wood sheathing or framing
(F)		⅓" x ¾" Pop Rivet	82402XX		For Outside Corner attachment to C-Closures
40	©	Metal Sales Manufacturing Corpora	tion / Subject to cl	nange withou	t notice 9/2023

1.5" EMPIRE SERIES INSTALL GUIDE Outside Corner - Vert. Panels






	Part	Description	Product #	Length	Installation Information
(A)	1" Open Hem 1" Open Hem	Outside Corner, 24 Ga Outside Corner, 22 Ga Outside Corner, 0.032"	58724XX 60724XX 58724XXA	10'-2"	Hook Outside Corner around C-Closures. Pop Rivet to panel and C-Closures.
(B)	1 ³ / ₄ "	C-Closure 1.5", 24 Ga C-Closure 1.5", 22 Ga C-Closure 1.5", 0.032"	58712XX 60712XX 58712XXA	10'-2"	Install C-Closure to start panel.
(C)	2 ⁵ / ₈ " C Closed Hem 1 ¹ / ₈ "	Panel Starter, 24 Ga Panel Starter, 22 Ga Panel Starter, 0.032"	58728XX 60728XX 58728XXA	10'-2"	Fasten to face of C-Closure, slide low rib of panel into open hem.
(D)		#10-16 x 1" Pancake Head Driller	8242100	1"	For trim attachment to steel framing
(D)		#10-12 x 1" Pancake Head Wood Screw	8243100	1"	For trim attachment to wood sheathing or framing
(E)		⅓" x ¾" Pop Rivet	82402XX		For Outside Corner attachment to C-Closures


1.5" EMPIRE SERIES INSTALL GUIDE Inside Corner - Horiz. Panels






	Part	Description	Product #	Length	Installation Information
(A)	3" 3" 3" 3" 4" Open Hem Hem	Inside Corner, 24 Ga Inside Corner, 22 Ga Inside Corner, 0.032"	58726XX 60726XX 58726XXA	10'-2"	Hook Inside Corner around Z-Closures into place. Pop Rivet to Z-Closures under trim lap.
(B)	13/4" C	Z-Closure 1.5", 24 Ga Z-Closure 1.5", 22 Ga Z-Closure 1.5", 0.032"	58729XX 60729XX 58729XXA	10'-2"	Install Z-Closure on each side of corner.
(C)		Concealed Wall Clip 4" Low 16 Ga Galv	4934600	4"	Install along the length of every panel spaced per design and within 6" of the panel ends.
(D)		#12-11 x 1½" Low Profile Wood Screw	8244100	1½"	For clip attachment to wood sheathing or framing
(D), (E)		#10-16 x 1" Pancake Head Driller	8242100	1"	For clip / trim attachment to steel framing
(E)	annumum	#10-12 x 1" Pancake Head Wood Screw	8243100	1"	For trim attachment to wood sheathing or framing
(F)		⅓" x ¾" Pop Rivet	82402XX		For Inside Corner attachment to Z-Closures

1.5" EMPIRE SERIES INSTALL GUIDE Inside Corner - Vertical Panels 115



	Part	Description	Product #	Length	Installation Information
(A)	3" 3" 1" Open Hem Hem	Inside Corner, 24 Ga Inside Corner, 22 Ga Inside Corner, 0.032"	58726XX 60726XX 58726XXA	10'-2"	Hook Intside Corner Trim around C-Closures. Pop Rivet to closure trims and panel 24" on center.
(B)	1 ³ / ₄ "	C-Closure 1.5", 24 Ga C-Closure 1.5", 22 Ga C-Closure 1.5", 0.032"	58712XX 60712XX 58712XXA	10'-2"	Install C-Closure on each side of corner.
(C)	25/8" — C Closed Hem 11/8"	Panel Starter, 24 Ga Panel Starter, 22 Ga Panel Starter, 0.032"	58728XX 60728XX 58728XXA	10'-2"	Fasten to face of C-Closure, slide low rib of panel into open hem.
(D)		#10-16 x 1" Pancake Head Driller	8242100	1"	For trim attachment to steel framing
(D)		#10-12 x 1" Pancake Head Wood Screw	8243100	1"	For trim attachment to wood sheathing or framing
(E)		⅓" x ¾" Pop Rivet	82402XX		For Inside Corner attachment to C-Closures
	© Meta	l Sales Manufacturing Corporation /	Subject to change	without noti	ce 9/2023 43






	Part	Description	Product #	Length	Installation Information
(A)	VARIES C 2" 4" Closed Hem 1" Open Hem	Coping 8", 24 Ga Coping 8", 22 Ga Coping 10", 24 Ga Coping 10", 22 Ga Coping 12", 24 Ga Coping 12", 22 Ga	58714XX 60714XX 58715XX 60715XX 58716XX 60716XX	10'-2"	Hook Coping onto Panel End Closure and Pop Rivet to Coping Cleat.
(B)	1½" 1¾" C C	Panel End Closure 1.5", 24 Ga Panel End Closure 1.5", 22 Ga Panel End Closure 1.5", 0.032"	58732XX 60732XX 58732XXA	10'-2"	Carefully locate Panel End Closure to support Coping.
(C)	Closed Hem	Coping Cleat, 24 Ga Coping Cleat, 22 Ga Coping Cleat, 0.032"	58734XX 60734XX 58734XXA	10'-2"	Install Coping Cleat to accept Coping attachment.
(D)		#10-16 x 1" Pancake Head Driller	8242100	1"	For trim attachment to steel framing
(D)		#10-12 x 1" Pancake Head Wood Screw	8243100	1"	For trim attachment to wood sheathing or framing
(E)		⅓" x ¾" Pop Rivet	82402XX		For trim attachment
44	©	Metal Sales Manufacturing Corporation / Sul-	niect to change wit	thout notice 9	1/2023

Coping - Vertical Panels 1.5" EMPIRE SERIES INSTALL GUIDE






	Part	Description	Product #	Length	Installation Information						
(A)	VARIES C Closed Hem 1" Open Hem	Coping 8", 24 Ga Coping 8", 22 Ga Coping 10", 24 Ga Coping 10", 22 Ga Coping 12", 24 Ga Coping 12", 22 Ga	58714XX 60714XX 58715XX 60715XX 58716XX 60716XX	10'-2"	Hook Coping onto Panel End Closure and Pop Rivet to Coping Cleat.						
(B)	1½" 1¾" C C	Panel End Closure 1.5", 24 Ga Panel End Closure 1.5", 22 Ga Panel End Closure 1.5", 0.032"	58732XX 60732XX 58732XXA	10'-2"	Carefully locate Panel End Closure to support Coping.						
(C)	Closed Hem	Coping Cleat, 24 Ga Coping Cleat, 22 Ga Coping Cleat, 0.032"	58734XX 60734XX 58734XXA	10'-2"	Install Coping Cleat to accept Coping attachment.						
(D)		#10-16 x 1" Pancake Head Driller	8242100	1"	For trim attachment to steel framing						
(D)	THINTHINI	#10-12 x 1" Pancake Head Wood Screw	8243100	1"	For trim attachment to wood sheathing or framing						
(E)		#12-14 x 1½" Self Driller XL	82353XX	11/4"	For panel attachment to steel framing						
(E)		#10-14 x 1½" Wood Screw XL	82123XX	1½"	For panel attachment to wood sheathing or framing						
(F)		⅓" x ¾" Pop Rivet	82402XX		For trim attachment						
	© Mata	1 Salas Manufacturing Corneration / Subject	to change without	notice 0/2023	© Metal Sales Manufacturing Corporation / Subject to change without notice 9/2023						

1.5" EMPIRE SERIES INSTALL GUIDE Sill To Soffit - Horiz. Panels






	Part	Description	Product #	Length	Installation Information
(A)	C 2½" -1¾" -1 Hem	Sill To Soffit, 24 Ga Sill To Soffit, 22 Ga Sill To Soffit, 0.032"	58708XX 60708XX 58708XXA	10'-2"	Attach Sill To Soffit to the wall support with Trim Fastener and attach to soffit panel with Pop Rivet then install panel.
(B)	C - 1½" - 1" - 1" - 3/16"	Offset Cleat, 24 Ga	5806499	10'-2"	Install 2" x 2" x ¼" spacer behind Offset Cleat. Hook panel onto 1" leg of Offset Cleat.
(C)		#10-16 x 1" Pancake Head Driller	8242100	1"	For trim attachment to steel framing
(C)		#10-12 x 1" Pancake Head Wood Screw	8243100	1"	For trim attachment to wood sheathing or framing
(D)		⅓" x ¾" Pop Rivet	82402XX		For trim attachment to panel

© Metal Sales Manufacturing Corporation / Subject to change without notice 9/2023

1.5" EMPIRE SERIES INSTALL GUIDE Sill To Soffit - Vertical Panels 11.5"






			1101701	LIVEINO	THROUGH TRIVILA
	Part	Description	Product #	Length	Installation Information
(A)	C 2½" 13¼" + Hem	Sill To Soffit, 24 Ga Sill To Soffit, 22 Ga Sill To Soffit, 0.032"	58722XX 60722XX 58722XXA	10'-2"	Attach Sill To Soffit to the wall support with Trim Fastener and attach to soffit panel with Pop Rivet then install panel.
(B)	Closed Hem	Miter Trim, 24 Ga Miter Trim, 22 Ga Miter Trim, 0.032"	58654XX 60654XX 58654XXA	10'-2"	Install at bottom of panels above header, attach with Pop Rivets.
(C)		Concealed Wall Clip 4" Low 16 Ga Galv	4934600	4"	Install along the length of every panel spaced per design and within 6" of the panel ends.
(D)		#12-11 x 1½" Low Profile Wood Screw	8244100	1½"	For clip attachment to wood sheathing or framing
(D, E)		#10-16 x 1" Pancake Head Driller	8242100	1"	For clip / trim attachment to steel framing
(E)		#10-12 x 1" Pancake Head Wood Screw	8243100	1"	For trim attachment to wood sheathing or framing
(F)		⅓" x ¾" Pop Rivet	82402XX		For trim attachment to panel




Reveal - Horizontal Panels



	Part	Description	Product #	Length	Installation Information
(A)	3½" C 1" Open Hem	Reveal, 24 Ga Reveal, 22 Ga Reveal, 0.032"	58740XX 60740XX 58740XXA	10'-2"	Hook Reveal on Z-Closure and engage C-Closure. Pop Rivet to Closures at trim lap.
(B)	1 ³ / ₄ "	C-Closure 1.5", 24 Ga C-Closure 1.5", 22 Ga C-Closure 1.5", 0.032"	58712XX 60712XX 58712XXA	10'-2"	Install C-Closure to restrain Reveal. Leave ¼" gap between end of panels and back of C-Closure.
(C)		Concealed Wall Clip 4" Low 16 Ga Galv	4934600	4"	Install along the length of every panel spaced per design and within 6" of the panel ends.
(D)		#12-11 x 1½" Low Profile Wood Screw	8244100	1½"	For clip attachment to wood sheathing or framing
(D), (E)		#10-16 x 1" Pancake Head Driller	8242100	1"	For clip / trim attachment to steel framing
(E)	AUTUTUUTUTE -	#10-12 x 1" Pancake Head Wood Screw	8243100	1"	For trim attachment to wood sheathing or framing
(F)		½" x ¾" Pop Rivet	82402XX		For Reveal attachment to Closures at trim lap

© Metal Sales Manufacturing Corporation / Subject to change without notice 9/2023





	Part	Description	Product #	Length	Installation Information
(A)	$ \begin{array}{c c} 2" & 1\frac{3}{4}" & C \end{array} $ Closed Hem $ \begin{array}{c c} 2^{1/2}" & \\ \end{array} $	Transition Trim, 24 Ga Transition Trim, 22 Ga Transition Trim, 0.032"	58738XX 60738XX 58738XXA	10'-2"	Install Transition Trim over Z-Closure and Panel. Attach to Panel with Pop Rivet.
(B)		Concealed Wall Clip 4" Low 16 Ga Galv	4934600	4"	Install along the length of every panel spaced per design and within 6" of the panel ends.
(C)	C - 1½" - 1" - 3/16"	Offset Cleat, 24 Ga	5806499	10'-2"	Hook panel onto 1" leg of Offset Cleat.
(D)		#12-11 x 1½" Low Profile Wood Screw	8244100	1½"	For clip attachment to wood sheathing or framing
(D), (E)		#10-16 x 1" Pancake Head Driller	8242100	1"	For trim attachment to steel framing
(E)		#10-12 x 1" Pancake Head Wood Screw	8243100	1"	For trim attachment to wood sheathing or framing
					10

1.5" EMPIRE SERIES INSTALL GUIDE Horizontal Transition - Vertical TS

Panels over Horizontal Panels 1.5" EMPIRE SERIES PANEL, VERTICAL CONCEALED WALL CLIP - 4" LOW (C) CLIP FASTENER (D) MOISTURE BARRIER TRIM FASTENER (E), 48" ON CENTER MITER TRIM (B) POP RIVET (F), 12" ON CENTER TRANSITION TRIM (A) 1.5" EMPIRE SERIES PANEL, HORIZONTAL TRIM LAP FIELD OPEN HEM TO RECEIVE NEXT FLASHING

FIELD NOTCH HEM 2" AND SLIDE

TUBE SEALANT (SEE PAGE 14)

BEHIND TO ENGAGE

NO FASTENERS THROUGH TRIM LAP

INSTALL ORDER

- 1. HORIZONTAL PANEL
- 2. TRANSITION TRIM
- 3. VERTICAL PANEL
- 4. MITER TRIM


ŀ					COOSIT TICINI EAC	
	Part	Description	Product #	Length	Installation Information	
(A)	2"	Transition Trim, 24 Ga Transition Trim, 22 Ga Transition Trim, 0.032"	58738XX 60738XX 58738XXA	10'-2"	Install Transition Trim over horizontal panel and attach with Pop Rivet.	
(B)	Closed Hem	Miter Trim, 24 Ga Miter Trim, 22 Ga Miter Trim, 0.032"	58654XX 60654XX 58654XXA	10'-2"	Install at bottom of panels above header, attach with Pop Rivets.	
(C)		Concealed Wall Clip 4" Low 16 Ga Galv	4934600	4"	Install along the length of every panel spaced per design and within 6" of the panel ends.	
(D)		#12-11 x 1½" Low Profile Wood Screw	8244100	1½"	For clip attachment to wood sheathing or framing	
(D), (E)		#10-16 x 1" Pancake Head Driller	8242100	1"	For trim attachment to steel framing	
(E)		#10-12 x 1" Pancake Head Wood Screw	8243100	1"	For trim attachment to wood sheathing or framing	
(F)		$\frac{1}{8}$ " x $\frac{3}{8}$ " Pop Rivet	82402XX		For Trim attachment to Panel	
50	© Metal Sales Manufacturing Corporation / Subject to change without notice 9/2023					

1.5" EMPIRE SERIES INSTALL GUIDE Horizontal Transition -



ELEVATION VIEW

Horizontal Panels over Vert. Panels




INSTALL ORDER

- 1. VERTICAL PANEL
- 2. PANEL FASTENER
- 3. TRANSITION TRIM
- 4. OFFSET CLEAT
- 5. HORIZONTAL PANEL



PANEL STARTER (SEE PAGE 13)

TRANSITION
TRIM (A)



	Part	Description	Product #	Length	Installation Information
(A)	2" 1 ³ / ₄ " C Closed Hem	Transition Trim, 24 Ga Transition Trim, 22 Ga Transition Trim, 0.032"	58738XX 60738XX 58738XXA	10'-2"	Install Transition Trim over vertical panel and attach with Pop Rivet.
(B)		#10-16 x 1" Pancake Head Driller	8242100	1"	For trim attachment to steel framing
(B)	Julitumini-	#10-12 x 1" Pancake Head Wood Screw	8243100	1"	For trim attachment to wood sheathing or framing
(C)		#12-14 x 1½" Self Driller XL	82353XX	11/4"	For panel attachment to steel framing
(C)		#10-14 x 1½" Wood Screw XL	82123XX	1½"	For panel attachment to wood sheathing or framing
(D)		⅓" x ¾" Pop Rivet	82402XX		For Transition Trim attachment to Panel


1.5" EMPIRE SERIES INSTALL GUIDE Horizontal Transition -



Vertical Panels ELEVATION VIEW 1.5" EMPIRE SERIES PANEL, UPPER TRIM FASTENER (B), 48" ON CENTER MITER TRIM (SEE PAGE 13) POP RIVET (D), 12" ON CENTER TRANSITION TRIM (A) PANEL FASTENER (C), AT EVERY LOW RIB POP RIVET (D), 12" ON CENTER MOISTURE BARRIER 1.5" EMPIRE SERIES PANEL, LOWER

INSTALL ORDER


- 1. LOWER PANEL
- 2. TRANSITION TRIM
- 3. UPPER PANEL
- 4. MITER TRIM



	Part	Description	Product #	Length	Installation Information	
(A)	2" — 1 ³ / ₄ " — C Closed Hem	Transition Trim, 24 Ga Transition Trim, 22 Ga Transition Trim, 0.032"	58738XX 60738XX 58738XXA	10'-2"	Install Transition Trim over lower panel and attach with Pop Rivet at Outside Closure.	
(B)		#10-16 x 1" Pancake Head Driller	8242100	1"	For trim attachment to steel framing	
(B)	MANAMAN	#10-12 x 1" Pancake Head Wood Screw	8243100	1"	For trim attachment to wood sheathing or framing	
(C)		#12-14 x 1½" Self Driller XL	82353XX	11/4"	For panel attachment to steel framing	
(C)		#10-14 x 1½" Wood Screw XL	82123XX	1½"	For panel attachment to wood sheathing or framing	
(D)		⅓" x ¾" Pop Rivet	82402XX		For trim attachment to panel	
52	© Metal Sales Manufacturing Corporation / Subject to change without notice 9/2023					

© Metal Sales Manufacturing Corporation / Subject to change without notice 9/2023

1.5" EMPIRE SERIES INSTALL GUIDE Panel End - Horizontal Panels TS



	Part	Description	Product #	Length	Installation Information		
(A)	15/8" Closed Hems	Opening Trim 1.5", 24 Ga Opening Trim 1.5", 22 Ga Opening Trim 1.5", 0.032"	58377XX 58378XX 58379XX	10'-2"	Engage Opening Trim onto Jamb Support. Attach to panel with Pop Rivets. Sealant may be needed at adjacent wall.		
(B)	3/4" C C	Jamb Support, 24 Ga Jamb Support, 22 Ga Jamb Support, 0.032"	57352XX 59354XX 59355XX	10'-2"	Jamb Support and Opening Trim can ease the installation of panels as opposed to using C-Closures at both ends of a panel.		
(C)		Concealed Wall Clip 4" Low 16 Ga Galv	4934600	4"	Install along the length of every panel spaced per design and within 6" of the panel ends.		
(D)		#12-11 x 1½" Low Profile Wood Screw	8244100	1½"	For clip attachment to wood sheathing or framing		
(D) (E)		#10-16 x 1" Pancake Head Driller	8242100	1"	For clip / trim attachment to steel framing		
(E)	THUMINITATE	#10-12 x 1" Pancake Head Wood Screw	8243100	1"	For trim attachment to wood sheathing or framing		
(F)		⅓" x ¾" Pop Rivet	82402XX		For trim attachment to panel		
	© Metal Sales Manufacturing Corporation / Subject to change without notice 9/2023						

1.5" EMPIRE SERIES INSTALL GUIDE

Care and Maintenance



Though factory-applied pre-painted finishes are very durable and will last many years, eventually it may be desirable to thoroughly clean or repaint them.


Dirt pickup may cause apparent discoloration of the paint when it has been exposed in some dirt-laden atmospheres for long periods of time. In areas of strong sunlight, slight chalking may cause some change in appearance. A good cleaning will often restore the appearance of these buildings and render repainting unnecessary. An occasional light cleaning will help maintain a good appearance.

In many cases, simply washing the building with plain water using a hose or pressure sprayer will be adequate. In areas where heavy dirt deposits dull the surface, a cloth or soft bristle brush and solution of water and detergent (1/3 cup of laundry detergent per gallon of water for example) may be used. This should be followed by an adequate rinse of water. Do not use wire brushes, abrasives, or cleaning tools which will scratch the coating surface.

Mildew may occur in areas subject to high humidity but is not normally a problem due to the high inherent mildew resistance of the baked finish that is used. However, mildew can grow on dirt and spore deposits in some cases. To remove mildew along with the dirt, the following solution is recommended.

- ¹/₃ cup detergent (Tide® or equivalent)
- ²/₃ cup trisodium phosphate (Solex® or equivalent)
- 1 quart of 5% sodium hypochlorite solution (Clorox® or equivalent)
- 3 quarts of water

Strong solvents and abrasive type cleaners should be avoided. Most organic solvents are flammable and toxic and must be handled accordingly. When using a solvent, consult maintenance professionals and label instructions for proper handling and disposal of washings. If required, a mild solvent such as mineral spirits can be used to remove caulking compounds, oil, grease, tars, wax and similar substances. Use a cloth dampened with mineral spirits and apply only to areas which are contaminated. Follow up the use of this mild solvent with detergent cleaning and rinsing.



1.5" EMPIRE SERIES INSTALL GUIDE

Notes



