EVALUATION REPORT OF METAL SALES MANUFACTURING CORPORATION '24 GA. VERTICAL SEAM PANEL'

FLORIDA BUILDING CODE 8TH EDITION (2023) FLORIDA PRODUCT APPROVAL FL 11560.8-R5 ROOFING METAL ROOFING

Prepared For:
Metal Sales Manufacturing Corporation
7800 Highway 60
Sellersburg, IN 47172
Telephone: (502) 855-4300
Fax: (502) 855-4200

Prepared By:
Bala Sockalingam, Ph.D., P.E.
Florida Professional Engineer #62240
1216 N Lansing Ave., Suite C
Tulsa, OK 74106
Telephone: (918) 492-5992

This report consists of
Evaluation Report (3 Pages including cover)
Installation Details (1 Page)
Load Span Table (1 Page)

Report No. C2672-8 Date: 8.3.2023

This item has been digitally signed and sealed by Bala Sockalingam, PE, on the date indicated.

Printed copies of this document are not considered signed and sealed and this signature must be verified on any electronic copies.



FL 11560.8-R5 C2672-8 8.3.2023 Page 2 of 3

Manufacturer: Metal Sales Manufacturing Corporation

Product Name: Vertical Seam

Standing seam panel with max. 18" wide coverage and 1.75" high ribs Panel Description:

Materials: Min. 24 ga., 50 ksi steel. Galvanized coated steel (ASTM A653) or

> Galvalume coated steel (ASTM A792) or painted steel (ASTM A755). Pre-painted panels are required for use with adhesive. Corrosion

resistant as per FBC 2023 Section 1507.4.3.

Min. 15/32" thick plywood or min. 3/4" thick wood plank (min SG of Deck Description:

0.42) for new and existing constructions. Designed and installed as

per FBC 2023.

Deck Attachment:

(Minimum)

8d x 2.5" long ring shank nails or #8 x 2" long wood screws at 6" o.c.

in the field and edges. Designed as per FBC 2023.

New Underlayment: Minimum underlayment as per FBC 2023 Section 1507.4.5.1.

Required for new construction and optional for reroofing construction.

Existing Underlayment:

(Optional)

One layer of asphalt shingles over one layer of #30 felt. For reroofing

construction only.

1/4:12 or greater in accordance with FBC 2023 Section 1507.4.2 Slope:

Design Uplift Pressure: 30.0 psf at clip spacing of 48" o.c.

(Factor of Safety = 2)

82.5 psf at clip spacing of 12" o.c.

105.0 psf at clip spacing of 12" o.c. with 1/2" bead adhesive field

applied in panel sidelap

Fastening Pattern:

At panel seam Panel clip (QMS 4923565) with (2) #10-12 x 1" long pancake head

> screws per clip for new and recovered deck. Panel clip (QMS 4923565) with (2) #10-13 x 2" long pancake head screws per clip for existing deck with asphalt shingles. Fastener shall be of sufficient length to penetrate through the deck a minimum of 1/4". Clips and fasteners are corrosion resistant as per FBC 2023 Section 1506.7 and

1507.4.4, respectively.

Adhesive: Geocel 4600TM Structural Adhesive Sealant. Applied in accordance

with manufacturer's suggested installation.

Test Standards: Roof assembly tested in accordance with UL580-06 'Uplift Resistance

of Roof Assemblies' & UL1897-04 'Uplift Tests for Roof Covering

Systems'.

FL 11560.8-R5 C2672-8 8.3.2023 Page 3 of 3

Test Equivalency: The test procedures in UL 1897-04 comply with test procedures

prescribed in UL 1897-15.

Code Compliance: The product described herein has demonstrated compliance with FBC

2023 Section 1507.4.


Product Limitations: Design wind loads shall be determined for each project in accordance

with FBC 2023 Section 1609 or ASCE 7-22 using allowable stress design. The maximum clip spacing listed herein shall not be exceeded. The design pressure for reduced clip spacing may be computed using rational analysis prepared by a Florida Professional Engineer or based on Metal Sales load span table. This evaluation report is not applicable in High Velocity Hurricane Zone. Refer to current NOA for use of this product in High Velocity Hurricane Zone. Fire classification is not within the scope of this Evaluation Report. Refer to FBC 2023 Section 1505 and current approved roofing materials directory or ASTM E108/UL790 report from an accredited laboratory

for fire ratings of this product.

Supporting Documents: UL580 & 1897 Test Reports

PRI Construction Materials Technologies MSMC-015-02-01, Reporting Date 9/20/2013 MSMC-022-02-01, Reporting Date 1/23/2014



METAL SALES MANUFACTURING CORPORATION

Vertical Seam Uplift Loads (Min. 24 ga.)

Description	Fastener Spacing	Allowable Uplift
	along Panel Length	Load
	(in)	(psf)
Coverage width: 18"	12	82.5
	14	79.6
Clip:	16	76.7
QMS 4923565	18	73.8
	20	70.8
Clip Fastener:	22	65.5
(2) #10-12 x 1" long pancake	24	60.0
head screws or	26	55.4
(2) #10-13 x 2" long pancake	28	51.4
head screws	30	48.0
	32	45.0
	34	42.4
	36	40.0
	38	37.9
	40	36.0
	42	34.3
	44	32.7
	46	31.3
	48	30.0
With Sidelap Sealant	12	105.0

Notes:

- 1. The bold numbers indicate design loads calculated from test data with safety factor of 2.
- 2. Panels must be installed as per Evaluation Report FL 11560.8 and Metal Sales current installation procedure.
- 3. Three or more spans condition.
- 4. Optional wood purlins must be spaced same as panel clip spacing along the panel length.