
EM15-1211 WALL

EM15 SERIES



ARCHITECTURAL COMMERCIAL INDUSTRIAL PANEL

CONCEALED FASTENED

12" COVERAGE WALL AND LINER PANEL OPEN FRAMING OR SOLID SUBSTRATE


PANEL OVERVIEW

- ► Finish: Standard: PVDF and Acrylic-Coated Galvalume® Optional: multi-pass PVDF and Fluropon® PURE
- Corrosion Protection: AZ50 per ASTM A 792 for Painted Galvalume®

AZ55 per ASTM A 792 for Acrylic-Coated Galvalume®

G90 per ASTM A 653 for Painted Galvanized

- ► Gauges: 24 ga standard; 22 ga and 20 ga optional
- ▶ 12" panel coverage, 1¹/₂" panel height, 11" box ribs on 12" centers
- ► Clip-attached, concealed-fastened panel system
- ▶ Panel Length: 6' minimum, 30' maximum
- ▶ Panels can be installed horizontally or vertically
- ▶ Use on single-skin or field-assembled wall systems



TESTING


- ► ASTM E 283 Air Leakage, with building wrap
- ► ASTM E 331 Water Penetration, with building wrap
- ► ASTM E 330 Load Test
- ► ASTM E 1592 Load Test
- 2023 FBC Approval FL34027.4

Metal Sales

EM15-1211 WALL

Condensed Technical Reference

PANEL ATTACHMENT



FASTENING INFORMATION

- Concealed Wall Clip 4" Low is 1-3/4" x 4" x 3/8", from 16 ga, G90 material with 2 fastener holes.
- Clip Fastener(s) should be driven just to contact between fastener head / clip / support. Over-driven fasteners can cause panel distortions.
- Fasteners should extend 1/2" or more past the inside face of the support material for steel and wood sheathing support materials.
- Clip Fasteners:

Attaching to Wood:

#12-11 Low Profile Wood Screw

Attaching to Steel:

< 18 ga: 1/4"-13 Deck Screw

≥ 18 ga, ≤ 12 ga: #10-16 Pancake Head Driller


> 12 ga: 1/4"-14 Self Driller, No Washer

INSTALLATION DIRECTION

Horizontally-oriented panels must be installed from the bottom to the top.

Vertically-oriented panels may be installed from the right-to-left or left-to-right.

Left-to-Right Installation of Vertically-Oriented Panels



SECTION PROPERTIES									ALLOWABLE UNIFORM LOADS, psf For various clip spacings									
Ga	Width in	Yield ksi	Weight psf	Top In Compression Bottom In C			ompression	Inward Load					Outward Load					
				lxx in⁴/ft	Sxx in³/ft	lxx in ⁴ /ft	Sxx in³/ft	iliwalu Luau				Outward Load						
								2'	3'	4'	5'	6'	2'	3'	4'	5'	6'	
24	12	50	1.33	0.0541	0.0566	0.1191	0.1057	117	60	38	27	ı	78	53	40	32	-	
22	12	50	1.74	0.0780	0.0852	0.1660	0.1505	117	60	38	27	ı	78	53	40	32	-	
20	12	33	2.12	0.1120	0.1322	0.2190	0.2033	117	60	38	27	-	78	53	40	32	-	

- 1. Theoretical section properties have been calculated per AISI 2016 'North American Specification for the Design of Cold-Formed Steel Structural Members'. Ixx and Sxx are effective section properties for deflection and bending.
- Allowable loads are calculated in accordance with AISI 2016 specifications considering bending, shear, combined bending & shear, deflection, load testing
 on 16 ga girts and load testing of comparable profiles. Panel weight is not considered. Allowable loads do not consider other support conditions including
 web crippling, fasteners or support materials.
- 3. Allowable loads consider the 3 or more equal spans condition.
- 4. Deflection consideration is limited by a maximum deflection ratio of L/180 of span.
- 5. Allowable loads do not include a 1/3 stress increase for wind.

াটি Metal Sales

metalsales.us.com

Anchorage, AK 866.640.7663 Bay City, MI 888.777.7640 Deer Lake, PA 800.544.2577 Denver, CO 800.289.7663 Detroit Lakes, MN 888.594.1394 Fontana, CA 800.782.7953 Fort Smith, AR 877.452.3915 Independence, MO 800.747.0012 Jacksonville, FL 800.394.4419 Jefferson, OH 800.321.5833 Mocksville, NC 800.228.6119 Nashville, TN 800.251.8508 Rock Island, IL 800.747.1206 Rogers, MN 800.328.9316 Seattle, WA 800.431.3470 Sellersburg, IN 800.999.7777 Sioux Falls, SD 888.299.0024 Spokane, WA 800.572.6565 Temple, TX 800.543.4415 Woodland, CA 800.759.6019