



METAL SALES MANUFACTURING CORPORATION - DENVER

Updated
January 2024

Metal Sales Manufacturing Folded Products REFERENCE

Contact your local Metal Sales Representative for pricing and delivery options

Table Of Contents

Pg 3	Manufacturing Information
Pg 4-15	Low Rib Exposed Fastened Panel
Pg 16-17	Verti-Line (T-10) Panel
Pg 18-19	2" Rib Exposed Fastened Panel
Pg 20-24	3" Rib Exposed Fastened Panel
Pg 25-27	Deep Rib Exposed Fastened Panel
Pg 28-42	Concealed Fastened Wall Panel
Pg 43-44	Interior Liner Panel

Manufacturing Information

Manufacturing Facilities

These panels are produced at two facilities, Sellersburg, IN and Fontana, CA (Typical lead time 4-6 weeks)

Minimum Order Charges

Metal Sales has established minimum order amounts on certain products. This minimum charge is per color and profile ordered.

<u>Profile</u>	<u>Minimum Order</u>	<u>Minimum Charge</u>
24ga Press Broke Panels	200LF	INQUIRE
24ga Dual Beam Panels	200LF	INQUIRE

Metal Sales has established minimum order amounts on certain products. This minimum charge is per nonstock color and gauge ordered.

<u>Profile</u>	<u>Minimum Order</u>	<u>Minimum Charge</u>
22Ga and Thicker Panels	40SQ(Inquire)	40SQ of material

Product Lengths & Cut Charges

- Press Broke panel profiles have a minimum length of four feet (48"). All profiles can be hand cut to a length of less than four feet (48") for an additional charge of \$5.00 per panel. Minimum length is two feet (24")
- Dual Beam panel profiles have a minimum length of eight feet (96") All profiles can be hand cut to a length of less than eight feet (96") for an additional charge of \$5.00 per panel.
- Dual Beam profiles produced in Fontana are not available shorter than five feet (60")
- Maximum length varies with profile and gauge. Contact your sales representative for max. lengths.

Packaging / Crating Information

Standard Packaging- All products, unless specified otherwise, will receive standard packaging. The list below defines what is considered standard packaging for each product. Requests for special packaging are subject to approval and additional charges will apply.

<u>Profile(s)</u>	<u>Description of Packaging</u>	<u>Minimum Charge</u>
Nested Panels -	Profiles will be covered in a reinforced paper material and held together with banding material and banding edge protectors. 2500 lb max skids.	INQUIRE
Non-Nested Panels -	Maximum 1500 lbs in open wood crates	INQUIRE

Special Packaging

Product packaging that is beyond the scope of Standard Packaging and is offered to accommodate a customer request or is necessitated due to the requested means of shipment. Special packaging will incur additional costs as noted below.

- Nesting Panel cover sheets - INQUIRE
- Nesting Panel export crating INQUIRE
- Non-Nesting Panel export crating- INQUIRE
- Non-Nesting Panel additional crates - INQUIRE

Special packaging methods and charges are subject to change, without notice, as necessitated by Metal Sales.

Delivery Information

- All panels are subject to freight costs depending on profile, gauge, lengths and quantities. (Typical lead time 4-6 weeks)

Standard Metal Sales Delivery

- A standard delivery is a delivery to the Metal Sales customer's primary place of business.
- On standard deliveries, the customer is responsible for unloading materials and any subsequent damage that occurs during unloading.
- All locations must be accessible by an 85', 80,000 lb tractor / trailer unit. Accessibility is defined as the ability to enter, turn around, and exit the site.
- Charges will apply for most products please contact your sales representative for charges.

Common Carrier Delivery

- A Common Carrier delivery is a delivery to the Metal Sales customer's place of business or jobsite.
- On Common Carrier deliveries, the customer is responsible for unloading materials and any subsequent damage that occurs during unloading.
- All locations must be accessible by an 85', 80,000 lb tractor / trailer unit. Accessibility is defined as the ability to enter, turn around, and exit the site.
- Charges will apply for most products please contact your sales representative for charges.

****NOTICE**** Some items are manufactured with a clear protective film. Items with protective film installed should be kept out of direct sunlight in a temperature controlled area and film must be removed prior to product installation.


LOW RIB EXPOSED FASTENED T-PANELS

T1 Profile Information


- ✓ Available in 24, 22, 20 and 18ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ 1:12 minimum slope

T1 Wall



T1 Roof



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
22F01S41	T1 WALL PANEL	24	Galvalume (AZ55)	3.885	44	200LF	INQUIRE	INQUIRE
22F01SXX	T1 WALL PANEL	24	Kynar 500 / PVDF	3.885	44	200LF	INQUIRE	INQUIRE
23F01S41	T1 WALL PANEL	22	Galvalume (AZ55)	4.873	44	200LF	INQUIRE	INQUIRE
23F01SXX	T1 WALL PANEL	22	Kynar 500 / PVDF	4.873	44	40SQ	INQUIRE	INQUIRE
24F0100	T1 WALL PANEL	20	Galvanized (G90)	5.861	44	40SQ	INQUIRE	INQUIRE
24F0141	T1 WALL PANEL	20	Galvalume (AZ55)	5.861	44	40SQ	INQUIRE	INQUIRE
24F01XX	T1 WALL PANEL	20	Kynar 500 / PVDF	5.861	44	40SQ	INQUIRE	INQUIRE
25F0100	T1 WALL PANEL	18	Galvanized (G90)	7.671	44	40SQ	INQUIRE	INQUIRE
25F01XX	T1 WALL PANEL	18	Kynar 500 / PVDF	7.671	44	40SQ	INQUIRE	INQUIRE
22R01S41	T1 ROOF PANEL	24	Galvalume (AZ55)	3.885	44	200LF	INQUIRE	INQUIRE
22R01SXX	T1 ROOF PANEL	24	Kynar 500 / PVDF	3.885	44	200LF	INQUIRE	INQUIRE
23R01S41	T1 ROOF PANEL	22	Galvalume (AZ55)	4.873	44	200LF	INQUIRE	INQUIRE
23R01SXX	T1 ROOF PANEL	22	Kynar 500 / PVDF	4.873	44	40SQ	INQUIRE	INQUIRE
24R0100	T1 ROOF PANEL	20	Galvanized (G90)	5.861	44	40SQ	INQUIRE	INQUIRE
24R0141	T1 ROOF PANEL	20	Galvalume (AZ55)	5.861	44	40SQ	INQUIRE	INQUIRE
24R01XX	T1 ROOF PANEL	20	Kynar 500 / PVDF	5.861	44	40SQ	INQUIRE	INQUIRE
25R0100	T1 ROOF PANEL	18	Galvanized (G90)	7.671	44	40SQ	INQUIRE	INQUIRE
25R01XX	T1 ROOF PANEL	18	Kynar 500 / PVDF	7.671	44	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 32'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

PRODUCT NO.	DESCRIPTION	FINISH	WEIGHT	BOX QTY	PRICE /EA
6500000	T1 SMALL VOID CLOSURE	GREY		100	INQUIRE
6500001	T1 LARGE VOID CLOSURE	GREY		100	INQUIRE

SEE COMMERCIAL / INDUSTRIAL BOOK FOR FLASHINGS

LOW RIB EXPOSED FASTENED T-PANELS

T2 Profile Information


- ✓ Available in 24, 22, 20 and 18ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ 1:12 minimum slope

T2 Wall



T2 Roof



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
22F02S41	T2 WALL PANEL	24	Galvalume (AZ55)	3.805	36	200LF	INQUIRE	INQUIRE
22F02SXX	T2 WALL PANEL	24	Kynar 500 / PVDF	3.805	36	200LF	INQUIRE	INQUIRE
23F02S41	T2 WALL PANEL	22	Galvalume (AZ55)	4.772	36	200LF	INQUIRE	INQUIRE
23F02SXX	T2 WALL PANEL	22	Kynar 500 / PVDF	4.772	36	40SQ	INQUIRE	INQUIRE
24F0200	T2 WALL PANEL	20	Galvanized (G90)	5.739	36	40SQ	INQUIRE	INQUIRE
24F0241	T2 WALL PANEL	20	Galvalume (AZ55)	5.739	36	40SQ	INQUIRE	INQUIRE
24F02xx	T2 WALL PANEL	20	Kynar 500 / PVDF	5.739	36	40SQ	INQUIRE	INQUIRE
25F0200	T2 WALL PANEL	18	Galvanized (G90)	7.513	36	40SQ	INQUIRE	INQUIRE
25F02xx	T2 WALL PANEL	18	Kynar 500 / PVDF	7.513	36	40SQ	INQUIRE	INQUIRE
22R02S41	T2 ROOF PANEL	24	Galvalume (AZ55)	3.885	36	200LF	INQUIRE	INQUIRE
22R02SXX	T2 ROOF PANEL	24	Kynar 500 / PVDF	3.885	36	200LF	INQUIRE	INQUIRE
23R02S41	T2 ROOF PANEL	22	Galvalume (AZ55)	4.873	36	200LF	INQUIRE	INQUIRE
23R02SXX	T2 ROOF PANEL	22	Kynar 500 / PVDF	4.873	36	40SQ	INQUIRE	INQUIRE
24R0200	T2 ROOF PANEL	20	Galvanized (G90)	5.861	36	40SQ	INQUIRE	INQUIRE
24R0241	T2 ROOF PANEL	20	Galvalume (AZ55)	5.861	36	40SQ	INQUIRE	INQUIRE
24R02xx	T2 ROOF PANEL	20	Kynar 500 / PVDF	5.861	36	40SQ	INQUIRE	INQUIRE
25R0200	T2 ROOF PANEL	18	Galvanized (G90)	7.671	36	40SQ	INQUIRE	INQUIRE
25R02xx	T2 ROOF PANEL	18	Kynar 500 / PVDF	7.671	36	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 31'-10".
- Shading on Galvalume and Galvanized finishes may be non-uniform

PRODUCT NO.	DESCRIPTION	FINISH	WEIGHT	BOX QTY	PRICE /EA
6500002	T2 EQUAL VOID CLOSURE	GREY		50	INQUIRE
6500003	T2 SMALL VOID CLOSURE	GREY		100	INQUIRE
	T2 LARGE VOID CLOSURE	GREY		100	INQUIRE

SEE COMMERCIAL / INDUSTRIAL BOOK FOR FLASHINGS

LOW RIB EXPOSED FASTENED T-PANELS

T3 Profile Information


- ✓ Available in 24, 22, 20 and 18ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ 1:12 minimum slope

T3 Wall



T3 Roof



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
22F03S41	T3 WALL PANEL	24	Galvalume (AZ55)	3.574	36	200LF	INQUIRE	INQUIRE
22F03SXX	T3 WALL PANEL	24	Kynar 500 / PVDF	3.574	36	200LF	INQUIRE	INQUIRE
23F03S41	T3 WALL PANEL	22	Galvalume (AZ55)	4.483	36	200LF	INQUIRE	INQUIRE
23F03SXX	T3 WALL PANEL	22	Kynar 500 / PVDF	4.483	36	40SQ	INQUIRE	INQUIRE
24F0300	T3 WALL PANEL	20	Galvanized (G90)	5.391	36	40SQ	INQUIRE	INQUIRE
24F0341	T3 WALL PANEL	20	Galvalume (AZ55)	5.391	36	40SQ	INQUIRE	INQUIRE
24F03xx	T3 WALL PANEL	20	Kynar 500 / PVDF	5.391	36	40SQ	INQUIRE	INQUIRE
25F0300	T3 WALL PANEL	18	Galvanized (G90)	7.057	36	40SQ	INQUIRE	INQUIRE
25F03xx	T3 WALL PANEL	18	Kynar 500 / PVDF	7.057	36	40SQ	INQUIRE	INQUIRE
22R03S41	T3 ROOF PANEL	24	Galvalume (AZ55)	3.654	36	200LF	INQUIRE	INQUIRE
22R03SXX	T3 ROOF PANEL	24	Kynar 500 / PVDF	3.654	36	200LF	INQUIRE	INQUIRE
23R03S41	T3 ROOF PANEL	22	Galvalume (AZ55)	4.583	36	200LF	INQUIRE	INQUIRE
23R03SXX	T3 ROOF PANEL	22	Kynar 500 / PVDF	4.583	36	40SQ	INQUIRE	INQUIRE
24R0300	T3 ROOF PANEL	20	Galvanized (G90)	5.512	36	40SQ	INQUIRE	INQUIRE
24R0341	T3 ROOF PANEL	20	Galvalume (AZ55)	5.512	36	40SQ	INQUIRE	INQUIRE
24R03xx	T3 ROOF PANEL	20	Kynar 500 / PVDF	5.512	36	40SQ	INQUIRE	INQUIRE
25R0300	T3 ROOF PANEL	18	Galvanized (G90)	7.215	36	40SQ	INQUIRE	INQUIRE
25R03xx	T3 ROOF PANEL	18	Kynar 500 / PVDF	7.215	36	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 31'-10".
- Shading on Galvalume and Galvanized finishes may be non-uniform

PRODUCT NO.	DESCRIPTION	FINISH	WEIGHT	BOX QTY	PRICE /EA
6500008	T3 SMALL VOID CLOSURE	GREY		100	INQUIRE
6500006	T3 LARGE VOID CLOSURE	GREY		50	INQUIRE

SEE COMMERCIAL / INDUSTRIAL BOOK FOR FLASHINGS


LOW RIB EXPOSED FASTENED T-PANELS

T4 Profile Information


- ✓ Available in 24, 22, 20 and 18ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ 1:12 minimum slope

T4 Wall



T4 Roof



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
22F04S41	T4 WALL PANEL	24	Galvalume (AZ55)	3.805	40	200LF	INQUIRE	INQUIRE
22F04SXX	T4 WALL PANEL	24	Kynar 500 / PVDF	3.805	40	200LF	INQUIRE	INQUIRE
23F04S41	T4 WALL PANEL	22	Galvalume (AZ55)	4.772	40	200LF	INQUIRE	INQUIRE
23F04SXX	T4 WALL PANEL	22	Kynar 500 / PVDF	4.772	40	40SQ	INQUIRE	INQUIRE
24F0400	T4 WALL PANEL	20	Galvanized (G90)	5.739	40	40SQ	INQUIRE	INQUIRE
24F0441	T4 WALL PANEL	20	Galvalume (AZ55)	5.739	40	40SQ	INQUIRE	INQUIRE
24F04xx	T4 WALL PANEL	20	Kynar 500 / PVDF	5.739	40	40SQ	INQUIRE	INQUIRE
25F0400	T4 WALL PANEL	18	Galvanized (G90)	7.513	40	40SQ	INQUIRE	INQUIRE
25F04xx	T4 WALL PANEL	18	Kynar 500 / PVDF	7.513	40	40SQ	INQUIRE	INQUIRE
22R04S41	T4 ROOF PANEL	24	Galvalume (AZ55)	3.885	40	200LF	INQUIRE	INQUIRE
22R04SXX	T4 ROOF PANEL	24	Kynar 500 / PVDF	3.885	40	200LF	INQUIRE	INQUIRE
23R04S41	T4 ROOF PANEL	22	Galvalume (AZ55)	4.873	40	200LF	INQUIRE	INQUIRE
23R04SXX	T4 ROOF PANEL	22	Kynar 500 / PVDF	4.873	40	40SQ	INQUIRE	INQUIRE
24R0400	T4 ROOF PANEL	20	Galvanized (G90)	5.861	40	40SQ	INQUIRE	INQUIRE
24R0441	T4 ROOF PANEL	20	Galvalume (AZ55)	5.861	40	40SQ	INQUIRE	INQUIRE
24R04xx	T4 ROOF PANEL	20	Kynar 500 / PVDF	5.861	40	40SQ	INQUIRE	INQUIRE
25R0400	T4 ROOF PANEL	18	Galvanized (G90)	7.671	40	40SQ	INQUIRE	INQUIRE
25R04xx	T4 ROOF PANEL	18	Kynar 500 / PVDF	7.671	40	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 31'-10".
- Shading on Galvalume and Galvanized finishes may be non-uniform

PRODUCT NO.	DESCRIPTION	FINISH	WEIGHT	BOX QTY	PRICE /EA
6500010	T4 EQUAL VOID CLOSURE	GREY		50	INQUIRE
6500011	T4 SMALL VOID CLOSURE	GREY		100	INQUIRE
6500013	T4 LARGE VOID CLOSURE	GREY		100	INQUIRE

SEE COMMERCIAL / INDUSTRIAL BOOK FOR FLASHINGS


LOW RIB EXPOSED FASTENED T-PANELS

T5 Profile Information


- ✓ Available in 24, 22, 20 and 18ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ 1:12 minimum slope

T5 Wall



T5 Roof



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
22F05S41	T5 WALL PANEL	24	Galvalume (AZ55)	3.454	36	200LF	INQUIRE	INQUIRE
22F05SXX	T5 WALL PANEL	24	Kynar 500 / PVDF	3.454	36	200LF	INQUIRE	INQUIRE
23F05S41	T5 WALL PANEL	22	Galvalume (AZ55)	4.332	36	200LF	INQUIRE	INQUIRE
23F05SXX	T5 WALL PANEL	22	Kynar 500 / PVDF	4.332	36	40SQ	INQUIRE	INQUIRE
24F0500	T5 WALL PANEL	20	Galvanized (G90)	5.209	36	40SQ	INQUIRE	INQUIRE
24F0541	T5 WALL PANEL	20	Galvalume (AZ55)	5.209	36	40SQ	INQUIRE	INQUIRE
24F05xx	T5 WALL PANEL	20	Kynar 500 / PVDF	5.209	36	40SQ	INQUIRE	INQUIRE
25F0500	T5 WALL PANEL	18	Galvanized (G90)	6.819	36	40SQ	INQUIRE	INQUIRE
25F05xx	T5 WALL PANEL	18	Kynar 500 / PVDF	6.819	36	40SQ	INQUIRE	INQUIRE
22R05S41	T5 ROOF PANEL	24	Galvalume (AZ55)	3.574	36	200LF	INQUIRE	INQUIRE
22R05SXX	T5 ROOF PANEL	24	Kynar 500 / PVDF	3.574	36	200LF	INQUIRE	INQUIRE
23R05S41	T5 ROOF PANEL	22	Galvalume (AZ55)	4.483	36	200LF	INQUIRE	INQUIRE
23R05SXX	T5 ROOF PANEL	22	Kynar 500 / PVDF	4.483	36	40SQ	INQUIRE	INQUIRE
24R0500	T5 ROOF PANEL	20	Galvanized (G90)	5.391	36	40SQ	INQUIRE	INQUIRE
24R0541	T5 ROOF PANEL	20	Galvalume (AZ55)	5.391	36	40SQ	INQUIRE	INQUIRE
24R05xx	T5 ROOF PANEL	20	Kynar 500 / PVDF	5.391	36	40SQ	INQUIRE	INQUIRE
25R0500	T5 ROOF PANEL	18	Galvanized (G90)	7.057	36	40SQ	INQUIRE	INQUIRE
25R05xx	T5 ROOF PANEL	18	Kynar 500 / PVDF	7.057	36	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 31'-10".
- Shading on Galvalume and Galvanized finishes may be non-uniform

PRODUCT NO.	DESCRIPTION	FINISH	WEIGHT	BOX QTY	PRICE /EA
6500015	T5 EQUAL VOID CLOSURE	GREY		50	INQUIRE
6500016	T5 SMALL VOID CLOSURE	GREY		100	INQUIRE
6500018	T5 LARGE VOID CLOSURE	GREY		50	INQUIRE

SEE COMMERCIAL / INDUSTRIAL BOOK FOR FLASHINGS


LOW RIB EXPOSED FASTENED T-PANELS

T6-A Profile Information

- ✓ Available in 24, 22, 20 and 18ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ 1:12 minimum slope

T6-A Wall



T6-A Roof

PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
22F58S41	T6-A WALL PANEL	24	Galvalume (AZ55)	3.654	36	200LF	INQUIRE	INQUIRE
22F58SXX	T6-A WALL PANEL	24	Kynar 500 / PVDF	3.654	36	200LF	INQUIRE	INQUIRE
23F58S41	T6-A WALL PANEL	22	Galvalume (AZ55)	4.583	36	200LF	INQUIRE	INQUIRE
23F58SXX	T6-A WALL PANEL	22	Kynar 500 / PVDF	4.583	36	40SQ	INQUIRE	INQUIRE
24F5800	T6-A WALL PANEL	20	Galvanized (G90)	5.512	36	40SQ	INQUIRE	INQUIRE
24F5841	T6-A WALL PANEL	20	Galvalume (AZ55)	5.512	36	40SQ	INQUIRE	INQUIRE
24F58xx	T6-A WALL PANEL	20	Kynar 500 / PVDF	5.512	36	40SQ	INQUIRE	INQUIRE
25F5800	T6-A WALL PANEL	18	Galvanized (G90)	7.215	36	40SQ	INQUIRE	INQUIRE
25F58xx	T6-A WALL PANEL	18	Kynar 500 / PVDF	7.215	36	40SQ	INQUIRE	INQUIRE
22R58S41	T6-A ROOF PANEL	24	Galvalume (AZ55)	3.755	36	200LF	INQUIRE	INQUIRE
22R58SXX	T6-A ROOF PANEL	24	Kynar 500 / PVDF	3.755	36	200LF	INQUIRE	INQUIRE
23R58S41	T6-A ROOF PANEL	22	Galvalume (AZ55)	4.709	36	200LF	INQUIRE	INQUIRE
23R58SXX	T6-A ROOF PANEL	22	Kynar 500 / PVDF	4.709	36	40SQ	INQUIRE	INQUIRE
24R5800	T6-A ROOF PANEL	20	Galvanized (G90)	5.664	36	40SQ	INQUIRE	INQUIRE
24R5841	T6-A ROOF PANEL	20	Galvalume (AZ55)	5.664	36	40SQ	INQUIRE	INQUIRE
24R58xx	T6-A ROOF PANEL	20	Kynar 500 / PVDF	5.664	36	40SQ	INQUIRE	INQUIRE
25R5800	T6-A ROOF PANEL	18	Galvanized (G90)	7.414	36	40SQ	INQUIRE	INQUIRE
25R58xx	T6-A ROOF PANEL	18	Kynar 500 / PVDF	7.414	36	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 31'-10".
- Shading on Galvalume and Galvanized finishes may be non-uniform

PRODUCT NO.	DESCRIPTION	FINISH	WEIGHT	BOX QTY	PRICE /EA
6500076	T6-A EQUAL VOID CLOSURE	GREY		50	INQUIRE
6500077	T6-A SMALL VOID CLOSURE	GREY		100	INQUIRE
6500078	T6-A LARGE VOID CLOSURE	GREY		50	INQUIRE

SEE COMMERCIAL / INDUSTRIAL BOOK FOR FLASHINGS


LOW RIB EXPOSED FASTENED T-PANELS

T7 Profile Information

- ✓ Available in 24, 22, 20 and 18ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ 1:12 minimum slope

T7 Wall



T7 Roof

PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
22F07S41	T7 WALL PANEL	24	Galvalume (AZ55)	3.574	36	200LF	INQUIRE	INQUIRE
22F07SXX	T7 WALL PANEL	24	Kynar 500 / PVDF	3.574	36	200LF	INQUIRE	INQUIRE
23F07S41	T7 WALL PANEL	22	Galvalume (AZ55)	4.483	36	200LF	INQUIRE	INQUIRE
23F07SXX	T7 WALL PANEL	22	Kynar 500 / PVDF	4.483	36	40SQ	INQUIRE	INQUIRE
24F0700	T7 WALL PANEL	20	Galvanized (G90)	5.391	36	40SQ	INQUIRE	INQUIRE
24F0741	T7 WALL PANEL	20	Galvalume (AZ55)	5.391	36	40SQ	INQUIRE	INQUIRE
24F07xx	T7 WALL PANEL	20	Kynar 500 / PVDF	5.391	36	40SQ	INQUIRE	INQUIRE
25F0700	T7 WALL PANEL	18	Galvanized (G90)	7.057	36	40SQ	INQUIRE	INQUIRE
25F07xx	T7 WALL PANEL	18	Kynar 500 / PVDF	7.057	36	40SQ	INQUIRE	INQUIRE
22R07S41	T7 ROOF PANEL	24	Galvalume (AZ55)	3.674	36	200LF	INQUIRE	INQUIRE
22R07SXX	T7 ROOF PANEL	24	Kynar 500 / PVDF	3.674	36	200LF	INQUIRE	INQUIRE
23R07S41	T7 ROOF PANEL	22	Galvalume (AZ55)	4.609	36	200LF	INQUIRE	INQUIRE
23R07SXX	T7 ROOF PANEL	22	Kynar 500 / PVDF	4.609	36	40SQ	INQUIRE	INQUIRE
24R0700	T7 ROOF PANEL	20	Galvanized (G90)	5.543	36	40SQ	INQUIRE	INQUIRE
24R0741	T7 ROOF PANEL	20	Galvalume (AZ55)	5.543	36	40SQ	INQUIRE	INQUIRE
24R07xx	T7 ROOF PANEL	20	Kynar 500 / PVDF	5.543	36	40SQ	INQUIRE	INQUIRE
25R0700	T7 ROOF PANEL	18	Galvanized (G90)	7.255	36	40SQ	INQUIRE	INQUIRE
25R07xx	T7 ROOF PANEL	18	Kynar 500 / PVDF	7.255	36	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 31'-10".
- Shading on Galvalume and Galvanized finishes may be non-uniform

PRODUCT NO.	DESCRIPTION	FINISH	WEIGHT	BOX QTY	PRICE /EA
6500025	T7 EQUAL VOID CLOSURE	GREY		100	INQUIRE
6500026	T7 SMALL VOID CLOSURE	GREY		100	INQUIRE
6500028	T7 LARGE VOID CLOSURE	GREY		100	INQUIRE


SEE COMMERCIAL / INDUSTRIAL BOOK FOR FLASHINGS

LOW RIB EXPOSED FASTENED T-PANELS

T7-A Profile Information

- ✓ Available in 24, 22, 20 and 18ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year
- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ 1:12 minimum slope

T7-A Wall



T7-A Roof

PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
22F59S41	T7-A WALL PANEL	24	Galvalume (AZ55)	3.885	39	200LF	INQUIRE	INQUIRE
22F59SXX	T7-A WALL PANEL	24	Kynar 500 / PVDF	3.885	39	200LF	INQUIRE	INQUIRE
23F59S41	T7-A WALL PANEL	22	Galvalume (AZ55)	4.873	39	200LF	INQUIRE	INQUIRE
23F59SXX	T7-A WALL PANEL	22	Kynar 500 / PVDF	4.873	39	40SQ	INQUIRE	INQUIRE
24F5900	T7-A WALL PANEL	20	Galvanized (G90)	5.861	39	40SQ	INQUIRE	INQUIRE
24F5941	T7-A WALL PANEL	20	Galvalume (AZ55)	5.861	39	40SQ	INQUIRE	INQUIRE
24F59xx	T7-A WALL PANEL	20	Kynar 500 / PVDF	5.861	39	40SQ	INQUIRE	INQUIRE
25F5900	T7-A WALL PANEL	18	Galvanized (G90)	7.671	39	40SQ	INQUIRE	INQUIRE
25F59xx	T7-A WALL PANEL	18	Kynar 500 / PVDF	7.671	39	40SQ	INQUIRE	INQUIRE
22R59S41	T7-A ROOF PANEL	24	Galvalume (AZ55)	3.885	39	200LF	INQUIRE	INQUIRE
22R59SXX	T7-A ROOF PANEL	24	Kynar 500 / PVDF	3.885	39	200LF	INQUIRE	INQUIRE
23R59S41	T7-A ROOF PANEL	22	Galvalume (AZ55)	4.873	39	200LF	INQUIRE	INQUIRE
23R59SXX	T7-A ROOF PANEL	22	Kynar 500 / PVDF	4.873	39	40SQ	INQUIRE	INQUIRE
24R5900	T7-A ROOF PANEL	20	Galvanized (G90)	5.861	39	40SQ	INQUIRE	INQUIRE
24R5941	T7-A ROOF PANEL	20	Galvalume (AZ55)	5.861	39	40SQ	INQUIRE	INQUIRE
24R59xx	T7-A ROOF PANEL	20	Kynar 500 / PVDF	5.861	39	40SQ	INQUIRE	INQUIRE
25R5900	T7-A ROOF PANEL	18	Galvanized (G90)	7.671	39	40SQ	INQUIRE	INQUIRE
25R59xx	T7-A ROOF PANEL	18	Kynar 500 / PVDF	7.671	39	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 31'-10".
- Shading on Galvalume and Galvanized finishes may be non-uniform

PRODUCT NO.	DESCRIPTION	FINISH	WEIGHT	BOX QTY	PRICE /EA
6500079	T7-A EQUAL VOID CLOSURE	GREY		100	INQUIRE
6500080	T7-A SMALL VOID CLOSURE	GREY		100	INQUIRE


SEE COMMERCIAL / INDUSTRIAL BOOK FOR FLASHINGS

LOW RIB EXPOSED FASTENED T-PANELS

T11-A Profile Information

- ✓ Available in 24 and 22ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year
- ✓ Available in Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ 1:12 minimum slope

T11-A Wall



T11-A Roof

PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
22F11S41	T11-A WALL PANEL	24	Galvalume (AZ55)	3.885	34.125	200LF	INQUIRE	INQUIRE
22F11SXX	T11-A WALL PANEL	24	Kynar 500 / PVDF	3.885	34.125	200LF	INQUIRE	INQUIRE
23F11S41	T11-A WALL PANEL	22	Galvalume (AZ55)	4.873	34.125	200LF	INQUIRE	INQUIRE
23F11SXX	T11-A WALL PANEL	22	Kynar 500 / PVDF	4.873	34.125	40SQ	INQUIRE	INQUIRE
22R11S41	T11-A ROOF PANEL	24	Galvalume (AZ55)	3.885	34.125	200LF	INQUIRE	INQUIRE
22R11SXX	T11-A ROOF PANEL	24	Kynar 500 / PVDF	3.885	34.125	200LF	INQUIRE	INQUIRE
23R11S41	T11-A ROOF PANEL	22	Galvalume (AZ55)	4.873	34.125	200LF	INQUIRE	INQUIRE
23R11SXX	T11-A ROOF PANEL	22	Kynar 500 / PVDF	4.873	34.125	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 30'.
- Shading on Galvalume finishes may be non-uniform

PRODUCT NO.	DESCRIPTION	FINISH	WEIGHT	BOX QTY	PRICE /EA
6500084	T11-A CONTINUOUS CLOSURE GREY			100	INQUIRE


SEE COMMERCIAL / INDUSTRIAL BOOK FOR FLASHINGS

LOW RIB EXPOSED FASTENED T-PANELS

T12 Profile Information

- ✓ Available in 24 and 22ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year
- ✓ Available in Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ 1:12 minimum slope

T12 Wall



T12 Roof

PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
22F12S41	T12 WALL PANEL	24	Galvalume (AZ55)	3.885	36.5	200LF	INQUIRE	INQUIRE
22F12SXX	T12 WALL PANEL	24	Kynar 500 / PVDF	3.885	36.5	200LF	INQUIRE	INQUIRE
23F12S41	T12 WALL PANEL	22	Galvalume (AZ55)	4.873	36.5	200LF	INQUIRE	INQUIRE
23F12SXX	T12 WALL PANEL	22	Kynar 500 / PVDF	4.873	36.5	40SQ	INQUIRE	INQUIRE
22R12S41	T12 ROOF PANEL	24	Galvalume (AZ55)	3.885	36.5	200LF	INQUIRE	INQUIRE
22R12SXX	T12 ROOF PANEL	24	Kynar 500 / PVDF	3.885	36.5	200LF	INQUIRE	INQUIRE
23R12S41	T12 ROOF PANEL	22	Galvalume (AZ55)	4.873	36.5	200LF	INQUIRE	INQUIRE
23R12SXX	T12 ROOF PANEL	22	Kynar 500 / PVDF	4.873	36.5	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 32'.
- Shading on Galvalume finishes may be non-uniform

PRODUCT NO.	DESCRIPTION	FINISH	WEIGHT	BOX QTY	PRICE /EA
6500033	T12 CONTINUOUS CLOSURE	GREY		100	INQUIRE


SEE COMMERCIAL / INDUSTRIAL BOOK FOR FLASHINGS

LOW RIB EXPOSED FASTENED T-PANELS


T16-E Profile Information

- ✓ Available in 24 and 22ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year
- ✓ Available in Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ 1:12 minimum slope

T16-E Wall



T16-E Roof



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
22FA8S41	T16-E WALL PANEL	24	Galvalume (AZ55)	3.84	36	200LF	INQUIRE	INQUIRE
22FA8SXX	T16-E WALL PANEL	24	Kynar 500 / PVDF	3.84	36	200LF	INQUIRE	INQUIRE
23FA8S41	T16-E WALL PANEL	22	Galvalume (AZ55)	4.81	36	200LF	INQUIRE	INQUIRE
23FA8SXX	T16-E WALL PANEL	22	Kynar 500 / PVDF	4.81	36	40SQ	INQUIRE	INQUIRE
22RA8S41	T16-E ROOF PANEL	24	Galvalume (AZ55)	3.84	36	200LF	INQUIRE	INQUIRE
22RA8SXX	T16-E ROOF PANEL	24	Kynar 500 / PVDF	3.84	36	200LF	INQUIRE	INQUIRE
23RA8S41	T16-E ROOF PANEL	22	Galvalume (AZ55)	4.81	36	200LF	INQUIRE	INQUIRE
23RA8SXX	T16-E ROOF PANEL	22	Kynar 500 / PVDF	4.81	36	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 25'.
- Shading on Galvalume finishes may be non-uniform


PRODUCT NO.	DESCRIPTION	FINISH	WEIGHT	BOX QTY	PRICE /EA
6500116	T16-E SMALL VOID CLOSURE	GREY		100	INQUIRE
6500117	T16-E LARGE VOID CLOSURE	GREY		100	INQUIRE

SEE COMMERCIAL / INDUSTRIAL BOOK FOR FLASHINGS

LOW RIB EXPOSED FASTENED T-PANELS

T16-L Profile Information

- ✓ Available in 24 and 22ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year
- ✓ Available in Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ Wall Panel ONLY



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
22FA7S41	T16-L WALL PANEL	24	Galvalume (AZ55)	3.56	32	200LF	INQUIRE	INQUIRE
22FA7SXX	T16-L WALL PANEL	24	Kynar 500 / PVDF	3.56	32	200LF	INQUIRE	INQUIRE
23FA7S41	T16-L WALL PANEL	22	Galvalume (AZ55)	4.46	32	200LF	INQUIRE	INQUIRE
23FA7SXX	T16-L WALL PANEL	22	Kynar 500 / PVDF	4.46	32	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 25'.
- Shading on Galvalume finishes may be non-uniform

PRODUCT NO.	DESCRIPTION	FINISH	WEIGHT	BOX QTY	PRICE /EA
6500120	T16-L SMALL VOID CLOSURE	GREY		100	INQUIRE
6500122	T16-L LARGE VOID CLOSURE	GREY		100	INQUIRE

SEE COMMERCIAL / INDUSTRIAL BOOK FOR FLASHINGS


VERTILINE T-10 PANELS

T10-A and T10-B Profile Information


- ✓ Available in 24, 22, 20 and 18ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ Wall Panel ONLY

T10-A



T10-B



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
22F30S41	T10-A PANEL	24	Galvalume (AZ55)	3.885	28	200LF	INQUIRE	INQUIRE
22F30SXX	T10-A PANEL	24	Kynar 500 / PVDF	3.885	28	200LF	INQUIRE	INQUIRE
23F30S41	T10-A PANEL	22	Galvalume (AZ55)	4.873	28	200LF	INQUIRE	INQUIRE
23F30SXX	T10-A PANEL	22	Kynar 500 / PVDF	4.873	28	40SQ	INQUIRE	INQUIRE
24F3000	T10-A PANEL	20	Galvanized (G90)	5.861	28	40SQ	INQUIRE	INQUIRE
24F3041	T10-A PANEL	20	Galvalume (AZ55)	5.861	28	40SQ	INQUIRE	INQUIRE
24F30xx	T10-A PANEL	20	Kynar 500 / PVDF	5.861	28	40SQ	INQUIRE	INQUIRE
25F3000	T10-A PANEL	18	Galvanized (G90)	7.671	28	40SQ	INQUIRE	INQUIRE
25F30xx	T10-A PANEL	18	Kynar 500 / PVDF	7.671	28	40SQ	INQUIRE	INQUIRE

PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
22F31S41	T10-B PANEL	24	Galvalume (AZ55)	3.695	30	200LF	INQUIRE	INQUIRE
22F31SXX	T10-B PANEL	24	Kynar 500 / PVDF	3.695	30	200LF	INQUIRE	INQUIRE
23F31S41	T10-B PANEL	22	Galvalume (AZ55)	4.634	30	200LF	INQUIRE	INQUIRE
23F31SXX	T10-B PANEL	22	Kynar 500 / PVDF	4.634	30	40SQ	INQUIRE	INQUIRE
24F3100	T10-B PANEL	20	Galvanized (G90)	5.573	30	40SQ	INQUIRE	INQUIRE
24F3141	T10-B PANEL	20	Galvalume (AZ55)	5.573	30	40SQ	INQUIRE	INQUIRE
24F31xx	T10-B PANEL	20	Kynar 500 / PVDF	5.573	30	40SQ	INQUIRE	INQUIRE
25F3100	T10-B PANEL	18	Galvanized (G90)	7.295	30	40SQ	INQUIRE	INQUIRE
25F31xx	T10-B PANEL	18	Kynar 500 / PVDF	7.295	30	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 32'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

PRODUCT NO.	DESCRIPTION	FINISH	WEIGHT	BOX QTY	PRICE /EA
6500056	T10-A SMALL VOID CLOSURE	GREY		100	INQUIRE
6500055	T10-A LARGE VOID CLOSURE	GREY		50	INQUIRE
6500057	T10-B EQUAL VOID CLOSURE	GREY		50	INQUIRE
6500157	T10-B SMALL VOID CLOSURE	GREY		100	INQUIRE
6500158	T10-B LARGE VOID CLOSURE	GREY		100	INQUIRE

SEE COMMERCIAL / INDUSTRIAL BOOK FOR FLASHINGS


VERTILINE T-10 PANELS

T10-C and T10-D Profile Information


- ✓ Available in 24, 22, 20 and 18ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ Wall Panel ONLY

T10-C



T10-D



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
22F32S41	T10-C PANEL	24	Galvalume (AZ55)	3.584	30	200LF	INQUIRE	INQUIRE
22F32SXX	T10-C PANEL	24	Kynar 500 / PVDF	3.584	30	200LF	INQUIRE	INQUIRE
23F32S41	T10-C PANEL	22	Galvalume (AZ55)	4.495	30	200LF	INQUIRE	INQUIRE
23F32SXX	T10-C PANEL	22	Kynar 500 / PVDF	4.495	30	40SQ	INQUIRE	INQUIRE
24F3200	T10-C PANEL	20	Galvanized (G90)	5.406	30	40SQ	INQUIRE	INQUIRE
24F3241	T10-C PANEL	20	Galvalume (AZ55)	5.406	30	40SQ	INQUIRE	INQUIRE
24F32xx	T10-C PANEL	20	Kynar 500 / PVDF	5.406	30	40SQ	INQUIRE	INQUIRE
25F3200	T10-C PANEL	18	Galvanized (G90)	7.077	30	40SQ	INQUIRE	INQUIRE
25F32xx	T10-C PANEL	18	Kynar 500 / PVDF	7.077	30	40SQ	INQUIRE	INQUIRE

PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
22F33S41	T10-D PANEL	24	Galvalume (AZ55)	3.885	36	200LF	INQUIRE	INQUIRE
22F33SXX	T10-D PANEL	24	Kynar 500 / PVDF	3.885	36	200LF	INQUIRE	INQUIRE
23F33S41	T10-D PANEL	22	Galvalume (AZ55)	4.873	36	200LF	INQUIRE	INQUIRE
23F33SXX	T10-D PANEL	22	Kynar 500 / PVDF	4.873	36	40SQ	INQUIRE	INQUIRE
24F3300	T10-D PANEL	20	Galvanized (G90)	5.861	36	40SQ	INQUIRE	INQUIRE
24F3341	T10-D PANEL	20	Galvalume (AZ55)	5.861	36	40SQ	INQUIRE	INQUIRE
24F33xx	T10-D PANEL	20	Kynar 500 / PVDF	5.861	36	40SQ	INQUIRE	INQUIRE
25F3300	T10-D PANEL	18	Galvanized (G90)	7.671	36	40SQ	INQUIRE	INQUIRE
25F33xx	T10-D PANEL	18	Kynar 500 / PVDF	7.671	36	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 32'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

PRODUCT NO.	DESCRIPTION	FINISH	WEIGHT	BOX QTY	PRICE /EA
6500058	T10-C EQUAL VOID CLOSURE	GREY		50	INQUIRE
6500059	T10-D EQUAL VOID CLOSURE	GREY		50	INQUIRE

SEE COMMERCIAL / INDUSTRIAL BOOK FOR FLASHINGS


2" RIB EXPOSED FASTENED T-PANELS

T2630 Profile Information


- ✓ Available in 24, 22, 20 and 18ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ 1:12 minimum slope

T2630 Wall



T2630 Roof



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
22FA2S41	T2630 WALL PANEL	24	Galvalume (AZ55)	3.885	30	200LF	INQUIRE	INQUIRE
22FA2SXX	T2630 WALL PANEL	24	Kynar 500 / PVDF	3.885	30	200LF	INQUIRE	INQUIRE
23FA2S41	T2630 WALL PANEL	22	Galvalume (AZ55)	4.873	30	200LF	INQUIRE	INQUIRE
23FA2SXX	T2630 WALL PANEL	22	Kynar 500 / PVDF	4.873	30	40SQ	INQUIRE	INQUIRE
24FA200	T2630 WALL PANEL	20	Galvanized (G90)	5.861	30	40SQ	INQUIRE	INQUIRE
24FA241	T2630 WALL PANEL	20	Galvalume (AZ55)	5.861	30	40SQ	INQUIRE	INQUIRE
24FA2xx	T2630 WALL PANEL	20	Kynar 500 / PVDF	5.861	30	40SQ	INQUIRE	INQUIRE
25FA200	T2630 WALL PANEL	18	Galvanized (G90)	7.671	30	40SQ	INQUIRE	INQUIRE
25FA2xx	T2630 WALL PANEL	18	Kynar 500 / PVDF	7.671	30	40SQ	INQUIRE	INQUIRE
22RA2S41	T2630 ROOF PANEL	24	Galvalume (AZ55)	3.885	30	200LF	INQUIRE	INQUIRE
22RA2SXX	T2630 ROOF PANEL	24	Kynar 500 / PVDF	3.885	30	200LF	INQUIRE	INQUIRE
23RA2S41	T2630 ROOF PANEL	22	Galvalume (AZ55)	4.873	30	200LF	INQUIRE	INQUIRE
23RA2SXX	T2630 ROOF PANEL	22	Kynar 500 / PVDF	4.873	30	40SQ	INQUIRE	INQUIRE
24RA200	T2630 ROOF PANEL	20	Galvanized (G90)	5.861	30	40SQ	INQUIRE	INQUIRE
24RA241	T2630 ROOF PANEL	20	Galvalume (AZ55)	5.861	30	40SQ	INQUIRE	INQUIRE
24RA2xx	T2630 ROOF PANEL	20	Kynar 500 / PVDF	5.861	30	40SQ	INQUIRE	INQUIRE
25RA200	T2630 ROOF PANEL	18	Galvanized (G90)	7.671	30	40SQ	INQUIRE	INQUIRE
25RA2xx	T2630 ROOF PANEL	18	Kynar 500 / PVDF	7.671	30	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 32'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

PRODUCT NO.	DESCRIPTION	FINISH	WEIGHT	BOX QTY	PRICE /EA
6500092	T2630 SMALL VOID CLOSURE	GREY		50	INQUIRE
6500091	T2630 LARGE VOID CLOSURE	GREY		50	INQUIRE

SEE COMMERCIAL / INDUSTRIAL BOOK FOR FLASHINGS


2" RIB EXPOSED FASTENED T-PANELS

T2832 Profile Information


- ✓ Available in 24, 22, 20 and 18ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ 1:12 minimum slope

T2832 Wall



T2832 Roof



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
22FA3S41	T2832 WALL PANEL	24	Galvalume (AZ55)	3.815	32	200LF	INQUIRE	INQUIRE
22FA3SXX	T2832 WALL PANEL	24	Kynar 500 / PVDF	3.815	32	200LF	INQUIRE	INQUIRE
23FA3S41	T2832 WALL PANEL	22	Galvalume (AZ55)	4.785	32	200LF	INQUIRE	INQUIRE
23FA3SXX	T2832 WALL PANEL	22	Kynar 500 / PVDF	4.785	32	40SQ	INQUIRE	INQUIRE
24FA300	T2832 WALL PANEL	20	Galvanized (G90)	5.755	32	40SQ	INQUIRE	INQUIRE
24FA341	T2832 WALL PANEL	20	Galvalume (AZ55)	5.755	32	40SQ	INQUIRE	INQUIRE
24FA3xx	T2832 WALL PANEL	20	Kynar 500 / PVDF	5.755	32	40SQ	INQUIRE	INQUIRE
25FA300	T2832 WALL PANEL	18	Galvanized (G90)	7.533	32	40SQ	INQUIRE	INQUIRE
25FA3xx	T2832 WALL PANEL	18	Kynar 500 / PVDF	7.533	32	40SQ	INQUIRE	INQUIRE
22RA3S41	T2832 ROOF PANEL	24	Galvalume (AZ55)	3.815	32	200LF	INQUIRE	INQUIRE
22RA3SXX	T2832 ROOF PANEL	24	Kynar 500 / PVDF	3.815	32	200LF	INQUIRE	INQUIRE
23RA3S41	T2832 ROOF PANEL	22	Galvalume (AZ55)	4.785	32	200LF	INQUIRE	INQUIRE
23RA3SXX	T2832 ROOF PANEL	22	Kynar 500 / PVDF	4.785	32	40SQ	INQUIRE	INQUIRE
24RA300	T2832 ROOF PANEL	20	Galvanized (G90)	5.755	32	40SQ	INQUIRE	INQUIRE
24RA341	T2832 ROOF PANEL	20	Galvalume (AZ55)	5.755	32	40SQ	INQUIRE	INQUIRE
24RA3xx	T2832 ROOF PANEL	20	Kynar 500 / PVDF	5.755	32	40SQ	INQUIRE	INQUIRE
25RA300	T2832 ROOF PANEL	18	Galvanized (G90)	7.533	32	40SQ	INQUIRE	INQUIRE
25RA3xx	T2832 ROOF PANEL	18	Kynar 500 / PVDF	7.533	32	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 32'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

PRODUCT NO.	DESCRIPTION	FINISH	WEIGHT	BOX QTY	PRICE /EA
6500097	T2832 EQUAL VOID CLOSURE	GREY		50	INQUIRE

SEE COMMERCIAL / INDUSTRIAL BOOK FOR FLASHINGS


3" RIB EXPOSED FASTENED T-PANELS

T13 Profile Information


- ✓ Available in 24, 22, 20 and 18ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ 1:12 minimum slope

T13 Wall



T13 Roof



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
22F13S41	T13 WALL PANEL	24	Galvalume (AZ55)	3.413	24	200LF	INQUIRE	INQUIRE
22F13SXX	T13 WALL PANEL	24	Kynar 500 / PVDF	3.413	24	200LF	INQUIRE	INQUIRE
23F13S41	T13 WALL PANEL	22	Galvalume (AZ55)	4.281	24	200LF	INQUIRE	INQUIRE
23F13SXX	T13 WALL PANEL	22	Kynar 500 / PVDF	4.281	24	40SQ	INQUIRE	INQUIRE
24F1300	T13 WALL PANEL	20	Galvanized (G90)	5.149	24	40SQ	INQUIRE	INQUIRE
24F1341	T13 WALL PANEL	20	Galvalume (AZ55)	5.149	24	40SQ	INQUIRE	INQUIRE
24F13xx	T13 WALL PANEL	20	Kynar 500 / PVDF	5.149	24	40SQ	INQUIRE	INQUIRE
25F1300	T13 WALL PANEL	18	Galvanized (G90)	6.74	24	40SQ	INQUIRE	INQUIRE
25F13xx	T13 WALL PANEL	18	Kynar 500 / PVDF	6.74	24	40SQ	INQUIRE	INQUIRE
22R13S41	T13 ROOF PANEL	24	Galvalume (AZ55)	3.413	24	200LF	INQUIRE	INQUIRE
22R13SXX	T13 ROOF PANEL	24	Kynar 500 / PVDF	3.413	24	200LF	INQUIRE	INQUIRE
23R13S41	T13 ROOF PANEL	22	Galvalume (AZ55)	4.281	24	200LF	INQUIRE	INQUIRE
23R13SXX	T13 ROOF PANEL	22	Kynar 500 / PVDF	4.281	24	40SQ	INQUIRE	INQUIRE
24R1300	T13 ROOF PANEL	20	Galvanized (G90)	5.149	24	40SQ	INQUIRE	INQUIRE
24R1341	T13 ROOF PANEL	20	Galvalume (AZ55)	5.149	24	40SQ	INQUIRE	INQUIRE
24R13xx	T13 ROOF PANEL	20	Kynar 500 / PVDF	5.149	24	40SQ	INQUIRE	INQUIRE
25R1300	T13 ROOF PANEL	18	Galvanized (G90)	6.74	24	40SQ	INQUIRE	INQUIRE
25R13xx	T13 ROOF PANEL	18	Kynar 500 / PVDF	6.74	24	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 32'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

PRODUCT NO.	DESCRIPTION	FINISH	WEIGHT	BOX QTY	PRICE /EA
6500036	T13 SMALL VOID CLOSURE	GREY		100	INQUIRE
6500035	T13 LARGE VOID CLOSURE	GREY		50	INQUIRE

SEE COMMERCIAL / INDUSTRIAL BOOK FOR FLASHINGS


3" RIB EXPOSED FASTENED T-PANELS

T13-A Profile Information


- ✓ Available in 24, 22, 20 and 18ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ 1:12 minimum slope

T13-A Wall



T13-A Roof



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
22F65S41	T13-A WALL PANEL	24	Galvalume (AZ55)	3.885	24	200LF	INQUIRE	INQUIRE
22F65SXX	T13-A WALL PANEL	24	Kynar 500 / PVDF	3.885	24	200LF	INQUIRE	INQUIRE
23F65S41	T13-A WALL PANEL	22	Galvalume (AZ55)	4.873	24	200LF	INQUIRE	INQUIRE
23F65SXX	T13-A WALL PANEL	22	Kynar 500 / PVDF	4.873	24	40SQ	INQUIRE	INQUIRE
24F6500	T13-A WALL PANEL	20	Galvanized (G90)	5.861	24	40SQ	INQUIRE	INQUIRE
24F6541	T13-A WALL PANEL	20	Galvalume (AZ55)	5.861	24	40SQ	INQUIRE	INQUIRE
24F65xx	T13-A WALL PANEL	20	Kynar 500 / PVDF	5.861	24	40SQ	INQUIRE	INQUIRE
25F6500	T13-A WALL PANEL	18	Galvanized (G90)	7.671	24	40SQ	INQUIRE	INQUIRE
25F65xx	T13-A WALL PANEL	18	Kynar 500 / PVDF	7.671	24	40SQ	INQUIRE	INQUIRE
22R65S41	T13-A ROOF PANEL	24	Galvalume (AZ55)	3.885	24	200LF	INQUIRE	INQUIRE
22R65SXX	T13-A ROOF PANEL	24	Kynar 500 / PVDF	3.885	24	200LF	INQUIRE	INQUIRE
23R65S41	T13-A ROOF PANEL	22	Galvalume (AZ55)	4.873	24	200LF	INQUIRE	INQUIRE
23R65SXX	T13-A ROOF PANEL	22	Kynar 500 / PVDF	4.873	24	40SQ	INQUIRE	INQUIRE
24R6500	T13-A ROOF PANEL	20	Galvanized (G90)	5.861	24	40SQ	INQUIRE	INQUIRE
24R6541	T13-A ROOF PANEL	20	Galvalume (AZ55)	5.861	24	40SQ	INQUIRE	INQUIRE
24R65xx	T13-A ROOF PANEL	20	Kynar 500 / PVDF	5.861	24	40SQ	INQUIRE	INQUIRE
25R6500	T13-A ROOF PANEL	18	Galvanized (G90)	7.671	24	40SQ	INQUIRE	INQUIRE
25R65xx	T13-A ROOF PANEL	18	Kynar 500 / PVDF	7.671	24	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 32'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

PRODUCT NO.	DESCRIPTION	FINISH	WEIGHT	BOX QTY	PRICE /EA
6500086	T13-A EQUAL VOID CLOSURE	GREY		50	INQUIRE

SEE COMMERCIAL / INDUSTRIAL BOOK FOR FLASHINGS


3" RIB EXPOSED FASTENED T-PANELS

T13-B Profile Information


- ✓ Available in 24, 22, 20 and 18ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ 1:12 minimum slope

T13-B Wall



T13-B Roof



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
22F62S41	T13-B WALL PANEL	24	Galvalume (AZ55)	3.885	30	200LF	INQUIRE	INQUIRE
22F62SXX	T13-B WALL PANEL	24	Kynar 500 / PVDF	3.885	30	200LF	INQUIRE	INQUIRE
23F62S41	T13-B WALL PANEL	22	Galvalume (AZ55)	4.873	30	200LF	INQUIRE	INQUIRE
23F62SXX	T13-B WALL PANEL	22	Kynar 500 / PVDF	4.873	30	40SQ	INQUIRE	INQUIRE
24F6200	T13-B WALL PANEL	20	Galvanized (G90)	5.861	30	40SQ	INQUIRE	INQUIRE
24F6241	T13-B WALL PANEL	20	Galvalume (AZ55)	5.861	30	40SQ	INQUIRE	INQUIRE
24F62xx	T13-B WALL PANEL	20	Kynar 500 / PVDF	5.861	30	40SQ	INQUIRE	INQUIRE
25F6200	T13-B WALL PANEL	18	Galvanized (G90)	7.671	30	40SQ	INQUIRE	INQUIRE
25F62xx	T13-B WALL PANEL	18	Kynar 500 / PVDF	7.671	30	40SQ	INQUIRE	INQUIRE
22R62S41	T13-B ROOF PANEL	24	Galvalume (AZ55)	3.885	30	200LF	INQUIRE	INQUIRE
22R62SXX	T13-B ROOF PANEL	24	Kynar 500 / PVDF	3.885	30	200LF	INQUIRE	INQUIRE
23R62S41	T13-B ROOF PANEL	22	Galvalume (AZ55)	4.873	30	200LF	INQUIRE	INQUIRE
23R62SXX	T13-B ROOF PANEL	22	Kynar 500 / PVDF	4.873	30	40SQ	INQUIRE	INQUIRE
24R6200	T13-B ROOF PANEL	20	Galvanized (G90)	5.861	30	40SQ	INQUIRE	INQUIRE
24R6241	T13-B ROOF PANEL	20	Galvalume (AZ55)	5.861	30	40SQ	INQUIRE	INQUIRE
24R62xx	T13-B ROOF PANEL	20	Kynar 500 / PVDF	5.861	30	40SQ	INQUIRE	INQUIRE
25R6200	T13-B ROOF PANEL	18	Galvanized (G90)	7.671	30	40SQ	INQUIRE	INQUIRE
25R62xx	T13-B ROOF PANEL	18	Kynar 500 / PVDF	7.671	30	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 32'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

PRODUCT NO.	DESCRIPTION	FINISH	WEIGHT	BOX QTY	PRICE /EA
	T13-B EQUAL VOID CLOSURE	GREY		50	INQUIRE

SEE COMMERCIAL / INDUSTRIAL BOOK FOR FLASHINGS


3" RIB EXPOSED FASTENED T-PANELS

T23 Profile Information


- ✓ Available in 24, 22, 20 and 18ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ 1:12 minimum slope

T23 Wall



T23 Roof



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
22F23S41	T23 WALL PANEL	24	Galvalume (AZ55)	3.885	32	200LF	INQUIRE	INQUIRE
22F23SXX	T23 WALL PANEL	24	Kynar 500 / PVDF	3.885	32	200LF	INQUIRE	INQUIRE
23F23S41	T23 WALL PANEL	22	Galvalume (AZ55)	4.873	32	200LF	INQUIRE	INQUIRE
23F23SXX	T23 WALL PANEL	22	Kynar 500 / PVDF	4.873	32	40SQ	INQUIRE	INQUIRE
24F2300	T23 WALL PANEL	20	Galvanized (G90)	5.861	32	40SQ	INQUIRE	INQUIRE
24F2341	T23 WALL PANEL	20	Galvalume (AZ55)	5.861	32	40SQ	INQUIRE	INQUIRE
24F23xx	T23 WALL PANEL	20	Kynar 500 / PVDF	5.861	32	40SQ	INQUIRE	INQUIRE
25F2300	T23 WALL PANEL	18	Galvanized (G90)	7.671	32	40SQ	INQUIRE	INQUIRE
25F23xx	T23 WALL PANEL	18	Kynar 500 / PVDF	7.671	32	40SQ	INQUIRE	INQUIRE
22R23S41	T23 ROOF PANEL	24	Galvalume (AZ55)	3.885	32	200LF	INQUIRE	INQUIRE
22R23SXX	T23 ROOF PANEL	24	Kynar 500 / PVDF	3.885	32	200LF	INQUIRE	INQUIRE
23R23S41	T23 ROOF PANEL	22	Galvalume (AZ55)	4.873	32	200LF	INQUIRE	INQUIRE
23R23SXX	T23 ROOF PANEL	22	Kynar 500 / PVDF	4.873	32	40SQ	INQUIRE	INQUIRE
24R2300	T23 ROOF PANEL	20	Galvanized (G90)	5.861	32	40SQ	INQUIRE	INQUIRE
24R2341	T23 ROOF PANEL	20	Galvalume (AZ55)	5.861	32	40SQ	INQUIRE	INQUIRE
24R23xx	T23 ROOF PANEL	20	Kynar 500 / PVDF	5.861	32	40SQ	INQUIRE	INQUIRE
25R2300	T23 ROOF PANEL	18	Galvanized (G90)	7.671	32	40SQ	INQUIRE	INQUIRE
25R23xx	T23 ROOF PANEL	18	Kynar 500 / PVDF	7.671	32	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 30'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

PRODUCT NO.	DESCRIPTION	FINISH	WEIGHT	BOX QTY	PRICE /EA
6500044	T23 EQUAL VOID CLOSURE	GREY		50	INQUIRE
	T23 SMALL VOID CLOSURE	GREY		50	INQUIRE
6500043	T23 LARGE VOID CLOSURE	GREY		50	INQUIRE

SEE COMMERCIAL / INDUSTRIAL BOOK FOR FLASHINGS


3" RIB EXPOSED FASTENED T-PANELS

T24 Profile Information


- ✓ Available in 24, 22, 20 and 18ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ 1:12 minimum slope

T24 Wall



T24 Roof



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
22F24S41	T24 WALL PANEL	24	Galvalume (AZ55)	3.885	36	200LF	INQUIRE	INQUIRE
22F24SXX	T24 WALL PANEL	24	Kynar 500 / PVDF	3.885	36	200LF	INQUIRE	INQUIRE
23F24S41	T24 WALL PANEL	22	Galvalume (AZ55)	4.873	36	200LF	INQUIRE	INQUIRE
23F24SXX	T24 WALL PANEL	22	Kynar 500 / PVDF	4.873	36	40SQ	INQUIRE	INQUIRE
24F2400	T24 WALL PANEL	20	Galvanized (G90)	5.861	36	40SQ	INQUIRE	INQUIRE
24F2441	T24 WALL PANEL	20	Galvalume (AZ55)	5.861	36	40SQ	INQUIRE	INQUIRE
24F24xx	T24 WALL PANEL	20	Kynar 500 / PVDF	5.861	36	40SQ	INQUIRE	INQUIRE
25F2400	T24 WALL PANEL	18	Galvanized (G90)	7.671	36	40SQ	INQUIRE	INQUIRE
25F24xx	T24 WALL PANEL	18	Kynar 500 / PVDF	7.671	36	40SQ	INQUIRE	INQUIRE
22R24S41	T24 ROOF PANEL	24	Galvalume (AZ55)	3.885	36	200LF	INQUIRE	INQUIRE
22R24SXX	T24 ROOF PANEL	24	Kynar 500 / PVDF	3.885	36	200LF	INQUIRE	INQUIRE
23R24S41	T24 ROOF PANEL	22	Galvalume (AZ55)	4.873	36	200LF	INQUIRE	INQUIRE
23R24SXX	T24 ROOF PANEL	22	Kynar 500 / PVDF	4.873	36	40SQ	INQUIRE	INQUIRE
24R2400	T24 ROOF PANEL	20	Galvanized (G90)	5.861	36	40SQ	INQUIRE	INQUIRE
24R2441	T24 ROOF PANEL	20	Galvalume (AZ55)	5.861	36	40SQ	INQUIRE	INQUIRE
24R24xx	T24 ROOF PANEL	20	Kynar 500 / PVDF	5.861	36	40SQ	INQUIRE	INQUIRE
25R2400	T24 ROOF PANEL	18	Galvanized (G90)	7.671	36	40SQ	INQUIRE	INQUIRE
25R24xx	T24 ROOF PANEL	18	Kynar 500 / PVDF	7.671	36	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 30'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

PRODUCT NO.	DESCRIPTION	FINISH	WEIGHT	BOX QTY	PRICE /EA
	T24 EQUAL VOID CLOSURE	GREY		50	INQUIRE
6500046	T24 SMALL VOID CLOSURE	GREY		50	INQUIRE
6500047	T24 LARGE VOID CLOSURE	GREY		50	INQUIRE

SEE COMMERCIAL / INDUSTRIAL BOOK FOR FLASHINGS


DEEP RIB EXPOSED FASTENED T-PANELS

T15 Profile Information


- ✓ Available in 24, 22, 20 and 18ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ 1:12 minimum slope

T15 Wall



T15 Roof



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
22F15S41	T15 WALL PANEL	24	Galvalume (AZ55)	3.775	30	200LF	INQUIRE	INQUIRE
22F15SXX	T15 WALL PANEL	24	Kynar 500 / PVDF	3.775	30	200LF	INQUIRE	INQUIRE
23F15S41	T15 WALL PANEL	22	Galvalume (AZ55)	4.734	30	200LF	INQUIRE	INQUIRE
23F15SXX	T15 WALL PANEL	22	Kynar 500 / PVDF	4.734	30	40SQ	INQUIRE	INQUIRE
24F1500	T15 WALL PANEL	20	Galvanized (G90)	5.694	30	40SQ	INQUIRE	INQUIRE
24F1541	T15 WALL PANEL	20	Galvalume (AZ55)	5.694	30	40SQ	INQUIRE	INQUIRE
24F15xx	T15 WALL PANEL	20	Kynar 500 / PVDF	5.694	30	40SQ	INQUIRE	INQUIRE
25F1500	T15 WALL PANEL	18	Galvanized (G90)	7.453	30	40SQ	INQUIRE	INQUIRE
25F15xx	T15 WALL PANEL	18	Kynar 500 / PVDF	7.453	30	40SQ	INQUIRE	INQUIRE
22R15S41	T15 ROOF PANEL	24	Galvalume (AZ55)	3.775	30	200LF	INQUIRE	INQUIRE
22R15SXX	T15 ROOF PANEL	24	Kynar 500 / PVDF	3.775	30	200LF	INQUIRE	INQUIRE
23R15S41	T15 ROOF PANEL	22	Galvalume (AZ55)	4.734	30	200LF	INQUIRE	INQUIRE
23R15SXX	T15 ROOF PANEL	22	Kynar 500 / PVDF	4.734	30	40SQ	INQUIRE	INQUIRE
24R1500	T15 ROOF PANEL	20	Galvanized (G90)	5.694	30	40SQ	INQUIRE	INQUIRE
24R1541	T15 ROOF PANEL	20	Galvalume (AZ55)	5.694	30	40SQ	INQUIRE	INQUIRE
24R15xx	T15 ROOF PANEL	20	Kynar 500 / PVDF	5.694	30	40SQ	INQUIRE	INQUIRE
25R1500	T15 ROOF PANEL	18	Galvanized (G90)	7.453	30	40SQ	INQUIRE	INQUIRE
25R15xx	T15 ROOF PANEL	18	Kynar 500 / PVDF	7.453	30	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 32'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

PRODUCT NO.	DESCRIPTION	FINISH	WEIGHT	BOX QTY	PRICE /EA
6500040	T15 CONTINUOUS CLOSURE	GREY		50	INQUIRE

SEE COMMERCIAL / INDUSTRIAL BOOK FOR FLASHINGS


DEEP RIB EXPOSED FASTENED T-PANELS

T25 Profile Information


- ✓ Available in 24, 22, 20 and 18ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ 1:12 minimum slope

T25 Wall



T25 Roof



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
22F25S41	T25 WALL PANEL	24	Galvalume (AZ55)	2.891	24	200LF	INQUIRE	INQUIRE
22F25SXX	T25 WALL PANEL	24	Kynar 500 / PVDF	2.891	24	200LF	INQUIRE	INQUIRE
23F25S41	T25 WALL PANEL	22	Galvalume (AZ55)	3.626	24	200LF	INQUIRE	INQUIRE
23F25SXX	T25 WALL PANEL	22	Kynar 500 / PVDF	3.626	24	40SQ	INQUIRE	INQUIRE
24F2500	T25 WALL PANEL	20	Galvanized (G90)	4.361	24	40SQ	INQUIRE	INQUIRE
24F2541	T25 WALL PANEL	20	Galvalume (AZ55)	4.361	24	40SQ	INQUIRE	INQUIRE
24F25xx	T25 WALL PANEL	20	Kynar 500 / PVDF	4.361	24	40SQ	INQUIRE	INQUIRE
25F2500	T25 WALL PANEL	18	Galvanized (G90)	5.709	24	40SQ	INQUIRE	INQUIRE
25F25xx	T25 WALL PANEL	18	Kynar 500 / PVDF	5.709	24	40SQ	INQUIRE	INQUIRE
22R25S41	T25 ROOF PANEL	24	Galvalume (AZ55)	2.891	24	200LF	INQUIRE	INQUIRE
22R25SXX	T25 ROOF PANEL	24	Kynar 500 / PVDF	2.891	24	200LF	INQUIRE	INQUIRE
23R25S41	T25 ROOF PANEL	22	Galvalume (AZ55)	3.626	24	200LF	INQUIRE	INQUIRE
23R25SXX	T25 ROOF PANEL	22	Kynar 500 / PVDF	3.626	24	40SQ	INQUIRE	INQUIRE
24R2500	T25 ROOF PANEL	20	Galvanized (G90)	4.361	24	40SQ	INQUIRE	INQUIRE
24R2541	T25 ROOF PANEL	20	Galvalume (AZ55)	4.361	24	40SQ	INQUIRE	INQUIRE
24R25xx	T25 ROOF PANEL	20	Kynar 500 / PVDF	4.361	24	40SQ	INQUIRE	INQUIRE
25R2500	T25 ROOF PANEL	18	Galvanized (G90)	5.709	24	40SQ	INQUIRE	INQUIRE
25R25xx	T25 ROOF PANEL	18	Kynar 500 / PVDF	5.709	24	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 32'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

PRODUCT NO.	DESCRIPTION	FINISH	WEIGHT	BOX QTY	PRICE /EA
6500049	T25 EQUAL VOID CLOSURE	GREY		50	INQUIRE
6500054	T25 SMALL VOID CLOSURE	GREY		50	INQUIRE

SEE COMMERCIAL / INDUSTRIAL BOOK FOR FLASHINGS


DEEP RIB EXPOSED FASTENED T-PANELS

TDR-6 Profile Information


- ✓ Available in 24, 22, 20 and 18ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ 1:12 minimum slope

TDR-6 Wall



TDR-6 Roof



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
22F27S41	TDR-6 WALL PANEL	24	Galvalume (AZ55)	3.534	18	200LF	INQUIRE	INQUIRE
22F27SXX	TDR-6 WALL PANEL	24	Kynar 500 / PVDF	3.534	18	200LF	INQUIRE	INQUIRE
23F27S41	TDR-6 WALL PANEL	22	Galvalume (AZ55)	4.432	18	200LF	INQUIRE	INQUIRE
23F27SXX	TDR-6 WALL PANEL	22	Kynar 500 / PVDF	4.432	18	40SQ	INQUIRE	INQUIRE
24F2700	TDR-6 WALL PANEL	20	Galvanized (G90)	5.331	18	40SQ	INQUIRE	INQUIRE
24F2741	TDR-6 WALL PANEL	20	Galvalume (AZ55)	5.331	18	40SQ	INQUIRE	INQUIRE
24F27xx	TDR-6 WALL PANEL	20	Kynar 500 / PVDF	5.331	18	40SQ	INQUIRE	INQUIRE
25F2700	TDR-6 WALL PANEL	18	Galvanized (G90)	6.978	18	40SQ	INQUIRE	INQUIRE
25F27xx	TDR-6 WALL PANEL	18	Kynar 500 / PVDF	6.978	18	40SQ	INQUIRE	INQUIRE
22R27S41	TDR-6 ROOF PANEL	24	Galvalume (AZ55)	3.534	18	200LF	INQUIRE	INQUIRE
22R27SXX	TDR-6 ROOF PANEL	24	Kynar 500 / PVDF	3.534	18	200LF	INQUIRE	INQUIRE
23R27S41	TDR-6 ROOF PANEL	22	Galvalume (AZ55)	4.432	18	200LF	INQUIRE	INQUIRE
23R27SXX	TDR-6 ROOF PANEL	22	Kynar 500 / PVDF	4.432	18	40SQ	INQUIRE	INQUIRE
24R2700	TDR-6 ROOF PANEL	20	Galvanized (G90)	5.331	18	40SQ	INQUIRE	INQUIRE
24R2741	TDR-6 ROOF PANEL	20	Galvalume (AZ55)	5.331	18	40SQ	INQUIRE	INQUIRE
24R27xx	TDR-6 ROOF PANEL	20	Kynar 500 / PVDF	5.331	18	40SQ	INQUIRE	INQUIRE
25R2700	TDR-6 ROOF PANEL	18	Galvanized (G90)	6.978	18	40SQ	INQUIRE	INQUIRE
25R27xx	TDR-6 ROOF PANEL	18	Kynar 500 / PVDF	6.978	18	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 30'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

PRODUCT NO.	DESCRIPTION	FINISH	WEIGHT	BOX QTY	PRICE /EA
6500088	TDR-6 SMALL VOID CLOSURE	GREY		50	INQUIRE
6500089	TDR-6 LARGE VOID CLOSURE	GREY		50	INQUIRE

SEE COMMERCIAL / INDUSTRIAL BOOK FOR FLASHINGS

CONCEALED FASTENED WALL PANELS

AP1 Profile Information


- ✓ Available in 24, 22 and 20ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ Wall or Liner Panel

AP1-1212



AP1-124



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
2773041	AP1-1212 PANEL	24	Galvalume (AZ55)	1.285	12	200LF	INQUIRE	INQUIRE
27730xx	AP1-1212 PANEL	24	Kynar 500 / PVDF	1.285	12	200LF	INQUIRE	INQUIRE
2973041	AP1-1212 PANEL	22	Galvalume (AZ55)	1.612	12	200LF	INQUIRE	INQUIRE
29730xx	AP1-1212 PANEL	22	Kynar 500 / PVDF	1.612	12	40SQ	INQUIRE	INQUIRE
3073000	AP1-1212 PANEL	20	Galvanized (G90)	1.939	12	40SQ	INQUIRE	INQUIRE
3073041	AP1-1212 PANEL	20	Galvalume (AZ55)	1.939	12	40SQ	INQUIRE	INQUIRE
30730xx	AP1-1212 PANEL	20	Kynar 500 / PVDF	1.939	12	40SQ	INQUIRE	INQUIRE

PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
2773141	AP1-124 PANEL	24	Galvalume (AZ55)	1.285	12	200LF	INQUIRE	INQUIRE
27731XX	AP1-124 PANEL	24	Kynar 500 / PVDF	1.285	12	200LF	INQUIRE	INQUIRE
2973641	AP1-124 PANEL	22	Galvalume (AZ55)	1.612	12	200LF	INQUIRE	INQUIRE
29736XX	AP1-124 PANEL	22	Kynar 500 / PVDF	1.612	12	40SQ	INQUIRE	INQUIRE
3073600	AP1-124 PANEL	20	Galvanized (G90)	1.939	12	40SQ	INQUIRE	INQUIRE
3073641	AP1-124 PANEL	20	Galvalume (AZ55)	1.939	12	40SQ	INQUIRE	INQUIRE
30736XX	AP1-124 PANEL	20	Kynar 500 / PVDF	1.939	12	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 30'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

CFWP ACCESSORIES

Accessories used for: Concealed Fastened Wall Panels

PRODUCT NO.	DESCRIPTION	FINISH	WT/EA	MIN QTY	PRICE /LF
4934600	CFWP 4" Low Clip	Galvanized (G90)	0.3	N/A	INQUIRE
49346F01	CFWP 4" Low Clip	Stainless	0.3	N/A	INQUIRE

SEE CFWP INSTALLATION GUIDE FOR FLASHINGS


CONCEALED FASTENED WALL PANELS

AP1 Profile Information

- ✓ Available in 24, 22 and 20ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ Wall or Liner Panel

AP1-1653



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
2773541	AP1-1653 PANEL	24	Galvalume (AZ55)	1.797	16	200LF	INQUIRE	INQUIRE
27735xx	AP1-1653 PANEL	24	Kynar 500 / PVDF	1.797	16	200LF	INQUIRE	INQUIRE
2973541	AP1-1653 PANEL	22	Galvalume (AZ55)	2.254	16	200LF	INQUIRE	INQUIRE
29735xx	AP1-1653 PANEL	22	Kynar 500 / PVDF	2.254	16	40SQ	INQUIRE	INQUIRE
3073500	AP1-1653 PANEL	20	Galvanized (G90)	2.711	16	40SQ	INQUIRE	INQUIRE
3073541	AP1-1653 PANEL	20	Galvalume (AZ55)	2.711	16	40SQ	INQUIRE	INQUIRE
30735xx	AP1-1653 PANEL	20	Kynar 500 / PVDF	2.711	16	40SQ	INQUIRE	INQUIRE

PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 30'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

CFWP ACCESSORIES

Accessories used for: Concealed Fastened Wall Panels

PRODUCT NO.	DESCRIPTION	FINISH	WT/EA	MIN QTY	PRICE /LF
4934600	CFWP 4" Low Clip	Galvanized (G90)	0.3	N/A	INQUIRE
49346F01	CFWP 4" Low Clip	Stainless	0.3	N/A	INQUIRE

SEE CFWP INSTALLATION GUIDE FOR FLASHINGS

CONCEALED FASTENED WALL PANELS

AP1 Profile Information

- ✓ Available in 24, 22 and 20ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ Wall or Liner Panel

AP1-164



AP1-168



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
2773841	AP1-164 PANEL	24	Galvalume (AZ55)	1.797	16	200LF	INQUIRE	INQUIRE
27738XX	AP1-164 PANEL	24	Kynar 500 / PVDF	1.797	16	200LF	INQUIRE	INQUIRE
2973841	AP1-164 PANEL	22	Galvalume (AZ55)	2.254	16	200LF	INQUIRE	INQUIRE
29738XX	AP1-164 PANEL	22	Kynar 500 / PVDF	2.254	16	40SQ	INQUIRE	INQUIRE
3073800	AP1-164 PANEL	20	Galvanized (G90)	2.711	16	40SQ	INQUIRE	INQUIRE
3073841	AP1-164 PANEL	20	Galvalume (AZ55)	2.711	16	40SQ	INQUIRE	INQUIRE
30738XX	AP1-164 PANEL	20	Kynar 500 / PVDF	2.711	16	40SQ	INQUIRE	INQUIRE

PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
2773741	AP1-168 PANEL	24	Galvalume (AZ55)	1.797	16	200LF	INQUIRE	INQUIRE
27737XX	AP1-168 PANEL	24	Kynar 500 / PVDF	1.797	16	200LF	INQUIRE	INQUIRE
2973741	AP1-168 PANEL	22	Galvalume (AZ55)	2.254	16	200LF	INQUIRE	INQUIRE
29737XX	AP1-168 PANEL	22	Kynar 500 / PVDF	2.254	16	40SQ	INQUIRE	INQUIRE
3073700	AP1-168 PANEL	20	Galvanized (G90)	2.711	16	40SQ	INQUIRE	INQUIRE
3073741	AP1-168 PANEL	20	Galvalume (AZ55)	2.711	16	40SQ	INQUIRE	INQUIRE
30737XX	AP1-168 PANEL	20	Kynar 500 / PVDF	2.711	16	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 30'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

CFWP ACCESSORIES

Accessories used for: Concealed Fastened Wall Panels

PRODUCT NO.	DESCRIPTION	FINISH	WT/EA	MIN QTY	PRICE /LF
4934600	CFWP 4" Low Clip	Galvanized (G90)	0.3	N/A	INQUIRE
49346F01	CFWP 4" Low Clip	Stainless	0.3	N/A	INQUIRE

SEE CFWP INSTALLATION GUIDE FOR FLASHINGS


CONCEALED FASTENED WALL PANELS

CN88 Profile Information


- ✓ Available in 24, 22 and 20ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ Wall or Liner Panel

CN88-1212



CN88-124



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
2769041	CN88-1212 PANEL	24	Galvalume (AZ55)	1.275	12	200LF	INQUIRE	INQUIRE
27690xx	CN88-1212 PANEL	24	Kynar 500 / PVDF	1.275	12	200LF	INQUIRE	INQUIRE
2969041	CN88-1212 PANEL	22	Galvalume (AZ55)	1.599	12	200LF	INQUIRE	INQUIRE
29690xx	CN88-1212 PANEL	22	Kynar 500 / PVDF	1.599	12	40SQ	INQUIRE	INQUIRE
3069000	CN88-1212 PANEL	20	Galvanized (G90)	1.924	12	40SQ	INQUIRE	INQUIRE
3069041	CN88-1212 PANEL	20	Galvalume (AZ55)	1.924	12	40SQ	INQUIRE	INQUIRE
30690xx	CN88-1212 PANEL	20	Kynar 500 / PVDF	1.924	12	40SQ	INQUIRE	INQUIRE

PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
2764741	CN88-124 PANEL	24	Galvalume (AZ55)	1.275	12	200LF	INQUIRE	INQUIRE
27647XX	CN88-124 PANEL	24	Kynar 500 / PVDF	1.275	12	200LF	INQUIRE	INQUIRE
2764841	CN88-124 PANEL	22	Galvalume (AZ55)	1.599	12	200LF	INQUIRE	INQUIRE
27648XX	CN88-124 PANEL	22	Kynar 500 / PVDF	1.599	12	40SQ	INQUIRE	INQUIRE
2764900	CN88-124 PANEL	20	Galvanized (G90)	1.924	12	40SQ	INQUIRE	INQUIRE
2764941	CN88-124 PANEL	20	Galvalume (AZ55)	1.924	12	40SQ	INQUIRE	INQUIRE
27649XX	CN88-124 PANEL	20	Kynar 500 / PVDF	1.924	12	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 30'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

CFWP ACCESSORIES

Accessories used for: Concealed Fastened Wall Panels

PRODUCT NO.	DESCRIPTION	FINISH	WT/EA	MIN QTY	PRICE /LF
4934600	CFWP 4" Low Clip	Galvanized (G90)	0.3	N/A	INQUIRE
49346F01	CFWP 4" Low Clip	Stainless	0.3	N/A	INQUIRE

SEE CFWP INSTALLATION GUIDE FOR FLASHINGS


CONCEALED FASTENED WALL PANELS

CN88 Profile Information

- ✓ Available in 24, 22 and 20ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ Wall or Liner Panel

CN88-1653



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
2769541	CN88-1653 PANEL	24	Galvalume (AZ55)	1.752	16	200LF	INQUIRE	INQUIRE
27695xx	CN88-1653 PANEL	24	Kynar 500 / PVDF	1.752	16	200LF	INQUIRE	INQUIRE
2969541	CN88-1653 PANEL	22	Galvalume (AZ55)	2.198	16	200LF	INQUIRE	INQUIRE
29695xx	CN88-1653 PANEL	22	Kynar 500 / PVDF	2.198	16	40SQ	INQUIRE	INQUIRE
3069500	CN88-1653 PANEL	20	Galvanized (G90)	2.643	16	40SQ	INQUIRE	INQUIRE
3069541	CN88-1653 PANEL	20	Galvalume (AZ55)	2.643	16	40SQ	INQUIRE	INQUIRE
30695xx	CN88-1653 PANEL	20	Kynar 500 / PVDF	2.643	16	40SQ	INQUIRE	INQUIRE

PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF

- NOTES**
- Pricing does not include applicable Freight amounts or other temporary charges.
 - Panel lengths shorter than 60" will not be produced. Maximum length 30'.
 - Shading on Galvalume and Galvanized finishes may be non-uniform

CFWP ACCESSORIES

Accessories used for: Concealed Fastened Wall Panels

PRODUCT NO.	DESCRIPTION	FINISH	WT/EA	MIN QTY	PRICE /LF
4934600	CFWP 4" Low Clip	Galvanized (G90)	0.3	N/A	INQUIRE
49346F01	CFWP 4" Low Clip	Stainless	0.3	N/A	INQUIRE

SEE CFWP INSTALLATION GUIDE FOR FLASHINGS


CONCEALED FASTENED WALL PANELS

CN88 Profile Information


- ✓ Available in 24, 22 and 20ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ Wall or Liner Panel

CN88-164



CN88-168



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
2764041	CN88-164 PANEL	24	Galvalume (AZ55)	1.752	16	200LF	INQUIRE	INQUIRE
27640XX	CN88-164 PANEL	24	Kynar 500 / PVDF	1.752	16	200LF	INQUIRE	INQUIRE
2764141	CN88-164 PANEL	22	Galvalume (AZ55)	2.198	16	200LF	INQUIRE	INQUIRE
27641XX	CN88-164 PANEL	22	Kynar 500 / PVDF	2.198	16	40SQ	INQUIRE	INQUIRE
2764200	CN88-164 PANEL	20	Galvanized (G90)	2.643	16	40SQ	INQUIRE	INQUIRE
2764241	CN88-164 PANEL	20	Galvalume (AZ55)	2.643	16	40SQ	INQUIRE	INQUIRE
27642XX	CN88-164 PANEL	20	Kynar 500 / PVDF	2.643	16	40SQ	INQUIRE	INQUIRE

PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
2764341	CN88-168 PANEL	24	Galvalume (AZ55)	1.752	16	200LF	INQUIRE	INQUIRE
27643XX	CN88-168 PANEL	24	Kynar 500 / PVDF	1.752	16	200LF	INQUIRE	INQUIRE
2764441	CN88-168 PANEL	22	Galvalume (AZ55)	2.198	16	200LF	INQUIRE	INQUIRE
27644XX	CN88-168 PANEL	22	Kynar 500 / PVDF	2.198	16	40SQ	INQUIRE	INQUIRE
2764500	CN88-168 PANEL	20	Galvanized (G90)	2.643	16	40SQ	INQUIRE	INQUIRE
2764541	CN88-168 PANEL	20	Galvalume (AZ55)	2.643	16	40SQ	INQUIRE	INQUIRE
27645XX	CN88-168 PANEL	20	Kynar 500 / PVDF	2.643	16	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 30'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

CFWP ACCESSORIES

Accessories used for: Concealed Fastened Wall Panels

PRODUCT NO.	DESCRIPTION	FINISH	WT/EA	MIN QTY	PRICE /LF
4934600	CFWP 4" Low Clip	Galvanized (G90)	0.3	N/A	INQUIRE
49346F01	CFWP 4" Low Clip	Stainless	0.3	N/A	INQUIRE

SEE CFWP INSTALLATION GUIDE FOR FLASHINGS


CONCEALED FASTENED WALL PANELS

EM1 Profile Information


- ✓ Available in 24, 22 and 20ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ Wall or Liner Panel

EM1-1212



EM1-124



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
2774541	EM1-1212 PANEL	24	Galvalume (AZ55)	1.416	12	200LF	INQUIRE	INQUIRE
27745xx	EM1-1212 PANEL	24	Kynar 500 / PVDF	1.416	12	200LF	INQUIRE	INQUIRE
2974541	EM1-1212 PANEL	22	Galvalume (AZ55)	1.776	12	200LF	INQUIRE	INQUIRE
29745xx	EM1-1212 PANEL	22	Kynar 500 / PVDF	1.776	12	40SQ	INQUIRE	INQUIRE
3074500	EM1-1212 PANEL	20	Galvanized (G90)	2.136	12	40SQ	INQUIRE	INQUIRE
3074541	EM1-1212 PANEL	20	Galvalume (AZ55)	2.136	12	40SQ	INQUIRE	INQUIRE
30745xx	EM1-1212 PANEL	20	Kynar 500 / PVDF	2.136	12	40SQ	INQUIRE	INQUIRE

PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
2774741	EM1-124 PANEL	24	Galvalume (AZ55)	1.416	12	200LF	INQUIRE	INQUIRE
27747XX	EM1-124 PANEL	24	Kynar 500 / PVDF	1.416	12	200LF	INQUIRE	INQUIRE
2774841	EM1-124 PANEL	22	Galvalume (AZ55)	1.776	12	200LF	INQUIRE	INQUIRE
27748XX	EM1-124 PANEL	22	Kynar 500 / PVDF	1.776	12	40SQ	INQUIRE	INQUIRE
2774900	EM1-124 PANEL	20	Galvanized (G90)	2.136	12	40SQ	INQUIRE	INQUIRE
2774941	EM1-124 PANEL	20	Galvalume (AZ55)	2.136	12	40SQ	INQUIRE	INQUIRE
27749XX	EM1-124 PANEL	20	Kynar 500 / PVDF	2.136	12	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 30'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

CFWP ACCESSORIES

Accessories used for: Concealed Fastened Wall Panels

PRODUCT NO.	DESCRIPTION	FINISH	WT/EA	MIN QTY	PRICE /LF
4934600	CFWP 4" Low Clip	Galvanized (G90)	0.3	N/A	INQUIRE
49346F01	CFWP 4" Low Clip	Stainless	0.3	N/A	INQUIRE

SEE CFWP INSTALLATION GUIDE FOR FLASHINGS


CONCEALED FASTENED WALL PANELS

EM1 Profile Information


- ✓ Available in 24, 22 and 20ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ Wall or Liner Panel

EM1-1653



EM1-168



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
2775041	EM1-1653 PANEL	24	Galvalume (AZ55)	1.928	16	200LF	INQUIRE	INQUIRE
27750xx	EM1-1653 PANEL	24	Kynar 500 / PVDF	1.928	16	200LF	INQUIRE	INQUIRE
2975041	EM1-1653 PANEL	22	Galvalume (AZ55)	2.418	16	200LF	INQUIRE	INQUIRE
29750xx	EM1-1653 PANEL	22	Kynar 500 / PVDF	2.418	16	40SQ	INQUIRE	INQUIRE
3075000	EM1-1653 PANEL	20	Galvanized (G90)	2.908	16	40SQ	INQUIRE	INQUIRE
3075041	EM1-1653 PANEL	20	Galvalume (AZ55)	2.908	16	40SQ	INQUIRE	INQUIRE
30750xx	EM1-1653 PANEL	20	Kynar 500 / PVDF	2.908	16	40SQ	INQUIRE	INQUIRE

PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
2974741	EM1-168 PANEL	24	Galvalume (AZ55)	1.928	16	200LF	INQUIRE	INQUIRE
29747XX	EM1-168 PANEL	24	Kynar 500 / PVDF	1.928	16	200LF	INQUIRE	INQUIRE
2974841	EM1-168 PANEL	22	Galvalume (AZ55)	2.418	16	200LF	INQUIRE	INQUIRE
29748XX	EM1-168 PANEL	22	Kynar 500 / PVDF	2.418	16	40SQ	INQUIRE	INQUIRE
2974900	EM1-168 PANEL	20	Galvanized (G90)	2.908	16	40SQ	INQUIRE	INQUIRE
2974941	EM1-168 PANEL	20	Galvalume (AZ55)	2.908	16	40SQ	INQUIRE	INQUIRE
29749XX	EM1-168 PANEL	20	Kynar 500 / PVDF	2.908	16	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 30'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

CFWP ACCESSORIES

Accessories used for: Concealed Fastened Wall Panels

PRODUCT NO.	DESCRIPTION	FINISH	WT/EA	MIN QTY	PRICE /LF
4934600	CFWP 4" Low Clip	Galvanized (G90)	0.3	N/A	INQUIRE
49346F01	CFWP 4" Low Clip	Stainless	0.3	N/A	INQUIRE

SEE CFWP INSTALLATION GUIDE FOR FLASHINGS


CONCEALED FASTENED WALL PANELS

EM15 Profile Information


- ✓ Available in 24, 22 and 20ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ Wall or Liner Panel

EM15-126



EM15-168



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
2774041	EM15-126 PANEL	24	Galvalume (AZ55)	1.617	12	200LF	INQUIRE	INQUIRE
27740xx	EM15-126 PANEL	24	Kynar 500 / PVDF	1.617	12	200LF	INQUIRE	INQUIRE
2974041	EM15-126 PANEL	22	Galvalume (AZ55)	2.028	12	200LF	INQUIRE	INQUIRE
29740xx	EM15-126 PANEL	22	Kynar 500 / PVDF	2.028	12	40SQ	INQUIRE	INQUIRE
3074000	EM15-126 PANEL	20	Galvanized (G90)	2.438	12	40SQ	INQUIRE	INQUIRE
3074041	EM15-126 PANEL	20	Galvalume (AZ55)	2.438	12	40SQ	INQUIRE	INQUIRE
30740xx	EM15-126 PANEL	20	Kynar 500 / PVDF	2.438	12	40SQ	INQUIRE	INQUIRE

PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
2774241	EM15-168 PANEL	24	Galvalume (AZ55)	1.928	16	200LF	INQUIRE	INQUIRE
27742xx	EM15-168 PANEL	24	Kynar 500 / PVDF	1.928	16	200LF	INQUIRE	INQUIRE
2974241	EM15-168 PANEL	22	Galvalume (AZ55)	2.418	16	200LF	INQUIRE	INQUIRE
29742xx	EM15-168 PANEL	22	Kynar 500 / PVDF	2.418	16	40SQ	INQUIRE	INQUIRE
3074200	EM15-168 PANEL	20	Galvanized (G90)	2.908	16	40SQ	INQUIRE	INQUIRE
3074241	EM15-168 PANEL	20	Galvalume (AZ55)	2.908	16	40SQ	INQUIRE	INQUIRE
30742xx	EM15-168 PANEL	20	Kynar 500 / PVDF	2.908	16	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 30'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

CFWP ACCESSORIES

Accessories used for: Concealed Fastened Wall Panels

PRODUCT NO.	DESCRIPTION	FINISH	WT/EA	MIN QTY	PRICE /LF
4934600	CFWP 4" Low Clip	Galvanized (G90)	0.3	N/A	INQUIRE
49346F01	CFWP 4" Low Clip	Stainless	0.3	N/A	INQUIRE

SEE CFWP INSTALLATION GUIDE FOR FLASHINGS


CONCEALED FASTENED WALL PANELS

EM15 Profile Information


- ✓ Available in 24, 22 and 20ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ Wall or Liner Panel

EM15-1266



EM15-1275



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
2777041	EM15-1266 PANEL	24	Galvalume (AZ55)	1.426	12	200LF	INQUIRE	INQUIRE
27770xx	EM15-1266 PANEL	24	Kynar 500 / PVDF	1.426	12	200LF	INQUIRE	INQUIRE
2977041	EM15-1266 PANEL	22	Galvalume (AZ55)	1.788	12	200LF	INQUIRE	INQUIRE
29770xx	EM15-1266 PANEL	22	Kynar 500 / PVDF	1.788	12	40SQ	INQUIRE	INQUIRE
3077000	EM15-1266 PANEL	20	Galvanized (G90)	2.151	12	40SQ	INQUIRE	INQUIRE
3077041	EM15-1266 PANEL	20	Galvalume (AZ55)	2.151	12	40SQ	INQUIRE	INQUIRE
30770xx	EM15-1266 PANEL	20	Kynar 500 / PVDF	2.151	12	40SQ	INQUIRE	INQUIRE

PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
2777541	EM15-1275 PANEL	24	Galvalume (AZ55)	1.426	12	200LF	INQUIRE	INQUIRE
27775xx	EM15-1275 PANEL	24	Kynar 500 / PVDF	1.426	12	200LF	INQUIRE	INQUIRE
2977541	EM15-1275 PANEL	22	Galvalume (AZ55)	1.788	12	200LF	INQUIRE	INQUIRE
29775xx	EM15-1275 PANEL	22	Kynar 500 / PVDF	1.788	12	40SQ	INQUIRE	INQUIRE
3077500	EM15-1275 PANEL	20	Galvanized (G90)	2.151	12	40SQ	INQUIRE	INQUIRE
3077541	EM15-1275 PANEL	20	Galvalume (AZ55)	2.151	12	40SQ	INQUIRE	INQUIRE
30775xx	EM15-1275 PANEL	20	Kynar 500 / PVDF	2.151	12	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 30'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

CFWP ACCESSORIES

Accessories used for: Concealed Fastened Wall Panels

PRODUCT NO.	DESCRIPTION	FINISH	WT/EA	MIN QTY	PRICE /LF
4934600	CFWP 4" Low Clip	Galvanized (G90)	0.3	N/A	INQUIRE
49346F01	CFWP 4" Low Clip	Stainless	0.3	N/A	INQUIRE

SEE CFWP INSTALLATION GUIDE FOR FLASHINGS


CONCEALED FASTENED WALL PANELS

EM15 Profile Information


- ✓ Available in 24, 22 and 20ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ Wall or Liner Panel

EM15-1284



EM15-1293



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
2778041	EM15-1284 PANEL	24	Galvalume (AZ55)	1.426	12	200LF	INQUIRE	INQUIRE
27780xx	EM15-1284 PANEL	24	Kynar 500 / PVDF	1.426	12	200LF	INQUIRE	INQUIRE
2978041	EM15-1284 PANEL	22	Galvalume (AZ55)	1.788	12	200LF	INQUIRE	INQUIRE
29780xx	EM15-1284 PANEL	22	Kynar 500 / PVDF	1.788	12	40SQ	INQUIRE	INQUIRE
3078000	EM15-1284 PANEL	20	Galvanized (G90)	2.151	12	40SQ	INQUIRE	INQUIRE
3078041	EM15-1284 PANEL	20	Galvalume (AZ55)	2.151	12	40SQ	INQUIRE	INQUIRE
30780xx	EM15-1284 PANEL	20	Kynar 500 / PVDF	2.151	12	40SQ	INQUIRE	INQUIRE

PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
2778541	EM15-1293 PANEL	24	Galvalume (AZ55)	1.426	12	200LF	INQUIRE	INQUIRE
27785xx	EM15-1293 PANEL	24	Kynar 500 / PVDF	1.426	12	200LF	INQUIRE	INQUIRE
2978541	EM15-1293 PANEL	22	Galvalume (AZ55)	1.788	12	200LF	INQUIRE	INQUIRE
29785xx	EM15-1293 PANEL	22	Kynar 500 / PVDF	1.788	12	40SQ	INQUIRE	INQUIRE
3078500	EM15-1293 PANEL	20	Galvanized (G90)	2.151	12	40SQ	INQUIRE	INQUIRE
3078541	EM15-1293 PANEL	20	Galvalume (AZ55)	2.151	12	40SQ	INQUIRE	INQUIRE
30785xx	EM15-1293 PANEL	20	Kynar 500 / PVDF	2.151	12	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 30'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

CFWP ACCESSORIES

Accessories used for: Concealed Fastened Wall Panels

PRODUCT NO.	DESCRIPTION	FINISH	WT/EA	MIN QTY	PRICE /LF
4934600	CFWP 4" Low Clip	Galvanized (G90)	0.3	N/A	INQUIRE
49346F01	CFWP 4" Low Clip	Stainless	0.3	N/A	INQUIRE

SEE CFWP INSTALLATION GUIDE FOR FLASHINGS


CONCEALED FASTENED WALL PANELS

EM15 Profile Information


- ✓ Available in 24, 22 and 20ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ Wall or Liner Panel

EM15-1210



EM15-1211



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
2773941	EM15-1210 PANEL	24	Galvalume (AZ55)	1.426	12	200LF	INQUIRE	INQUIRE
27739xx	EM15-1210 PANEL	24	Kynar 500 / PVDF	1.426	12	200LF	INQUIRE	INQUIRE
2775241	EM15-1210 PANEL	22	Galvalume (AZ55)	1.788	12	200LF	INQUIRE	INQUIRE
27752xx	EM15-1210 PANEL	22	Kynar 500 / PVDF	1.788	12	40SQ	INQUIRE	INQUIRE
2775300	EM15-1210 PANEL	20	Galvanized (G90)	2.151	12	40SQ	INQUIRE	INQUIRE
2775341	EM15-1210 PANEL	20	Galvalume (AZ55)	2.151	12	40SQ	INQUIRE	INQUIRE
27753xx	EM15-1210 PANEL	20	Kynar 500 / PVDF	2.151	12	40SQ	INQUIRE	INQUIRE

PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
2780141	EM15-1211 PANEL	24	Galvalume (AZ55)	1.426	12	200LF	INQUIRE	INQUIRE
27801xx	EM15-1211 PANEL	24	Kynar 500 / PVDF	1.426	12	200LF	INQUIRE	INQUIRE
2780241	EM15-1211 PANEL	22	Galvalume (AZ55)	1.788	12	200LF	INQUIRE	INQUIRE
27802xx	EM15-1211 PANEL	22	Kynar 500 / PVDF	1.788	12	40SQ	INQUIRE	INQUIRE
2780300	EM15-1211 PANEL	20	Galvanized (G90)	2.151	12	40SQ	INQUIRE	INQUIRE
2780341	EM15-1211 PANEL	20	Galvalume (AZ55)	2.151	12	40SQ	INQUIRE	INQUIRE
27803xx	EM15-1211 PANEL	20	Kynar 500 / PVDF	2.151	12	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 30'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

CFWP ACCESSORIES

Accessories used for: Concealed Fastened Wall Panels

PRODUCT NO.	DESCRIPTION	FINISH	WT/EA	MIN QTY	PRICE /LF
4934600	CFWP 4" Low Clip	Galvanized (G90)	0.3	N/A	INQUIRE
49346F01	CFWP 4" Low Clip	Stainless	0.3	N/A	INQUIRE

SEE CFWP INSTALLATION GUIDE FOR FLASHINGS


CONCEALED FASTENED WALL PANELS

EM15 Profile Information


- ✓ Available in 24, 22 and 20ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ Wall or Liner Panel

EM15-1222



EM15-1224



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
2778141	EM15-1222 PANEL	24	Galvalume (AZ55)	1.426	12	200LF	INQUIRE	INQUIRE
27781xx	EM15-1222 PANEL	24	Kynar 500 / PVDF	1.426	12	200LF	INQUIRE	INQUIRE
2978141	EM15-1222 PANEL	22	Galvalume (AZ55)	1.788	12	200LF	INQUIRE	INQUIRE
29781xx	EM15-1222 PANEL	22	Kynar 500 / PVDF	1.788	12	40SQ	INQUIRE	INQUIRE
3078100	EM15-1222 PANEL	20	Galvanized (G90)	2.151	12	40SQ	INQUIRE	INQUIRE
3078141	EM15-1222 PANEL	20	Galvalume (AZ55)	2.151	12	40SQ	INQUIRE	INQUIRE
30781xx	EM15-1222 PANEL	20	Kynar 500 / PVDF	2.151	12	40SQ	INQUIRE	INQUIRE

PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
2779841	EM15-1224 PANEL	24	Galvalume (AZ55)	1.426	12	200LF	INQUIRE	INQUIRE
27798xx	EM15-1224 PANEL	24	Kynar 500 / PVDF	1.426	12	200LF	INQUIRE	INQUIRE
2779941	EM15-1224 PANEL	22	Galvalume (AZ55)	1.788	12	200LF	INQUIRE	INQUIRE
27799xx	EM15-1224 PANEL	22	Kynar 500 / PVDF	1.788	12	40SQ	INQUIRE	INQUIRE
2780000	EM15-1224 PANEL	20	Galvanized (G90)	2.151	12	40SQ	INQUIRE	INQUIRE
2780041	EM15-1224 PANEL	20	Galvalume (AZ55)	2.151	12	40SQ	INQUIRE	INQUIRE
27800xx	EM15-1224 PANEL	20	Kynar 500 / PVDF	2.151	12	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 30'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

CFWP ACCESSORIES

Accessories used for: Concealed Fastened Wall Panels

PRODUCT NO.	DESCRIPTION	FINISH	WT/EA	MIN QTY	PRICE /LF
4934600	CFWP 4" Low Clip	Galvanized (G90)	0.3	N/A	INQUIRE
49346F01	CFWP 4" Low Clip	Stainless	0.3	N/A	INQUIRE

SEE CFWP INSTALLATION GUIDE FOR FLASHINGS


CONCEALED FASTENED WALL PANELS

EM15 Profile Information


- ✓ Available in 24, 22 and 20ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ Wall or Liner Panel

EM15-1226



EM15-1262



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
2779541	EM15-1226 PANEL	24	Galvalume (AZ55)	1.426	12	200LF	INQUIRE	INQUIRE
27795xx	EM15-1226 PANEL	24	Kynar 500 / PVDF	1.426	12	200LF	INQUIRE	INQUIRE
2779641	EM15-1226 PANEL	22	Galvalume (AZ55)	1.788	12	200LF	INQUIRE	INQUIRE
27796xx	EM15-1226 PANEL	22	Kynar 500 / PVDF	1.788	12	40SQ	INQUIRE	INQUIRE
2779700	EM15-1226 PANEL	20	Galvanized (G90)	2.151	12	40SQ	INQUIRE	INQUIRE
2779741	EM15-1226 PANEL	20	Galvalume (AZ55)	2.151	12	40SQ	INQUIRE	INQUIRE
27797xx	EM15-1226 PANEL	20	Kynar 500 / PVDF	2.151	12	40SQ	INQUIRE	INQUIRE

PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
2778841	EM15-1262 PANEL	24	Galvalume (AZ55)	1.426	12	200LF	INQUIRE	INQUIRE
27788xx	EM15-1262 PANEL	24	Kynar 500 / PVDF	1.426	12	200LF	INQUIRE	INQUIRE
2778941	EM15-1262 PANEL	22	Galvalume (AZ55)	1.788	12	200LF	INQUIRE	INQUIRE
27789xx	EM15-1262 PANEL	22	Kynar 500 / PVDF	1.788	12	40SQ	INQUIRE	INQUIRE
2779000	EM15-1262 PANEL	20	Galvanized (G90)	2.151	12	40SQ	INQUIRE	INQUIRE
2779041	EM15-1262 PANEL	20	Galvalume (AZ55)	2.151	12	40SQ	INQUIRE	INQUIRE
27790xx	EM15-1262 PANEL	20	Kynar 500 / PVDF	2.151	12	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 30'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

CFWP ACCESSORIES

Accessories used for: Concealed Fastened Wall Panels

PRODUCT NO.	DESCRIPTION	FINISH	WT/EA	MIN QTY	PRICE /LF
4934600	CFWP 4" Low Clip	Galvanized (G90)	0.3	N/A	INQUIRE
49346F01	CFWP 4" Low Clip	Stainless	0.3	N/A	INQUIRE

SEE CFWP INSTALLATION GUIDE FOR FLASHINGS


CONCEALED FASTENED WALL PANELS

EM15 Profile Information


- ✓ Available in 24, 22 and 20ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ Wall or Liner Panel

EM15-622



EM15-262



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
2778241	EM15-622 PANEL	24	Galvalume (AZ55)	1.426	12	200LF	INQUIRE	INQUIRE
27782xx	EM15-622 PANEL	24	Kynar 500 / PVDF	1.426	12	200LF	INQUIRE	INQUIRE
2978241	EM15-622 PANEL	22	Galvalume (AZ55)	1.788	12	200LF	INQUIRE	INQUIRE
29782xx	EM15-622 PANEL	22	Kynar 500 / PVDF	1.788	12	40SQ	INQUIRE	INQUIRE
3078200	EM15-622 PANEL	20	Galvanized (G90)	2.151	12	40SQ	INQUIRE	INQUIRE
3078241	EM15-622 PANEL	20	Galvalume (AZ55)	2.151	12	40SQ	INQUIRE	INQUIRE
30782xx	EM15-622 PANEL	20	Kynar 500 / PVDF	2.151	12	40SQ	INQUIRE	INQUIRE

PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
2779141	EM15-262 PANEL	24	Galvalume (AZ55)	1.426	12	200LF	INQUIRE	INQUIRE
27791xx	EM15-262 PANEL	24	Kynar 500 / PVDF	1.426	12	200LF	INQUIRE	INQUIRE
2779241	EM15-262 PANEL	22	Galvalume (AZ55)	1.788	12	200LF	INQUIRE	INQUIRE
27792xx	EM15-262 PANEL	22	Kynar 500 / PVDF	1.788	12	40SQ	INQUIRE	INQUIRE
2779300	EM15-262 PANEL	20	Galvanized (G90)	2.151	12	40SQ	INQUIRE	INQUIRE
2779341	EM15-262 PANEL	20	Galvalume (AZ55)	2.151	12	40SQ	INQUIRE	INQUIRE
27793xx	EM15-262 PANEL	20	Kynar 500 / PVDF	2.151	12	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 30'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

CFWP ACCESSORIES

Accessories used for: Concealed Fastened Wall Panels

PRODUCT NO.	DESCRIPTION	FINISH	WT/EA	MIN QTY	PRICE /LF
4934600	CFWP 4" Low Clip	Galvanized (G90)	0.3	N/A	INQUIRE
49346F01	CFWP 4" Low Clip	Stainless	0.3	N/A	INQUIRE

SEE CFWP INSTALLATION GUIDE FOR FLASHINGS


INTERIOR LINER T-PANELS

TL-19A & TL-20 Profile Information


- ✓ Available in 24, 22, 20 and 18ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ Liner Panel ONLY

TL-19A



TL-20



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
22F19S41	TL-19A PANEL	24	Galvalume (AZ55)	2.349	24	200LF	INQUIRE	INQUIRE
22F19SXX	TL-19A PANEL	24	Kynar 500 / PVDF	2.349	24	200LF	INQUIRE	INQUIRE
23F19S41	TL-19A PANEL	22	Galvalume (AZ55)	2.947	24	200LF	INQUIRE	INQUIRE
23F19SXX	TL-19A PANEL	22	Kynar 500 / PVDF	2.947	24	40SQ	INQUIRE	INQUIRE
24F1900	TL-19A PANEL	20	Galvanized (G90)	3.544	24	40SQ	INQUIRE	INQUIRE
24F1941	TL-19A PANEL	20	Galvalume (AZ55)	3.544	24	40SQ	INQUIRE	INQUIRE
24F19xx	TL-19A PANEL	20	Kynar 500 / PVDF	3.544	24	40SQ	INQUIRE	INQUIRE
25F1900	TL-19A PANEL	18	Galvanized (G90)	4.639	24	40SQ	INQUIRE	INQUIRE
25F19xx	TL-19A PANEL	18	Kynar 500 / PVDF	4.639	24	40SQ	INQUIRE	INQUIRE

PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
22F20S41	TL-20 PANEL	24	Galvalume (AZ55)	1.787	16	200LF	INQUIRE	INQUIRE
22F20SXX	TL-20 PANEL	24	Kynar 500 / PVDF	1.787	16	200LF	INQUIRE	INQUIRE
23F20S41	TL-20 PANEL	22	Galvalume (AZ55)	2.242	16	200LF	INQUIRE	INQUIRE
23F20SXX	TL-20 PANEL	22	Kynar 500 / PVDF	2.242	16	40SQ	INQUIRE	INQUIRE
24F2000	TL-20 PANEL	20	Galvanized (G90)	2.696	16	40SQ	INQUIRE	INQUIRE
24F2041	TL-20 PANEL	20	Galvalume (AZ55)	2.696	16	40SQ	INQUIRE	INQUIRE
24F20xx	TL-20 PANEL	20	Kynar 500 / PVDF	2.696	16	40SQ	INQUIRE	INQUIRE
25F2000	TL-20 PANEL	18	Galvanized (G90)	3.529	16	40SQ	INQUIRE	INQUIRE
25F20xx	TL-20 PANEL	18	Kynar 500 / PVDF	3.529	16	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 32'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

SEE COMMERCIAL / INDUSTRIAL BOOK FOR FLASHINGS


INTERIOR LINER T-PANELS

TL-21 Profile Information

- ✓ Available in 24, 22, 20 and 18ga
- ✓ Available in Kynar 500 colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Available in Galvanized and Galvalume
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ Liner Panel ONLY

TL-21



PRODUCT NO.	DESCRIPTION	GAUGE	FINISH	WT/LF	NET COV.	MIN QTY	PRICE /SF	PRICE /LF
22F21S41	TL-21 PANEL	24	Galvalume (AZ55)	1.928	16	200LF	INQUIRE	INQUIRE
22F21SXX	TL-21 PANEL	24	Kynar 500 / PVDF	1.928	16	200LF	INQUIRE	INQUIRE
23F21S41	TL-21 PANEL	22	Galvalume (AZ55)	2.418	16	200LF	INQUIRE	INQUIRE
23F21SXX	TL-21 PANEL	22	Kynar 500 / PVDF	2.418	16	40SQ	INQUIRE	INQUIRE
24F2100	TL-21 PANEL	20	Galvanized (G90)	2.908	16	40SQ	INQUIRE	INQUIRE
24F2141	TL-21 PANEL	20	Galvalume (AZ55)	2.908	16	40SQ	INQUIRE	INQUIRE
24F21xx	TL-21 PANEL	20	Kynar 500 / PVDF	2.908	16	40SQ	INQUIRE	INQUIRE
25F2100	TL-21 PANEL	18	Galvanized (G90)	3.806	16	40SQ	INQUIRE	INQUIRE
25F21xx	TL-21 PANEL	18	Kynar 500 / PVDF	3.806	16	40SQ	INQUIRE	INQUIRE

NOTES

- Pricing does not include applicable Freight amounts or other temporary charges.
- Panel lengths shorter than 60" will not be produced. Maximum length 32'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

SEE COMMERCIAL / INDUSTRIAL BOOK FOR FLASHINGS