



METAL SALES MANUFACTURING CORPORATION - DENVER

Updated
1/1/2024

Metal Sales Manufacturing Rolled Products Reference

Contact your local Metal Sales Representative for pricing and delivery options

Table Of Contents


| | |
|----------|--|
| Pg 3-11 | Light Gauge Exposed Fastened Panels <ul style="list-style-type: none">1.25" Corrugated2.5" Corrugated5V CrimpBI-RibClassic RibDelta RibDL-3Dual RibPro Panel IIStrong Panel |
| Pg 12-18 | Commercial Exposed Fastened Panels <ul style="list-style-type: none">7/8" CorrugatedIC72PBR PanelR-PanelPBU PanelU-PanelV-Line 32 |
| Pg 19-28 | Concealed Fastened Panels <ul style="list-style-type: none">Image IIBox BattenMaxi BattenMini BattenMini Batten-CurvedSoffitSoffit-LancedTLC |
| Pg 29-45 | Standing Seam Panels <ul style="list-style-type: none">Clip-LocMagna-LocSeam-LocSnap-LocT-ArmorVertical Seam |
| Pg 46 | Flat Sheets |

Light Gauge Exposed Fastened Panels

1.25" Corrugated Profile Information

- ✓ Corrugated available in 30, 29 and 26ga
- ✓ Available in Colorfast45 colors
- ✓ Available in bare Galvanized and Galvalume
- ✓ Paint Warranty - Colorfast 45 year

- ✓ 29 & 26ga manufactured using 80 ksi steel
- ✓ Install over open framing or solid deck
- ✓ 3:12 minimum slope
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|------------------|-------|--------------------|-------|----------|------------|------------|
| 2201800 | 1.25" Corrugated | 30 | Galvanized (G40) | 1.324 | 24" | INQUIRE | INQUIRE |
| 2291800 | 1.25" Corrugated | 29 | Galvanized (G90) | 1.7 | 24" | INQUIRE | INQUIRE |
| 2291841 | 1.25" Corrugated | 29 | ACGalvalume (AZ55) | 1.7 | 24" | INQUIRE | INQUIRE |
| 2261800 | 1.25" Corrugated | 26 | Galvanized (G90) | 1.881 | 24" | INQUIRE | INQUIRE |
| 2261841 | 1.25" Corrugated | 26 | ACGalvalume (AZ55) | 1.881 | 24" | INQUIRE | INQUIRE |
| 22618xx | 1.25" Corrugated | 26 | MS Colorfast45® | 1.881 | 24" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|--------------------------|--------|--------|--------|---------|------------|
| 6405099 | 1.25" CORRUGATED CLOSURE | GREY | | 24" | | INQUIRE |
| 6105600 | 1.25 CORR 5OZ FIBERGLASS | CLEAR | | 12'-0" | | INQUIRE |
| 6105618 | 1.25 CORR 5OZ FIBERGLASS | GREEN | | 12'-0" | | INQUIRE |
| 6105630 | 1.25 CORR 5OZ FIBERGLASS | WHITE | | 12'-0" | | INQUIRE |
| 6193800 | 1.25 CORR POLYCARBONATE | CLEAR | | 12'-0" | | INQUIRE |
| 6193830 | 1.25 CORR POLYCARBONATE | WHITE | | 12'-0" | | INQUIRE |

CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Light Gauge Exposed Fastened Panels


2 1/2" Corrugated Profile Information

- ✓ Corrugated available in 30, 29, 26 and optional 24ga and 22ga
- ✓ Available in Colorfast45 colors
- ✓ Available in bare Galvanized and Galvalume
- ✓ Paint Warranty - Colorfast 45 year

- ✓ 29 & 26ga manufactured using 80 ksi steel
- ✓ Install over open framing or solid deck
- ✓ 3:12 minimum slope
- ✓ Full line of trim flashings and accessories available


2 1/2" Wall

Coverage = 24"



2 1/2" Roof

Coverage = 21-2/3"



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|----------------------|-------|-------------------------|-------|----------|------------|------------|
| 2202000 | 2.5" Corrugated Roof | 30 | Galvanized (G40) | 1.213 | 21.67" | INQUIRE | INQUIRE |
| 2292000 | 2.5" Corrugated Roof | 29 | Galvanized (G90) | 1.7 | 21.67" | INQUIRE | INQUIRE |
| 2292041 | 2.5" Corrugated Roof | 29 | ACGalvalume (AZ55) | 1.7 | 21.67" | INQUIRE | INQUIRE |
| 2262000 | 2.5" Corrugated Roof | 26 | Galvanized (G90) | 1.772 | 21.67" | INQUIRE | INQUIRE |
| 2262041 | 2.5" Corrugated Roof | 26 | ACGalvalume (AZ55) | 1.772 | 21.67" | INQUIRE | INQUIRE |
| 22620xx | 2.5" Corrugated Roof | 26 | MS Colorfast45® | 1.772 | 21.67" | INQUIRE | INQUIRE |
| 22716w45 | 2.5" Corrugated Roof | 26 | Rustic Steel / PVDF | 1.9 | 21.67" | INQUIRE | INQUIRE |
| 2242041 | 2.5" Corrugated Roof | 24 | ACGalvalume (AZ55) | 2.248 | 21.67" | INQUIRE | INQUIRE |
| 22420xx | 2.5" Corrugated Roof | 24 | Kynar 500 / PVDF | 2.248 | 21.67" | INQUIRE | INQUIRE |
| 2962000 | 2.5" Corrugated Roof | 22 | Weathering Steel (A606) | 3.21 | 21.67" | INQUIRE | INQUIRE |
| 2202000 | 2.5" Corrugated Wall | 30 | Galvanized (G40) | 1.213 | 24" | INQUIRE | INQUIRE |
| 2292000 | 2.5" Corrugated Wall | 29 | Galvanized (G90) | 1.7 | 24" | INQUIRE | INQUIRE |
| 2292041 | 2.5" Corrugated Wall | 29 | ACGalvalume (AZ55) | 1.7 | 24" | INQUIRE | INQUIRE |
| 2262000 | 2.5" Corrugated Wall | 26 | Galvanized (G90) | 1.772 | 24" | INQUIRE | INQUIRE |
| 2262041 | 2.5" Corrugated Wall | 26 | ACGalvalume (AZ55) | 1.772 | 24" | INQUIRE | INQUIRE |
| 22620xx | 2.5" Corrugated Wall | 26 | MS Colorfast45® | 1.772 | 24" | INQUIRE | INQUIRE |
| 22716w45 | 2.5" Corrugated Wall | 26 | Rustic Steel / PVDF | 1.9 | 24" | INQUIRE | INQUIRE |
| 2242041 | 2.5" Corrugated Wall | 24 | ACGalvalume (AZ55) | 2.248 | 24" | INQUIRE | INQUIRE |
| 22420xx | 2.5" Corrugated Wall | 24 | Kynar 500 / PVDF | 2.248 | 24" | INQUIRE | INQUIRE |
| 2962000 | 2.5" Corrugated Wall | 22 | Weathering Steel (A606) | 3.21 | 24" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|---------------------------|--------|--------|--------|---------|------------|
| 6410099 | 2.5" CORR CLOSURE | GREY | | 24" | | INQUIRE |
| 6110230 | 2.5 CORRUGATED FIBERGLASS | WHITE | | 8'-0" | | INQUIRE |
| 6193730 | 2.5 CORR POLYCARBONATE | WHITE | | 12'-0" | | INQUIRE |


CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Light Gauge Exposed Fastened Panels

5V-Crimp Profile Information

- ✓ Available in 29ga, 26ga and optional 24ga.
- ✓ Available in Colorfast45 colors
- ✓ Available in bare Galvanized and Galvalume
- ✓ Paint Warranty - Colorfast 45 year

- ✓ 29 & 26ga manufactured using 80 ksi steel
- ✓ Install over open framing or solid deck
- ✓ 3:12 minimum slope
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|-------------|-------|--------------------|-------|----------|------------|------------|
| 2291900 | 5V-Crimp | 29 | Galvanized (G90) | 1.339 | 24" | INQUIRE | INQUIRE |
| 2291941 | 5V-Crimp | 29 | ACGalvalume (AZ55) | 1.339 | 24" | INQUIRE | INQUIRE |
| 2502500 | 5V-Crimp | 26 | Galvanized (G90) | 1.798 | 24" | INQUIRE | INQUIRE |
| 2502541 | 5V-Crimp | 26 | ACGalvalume (AZ55) | 1.798 | 24" | INQUIRE | INQUIRE |
| 25025xx | 5V-Crimp | 26 | MS Colorfast45® | 1.798 | 24" | INQUIRE | INQUIRE |
| 2241941 | 5V-Crimp | 24 | ACGalvalume (AZ55) | 2.108 | 24" | INQUIRE | INQUIRE |
| 22419xx | 5V-Crimp | 24 | Kynar 500 / PVDF | 2.108 | 24" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|------------------------|--------|--------|--------|---------|------------|
| 6420299 | 5V CRIMP OUTSIDE | GREY | | 24" | | INQUIRE |
| 6420399 | 5V CRIMP INSIDE | GREY | | 24" | | INQUIRE |
| 6420799 | 5V CRIMP OUTSIDE GLUED | GREY | | 24" | | INQUIRE |
| 6420699 | 5V CRIMP INSIDE GLUED | GREY | | 24" | | INQUIRE |
| 6120618 | 5V CRIMP FIBERGLASS | GREEN | | 12'-0" | | INQUIRE |
| 6198400 | 5V CRIMP POLYCARBONATE | CLEAR | | 12'-0" | | INQUIRE |


CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Light Gauge Exposed Fastened Panels

BI-Rib Profile Information

- ✓ Available in 29 and Optional 26ga
- ✓ Available in Colorfast45 colors
- ✓ Available in bare Galvanized and Galvalume
- ✓ Paint Warranty - Colorfast 45 year

- ✓ 29 & 26ga manufactured using 80 ksi steel
- ✓ Install over open framing or solid deck
- ✓ 3:12 minimum slope
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|-------------|-------|-------------------------------------|-------|----------|------------|------------|
| 2291700 | BI-Rib | 29 | Galvanized (G90) | 2.22 | 36" | INQUIRE | INQUIRE |
| 2291741 | BI-Rib | 29 | ACGalvalume (AZ55) | 2.22 | 36" | INQUIRE | INQUIRE |
| 22951xx | BI-Rib | 29 | MS Colorfast45® | 2.22 | 36" | INQUIRE | INQUIRE |
| 2295173 | BI-Rib | 29 | MS CF45 Native Copper / Patriot Red | 2.22 | 36" | INQUIRE | INQUIRE |
| 22712xx | BI-Rib | 29 | ColorFit40 | 2.22 | 36" | INQUIRE | INQUIRE |
| 22813xx | BI-Rib | 29 | Versa20 | 2.22 | 36" | INQUIRE | INQUIRE |
| 22814xx | BI-Rib | 29 | Utility Liner Panel | 2.22 | 36" | INQUIRE | INQUIRE |
| 2281741 | BI-Rib | 26 | ACGalvalume (AZ55) | 2.75 | 36" | INQUIRE | INQUIRE |
| 22817xx | BI-Rib | 26 | MS Colorfast45® | 2.75 | 36" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform


| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|------------------------------|--------|--------|--------|---------|------------|
| 6450299 | BI RIB OUTSIDE CLOSURE | GREY | | 36" | | INQUIRE |
| 6450399 | BI RIB INSIDE CLOSURE | GREY | | 36" | | INQUIRE |
| 6451299 | BI RIB OUTSIDE CLOSURE GLUED | GREY | | 36" | | INQUIRE |
| 6451399 | BI RIB INSIDE CLOSURE GLUED | GREY | | 36" | | INQUIRE |
| 6150230 | BI RIB FIBERGLASS 8' | WHITE | | 8'-0" | | INQUIRE |
| 6150430 | BI RIB FIBERGLASS 10' | WHITE | | 10'-0" | | INQUIRE |
| 6150630 | BI RIB FIBERGLASS 12' | WHITE | | 12'-0" | | INQUIRE |

CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Light Gauge Exposed Fastened Panels

Classic Rib Profile Information

- ✓ Available in 29ga, 26ga and 24ga.
- ✓ See color chart for all available colors
- ✓ Paint Warranty - Colorfast 45 year, Kynar 45 year, Colorfit 40 year, or Versa 20 year (see offering below)
- ✓ 29 & 26ga manufactured using 80 ksi steel
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ 3:12 minimum slope
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|--------------------------|-------|-------------------------------------|-------|----------|------------|------------|
| 2293400 | Classic-Rib | 29 | Galvanized (G90) | 1.973 | 36" | INQUIRE | INQUIRE |
| 2293441 | Classic-Rib | 29 | ACGalvalume (AZ55) | 1.973 | 36" | INQUIRE | INQUIRE |
| 22900xx | Classic-Rib | 29 | MS Colorfast45® | 1.968 | 36" | INQUIRE | INQUIRE |
| 2290073 | Classic-Rib | 29 | MS CF45 Native Copper / Patriot Red | 1.968 | 36" | INQUIRE | INQUIRE |
| 22900xxT | Classic-Rib | 29 | Crinkle Coat | 1.968 | 36" | INQUIRE | INQUIRE |
| 22825xx | Classic-Rib | 29 | ColorFit40 | 2.81 | 36" | INQUIRE | INQUIRE |
| 22852xx | Classic-Rib | 29 | Versa20 | 1.946 | 36" | INQUIRE | INQUIRE |
| 2511400 | Classic-Rib | 26 | Galvanized (G90) | 2.504 | 36" | INQUIRE | INQUIRE |
| 2511441 | Classic-Rib | 26 | ACGalvalume (AZ55) | 2.504 | 36" | INQUIRE | INQUIRE |
| 25114xx | Classic-Rib | 26 | MS Colorfast45® | 2.504 | 36" | INQUIRE | INQUIRE |
| 2511473 | Classic-Rib | 26 | MS CF45 Native Copper / Patriot Red | 2.504 | 36" | INQUIRE | INQUIRE |
| 26114W45 | Classic-Rib | 26 | Rustic Steel / PVDF | 2.64 | 36" | INQUIRE | INQUIRE |
| 2711441 | Classic-Rib | 24 | ACGalvalume (AZ55) | 3.75 | 36" | INQUIRE | INQUIRE |
| 28114xx | Classic-Rib | 24 | Kynar 500 / PVDF | 3.75 | 36" | INQUIRE | INQUIRE |
| 2970730 | Classic-Rib - Perforated | 29 | White | 2.021 | 36" | INQUIRE | INQUIRE |
| 2970739 | Classic-Rib - Perforated | 29 | Bright White | 2.021 | 36" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|--------------------------|--------|--------|--------|---------|------------|
| 6451499 | CLASSIC RIB OS CLOSURE | GREY | | 36" | | INQUIRE |
| 6451599 | CLASSIC RIB IS CLOSURE | GREY | | 36" | | INQUIRE |
| 6451699 | C-RIB OS CLOSURE W/GLUE | GREY | | 36" | | INQUIRE |
| 6451799 | C-RIB IS CLOSURE W/GLUE | GREY | | 36" | | INQUIRE |
| 6150730 | C-RIB 8' 5OZ FIBERGLASS | WHITE | | 8'-0" | | INQUIRE |
| 6150830 | C-RIB 10' 5OZ FIBERGLASS | WHITE | | 10'-0" | | INQUIRE |
| 6150900 | C-RIB 12' 5OZ FIBERGLASS | CLEAR | | 12'-0" | | INQUIRE |
| 6150930 | C-RIB 12' 5OZ FIBERGLASS | WHITE | | 12'-0" | | INQUIRE |
| 6151300 | C-RIB 8' POLYCARBONATE | CLEAR | | 8'-0" | | INQUIRE |
| 6151400 | C-RIB 10' POLYCARBONATE | CLEAR | | 10'-0" | | INQUIRE |
| 6151430 | C-RIB 10' POLYCARBONATE | WHITE | | 10'-0" | | INQUIRE |
| 6151500 | C-RIB 12' POLYCARBONATE | CLEAR | | 12'-0" | | INQUIRE |
| 6151530 | C-RIB 12' POLYCARBONATE | WHITE | | 16'-0" | | INQUIRE |


CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Light Gauge Exposed Fastened Panels

Delta Rib Profile Information

- ✓ Available in 29, 26 and Optional 24ga
- ✓ Available in Colorfast45 colors
- ✓ Available in bare Galvanized and Galvalume
- ✓ Paint Warranty - Colorfast 45 year

- ✓ 29 & 26ga manufactured using 80 ksi steel
- ✓ Install over open framing or solid deck
- ✓ 3:12 minimum slope
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|-------------|-------|--------------------|-------|----------|------------|------------|
| 2292200 | Delta Rib | 29 | Galvanized (G90) | 1.399 | 24" | INQUIRE | INQUIRE |
| 2292241 | Delta Rib | 29 | ACGalvalume (AZ55) | 1.399 | 24" | INQUIRE | INQUIRE |
| 22922xx | Delta Rib | 29 | MS Colorfast45® | 1.399 | 24" | INQUIRE | INQUIRE |
| 2502800 | Delta Rib | 26 | Galvanized (G90) | 1.9 | 24" | INQUIRE | INQUIRE |
| 2502841 | Delta Rib | 26 | ACGalvalume (AZ55) | 1.9 | 24" | INQUIRE | INQUIRE |
| 25028xx | Delta Rib | 26 | MS Colorfast45® | 1.9 | 24" | INQUIRE | INQUIRE |
| 2502941 | Delta Rib | 24 | ACGalvalume (AZ55) | 2 | 24" | INQUIRE | INQUIRE |
| 25029xx | Delta Rib | 24 | Kynar 500 / PVDF | 2 | 24" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|---------------------------|--------|--------|--------|---------|------------|
| 6415299 | DELTA RIB OUTSIDE CLOSURE | GREY | | 24" | | INQUIRE |
| 6415399 | DELTA RIB INSIDE CLOSURE | GREY | | 24" | | INQUIRE |
| 6415499 | DELTA RIB OUTSIDE GLUED | GREY | | 24" | | INQUIRE |
| 6415599 | DELTA RIB INSIDE GLUED | GREY | | 24" | | INQUIRE |
| 6115230 | DELTA RIB FIBERGLASS 8' | WHITE | | 8'-0" | | INQUIRE |
| 6115430 | DELTA RIB FIBERGLASS 10' | WHITE | | 10'-0" | | INQUIRE |
| 6115630 | DELTA RIB FIBERGLASS 12' | WHITE | | 12'-0" | | INQUIRE |

CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Light Gauge Exposed Fastened Panels

DL-3 Profile Information

- ✓ Available in 29 and Optional 26ga
- ✓ Available in Colorfast45 colors
- ✓ Available in bare Galvanized and Galvalume
- ✓ Paint Warranty - Colorfast 45 year

- ✓ 29 & 26ga manufactured using 80 ksi steel
- ✓ Install over open framing or solid deck
- ✓ 3:12 minimum slope
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|-------------|-------|-------------------------------------|-------|----------|------------|------------|
| 2303000 | DL-3 Panel | 29 | Galvanized (G90) | 2.23 | 36" | INQUIRE | INQUIRE |
| 2303041 | DL-3 Panel | 29 | ACGalvalume (AZ55) | 2.23 | 36" | INQUIRE | INQUIRE |
| 23030xx | DL-3 Panel | 29 | MS Colorfast45® | 2.23 | 36" | INQUIRE | INQUIRE |
| 2303073 | DL-3 Panel | 29 | MS CF45 Native Copper / Patriot Red | 2.23 | 36" | INQUIRE | INQUIRE |
| 2503900 | DL-3 Panel | 26 | Galvanized (G90) | 2.425 | 36" | INQUIRE | INQUIRE |
| 2503041 | DL-3 Panel | 26 | ACGalvalume (AZ55) | 2.425 | 36" | INQUIRE | INQUIRE |
| 25039xx | DL-3 Panel | 26 | MS Colorfast45® | 2.425 | 36" | INQUIRE | INQUIRE |
| 2503973 | DL-3 Panel | 26 | MS CF45 Native Copper / Patriot Red | 2.425 | 36" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform


| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|-----------------------------|--------|--------|--------|---------|------------|
| 6452599 | DL-3 INSIDE/OUTSIDE CLOSURE | GREY | | 36" | | INQUIRE |
| 6142030 | DL-3 FIBERGLASS 12' | WHITE | | 12'-0" | | INQUIRE |

CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Dual Rib Profile Information

- ✓ Available in .018 Diamond Embossed Alum
- ✓ Available in Mill finish or White

- ✓ Install over open framing or solid deck
- ✓ 3:12 minimum slope



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|-------------|-------|----------------------|-------|----------|------------|------------|
| 2402401 | Dual Rib | 0.018 | Mill finish Aluminum | 0.998 | 36" | INQUIRE | INQUIRE |
| 2402496 | Dual Rib | 0.018 | White Aluminum | 0.998 | 36" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.

| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|----------------------------|--------|--------|--------|---------|------------|
| 6191400 | DUAL RIB O/S CLOSURE GLUED | GREY | | 36" | | INQUIRE |
| 6191500 | DUAL RIB I/S CLOSURE GLUED | GREY | | 36" | | INQUIRE |


CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Light Gauge Exposed Fastened Panels

Pro-Panel II Profile Information

- ✓ Available in 29ga, 26ga and 24ga.
- ✓ See color chart for all available colors
- ✓ Paint Warranty - Colorfast 45 year, Kynar 45 year, Colorfit 40 year, or Versa 20 year (see offering below)

- ✓ 29 & 26ga manufactured using 80 ksi steel
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ 3:12 minimum slope
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|---------------------------|-------|-------------------------------------|-------|----------|------------|------------|
| 2290800 | Pro-Panel II | 29 | Galvanized (G90) | 2.22 | 36" | INQUIRE | INQUIRE |
| 2290841 | Pro-Panel II | 29 | ACGalvalume (AZ55) | 2.22 | 36" | INQUIRE | INQUIRE |
| 22952xx | Pro-Panel II | 29 | MS Colorfast45® | 1.968 | 36" | INQUIRE | INQUIRE |
| 2295273 | Pro-Panel II | 29 | MS CF45 Native Copper / Patriot Red | 1.968 | 36" | INQUIRE | INQUIRE |
| 22819xxT | Pro-Panel II | 29 | Crinkle Coat | 1.968 | 36" | INQUIRE | INQUIRE |
| 22840xx | Pro-Panel II | 29 | ColorFit40 | 2.81 | 36" | INQUIRE | INQUIRE |
| 22808xx | Pro-Panel II | 29 | Versa20 | 1.976 | 36" | INQUIRE | INQUIRE |
| 2511300 | Pro-Panel II | 26 | Galvanized (G90) | 2.504 | 36" | INQUIRE | INQUIRE |
| 2511341 | Pro-Panel II | 26 | ACGalvalume (AZ55) | 2.504 | 36" | INQUIRE | INQUIRE |
| 25113xx | Pro-Panel II | 26 | MS Colorfast45® | 2.504 | 36" | INQUIRE | INQUIRE |
| 2511373 | Pro-Panel II | 26 | MS CF45 Native Copper / Patriot Red | 2.504 | 36" | INQUIRE | INQUIRE |
| 26113w45 | Pro-Panel II | 26 | Rustic Steel / PVDF | 2.64 | 36" | INQUIRE | INQUIRE |
| 2711341 | Pro-Panel II | 24 | ACGalvalume (AZ55) | 3.75 | 36" | INQUIRE | INQUIRE |
| 28113xx | Pro-Panel II | 24 | Kynar 500 / PVDF | 3.75 | 36" | INQUIRE | INQUIRE |
| 2970830 | Pro-Panel II - Perforated | 29 | White | 2.12 | 36" | INQUIRE | INQUIRE |
| 2970839 | Pro-Panel II - Perforated | 29 | Bright White | 2.12 | 36" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|-------------------------|--------|--------|--------|---------|------------|
| 6440299 | PRO PANEL II OS CLOSURE | GREY | | 36" | | INQUIRE |
| 6440399 | PRO-PANEL II IS CLOSURE | GREY | | 36" | | INQUIRE |
| 6441299 | PPII OS CLOSURE W/GLUE | GREY | | 36" | | INQUIRE |
| 6441399 | PPII IS CLOSURE W/GLUE | GREY | | 36" | | INQUIRE |
| 6140230 | PPII 8' 5OZ FIBERGLASS | WHITE | | 8'-0" | | INQUIRE |
| 6140430 | PPII 10' 5OZ FIBERGLASS | WHITE | | 10'-0" | | INQUIRE |
| 6140630 | PPII 12' 5OZ FIBERGLASS | WHITE | | 12'-0" | | INQUIRE |
| 6197900 | PPII 8' POLYCARBONATE | CLEAR | | 8'-0" | | INQUIRE |
| 6198000 | PPII 10' POLYCARBONATE | CLEAR | | 10'-0" | | INQUIRE |
| 6198100 | PPII 12' POLYCARBONATE | CLEAR | | 12'-0" | | INQUIRE |
| 6198030 | PPII 10' POLYCARBONATE | WHITE | | 10'-0" | | INQUIRE |
| 6198130 | PPII 12' POLYCARBONATE | WHITE | | 12'-0" | | INQUIRE |


CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Light Gauge Exposed Fastened Panels

Strong Panel Profile Information

- ✓ Available in 29 and Optional 26ga
- ✓ Available in Colorfast45 colors
- ✓ Available in bare Galvanized and Galvalume
- ✓ Paint Warranty - Colorfast 45 year

- ✓ 29 & 26ga manufactured using 80 ksi steel
- ✓ Install over open framing or solid deck
- ✓ 3:12 minimum slope
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|--------------|-------|-------------------------------------|-------|----------|------------|------------|
| 2110000 | Strong Panel | 29 | Galvanized (G90) | 2.36 | 36" | INQUIRE | INQUIRE |
| 2110041 | Strong Panel | 29 | ACGalvalume (AZ55) | 2.36 | 36" | INQUIRE | INQUIRE |
| 21100xx | Strong Panel | 29 | MS Colorfast45® | 2.36 | 36" | INQUIRE | INQUIRE |
| 2110073 | Strong Panel | 29 | MS CF45 Native Copper / Patriot Red | 2.36 | 36" | INQUIRE | INQUIRE |
| 2510000 | Strong Panel | 26 | Galvanized (G90) | 2.504 | 36" | INQUIRE | INQUIRE |
| 2510041 | Strong Panel | 26 | ACGalvalume (AZ55) | 2.504 | 36" | INQUIRE | INQUIRE |
| 25100xx | Strong Panel | 26 | MS Colorfast45® | 2.504 | 36" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|------------------------------|--------|--------|--------|---------|------------|
| 6450899 | STRONG PANEL O/S GLUED | GREY | | 36" | | INQUIRE |
| 6450999 | STRONG PANEL I/S GLUED | GREY | | 36" | | INQUIRE |
| 6150030 | STRONG PANEL FIBRGLS 5OZ 36" | WHITE | | 12'-0" | | INQUIRE |
| 6150330 | STRONG PANEL FIBRGLS 5OZ 32" | WHITE | | 12'-0" | | INQUIRE |

CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Commercial Exposed Fastened Panels


7/8 Corrugated Profile Information

- ✓ Available in 26ga, 24ga and 22ga
- ✓ See color chart for all available colors
- ✓ Paint Warranty - Colorfast 45 year or Kynar 45 year
- ✓ Available in 50 ksi steel.

- ✓ Install over open framing or solid deck
(see load chart for load ratings)
- ✓ 1:12 minimum slope
- ✓ Full line of trim flashings and accessories available


7/8 Wall

Coverage = 34 2/3"



7/8 Roof

Coverage = 32"



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|---------------------|-------|-------------------------------------|-------|----------|------------|------------|
| 2611500 | 7/8 Corrugated-Wall | 26 | Galvanized (G90) | 2.9 | 34.67" | INQUIRE | INQUIRE |
| 2611541 | 7/8 Corrugated-Wall | 26 | ACGalvalume (AZ55) | 2.9 | 34.67" | INQUIRE | INQUIRE |
| 26115xx | 7/8 Corrugated-Wall | 26 | MS Colorfast45® | 2.9 | 34.67" | INQUIRE | INQUIRE |
| 2611573 | 7/8 Corrugated-Wall | 26 | MS CF45 Native Copper / Patriot Red | 2.9 | 34.67" | INQUIRE | INQUIRE |
| 27115w45 | 7/8 Corrugated-Wall | 26 | Rustic Steel / PVDF | 2.9 | 35.67" | INQUIRE | INQUIRE |
| 2705341 | 7/8 Corrugated-Wall | 24 | ACGalvalume (AZ55) | 3.8 | 34.67" | INQUIRE | INQUIRE |
| 27053xx | 7/8 Corrugated-Wall | 24 | Kynar 500 / PVDF | 3.8 | 34.67" | INQUIRE | INQUIRE |
| 2909041 | 7/8 Corrugated-Wall | 22 | ACGalvalume (AZ55) | 4.6 | 34.67" | INQUIRE | INQUIRE |
| 29090xx | 7/8 Corrugated-Wall | 22 | Kynar 500 / PVDF | 4.6 | 34.67" | INQUIRE | INQUIRE |
| 2909090 | 7/8 Corrugated-Wall | 22 | Weathering Steel (A606) | 4.6 | 34.67" | INQUIRE | INQUIRE |
| 29092CCR | 7/8 Corrugated-Wall | 22 | Cold Rolled (A1008) | 4.65 | 34.67" | INQUIRE | INQUIRE |
| 2611500 | 7/8 Corrugated-Roof | 26 | Galvanized (G90) | 2.9 | 32" | INQUIRE | INQUIRE |
| 2611541 | 7/8 Corrugated-Roof | 26 | ACGalvalume (AZ55) | 2.9 | 32" | INQUIRE | INQUIRE |
| 26115xx | 7/8 Corrugated-Roof | 26 | MS Colorfast45® | 2.9 | 32" | INQUIRE | INQUIRE |
| 2611573 | 7/8 Corrugated-Roof | 26 | MS CF45 Native Copper / Patriot Red | 2.9 | 32" | INQUIRE | INQUIRE |
| 27115w45 | 7/8 Corrugated-Roof | 26 | Rustic Steel / PVDF | 2.9 | 32" | INQUIRE | INQUIRE |
| 2705341 | 7/8 Corrugated-Roof | 24 | ACGalvalume (AZ55) | 3.8 | 32" | INQUIRE | INQUIRE |
| 27053xx | 7/8 Corrugated-Roof | 24 | Kynar 500 / PVDF | 3.8 | 32" | INQUIRE | INQUIRE |
| 2909041 | 7/8 Corrugated-Roof | 22 | ACGalvalume (AZ55) | 4.6 | 32" | INQUIRE | INQUIRE |
| 29090xx | 7/8 Corrugated-Roof | 22 | Kynar 500 / PVDF | 4.6 | 32" | INQUIRE | INQUIRE |
| 2909090 | 7/8 Corrugated-Roof | 22 | Weathering Steel (A606) | 4.6 | 32" | INQUIRE | INQUIRE |
| 29092CCR | 7/8 Corrugated-Roof | 22 | Cold Rolled (A1008) | 4.65 | 32" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|------------------------|--------|--------|--------|---------|------------|
| 6420199 | 7/8 CORRUGATED CLOSURE | GREY | | 36" | | INQUIRE |
| 6110730 | 7/8 12' 8OZ FIBERGLASS | WHITE | | 12'-0" | | INQUIRE |

CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Commercial Exposed Fastened Panels

IC72 Panel Profile Information

- ✓ Available in 26ga, 24ga and 22ga
- ✓ See color chart for all available colors
- ✓ Paint Warranty - Colorfast 45 year or Kynar 45 year
- ✓ Available in 50 ksi steel.


- ✓ Install over open framing or solid deck
(see load chart for load ratings)
- ✓ 1:12 minimum slope
- ✓ Full line of trim flashings and accessories available

IC72 Wall

Coverage = 36"

IC72 Roof

Coverage = 36"



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|-----------------|-------|-------------------------------------|-------|----------|------------|------------|
| 2521200 | IC72 Panel-Wall | 26 | Galvanized (G90) | 2.8 | 36" | INQUIRE | INQUIRE |
| 2521241 | IC72 Panel-Wall | 26 | ACGalvalume (AZ55) | 2.8 | 36" | INQUIRE | INQUIRE |
| 25212xx | IC72 Panel-Wall | 26 | MS Colorfast45® | 2.8 | 36" | INQUIRE | INQUIRE |
| 2521273 | IC72 Panel-Wall | 26 | MS CF45 Native Copper / Patriot Red | 2.8 | 36" | INQUIRE | INQUIRE |
| 26212w45 | IC72 Panel-Wall | 26 | Rustic Steel / PVDF | 2.8 | 36" | INQUIRE | INQUIRE |
| 2721241 | IC72 Panel-Wall | 24 | ACGalvalume (AZ55) | 3.58 | 36" | INQUIRE | INQUIRE |
| 28212xx | IC72 Panel-Wall | 24 | Kynar 500 / PVDF | 3.75 | 36" | INQUIRE | INQUIRE |
| 2921241 | IC72 Panel-Wall | 22 | ACGalvalume (AZ55) | 4.32 | 36" | INQUIRE | INQUIRE |
| 30212xx | IC72 Panel-Wall | 22 | Kynar 500 / PVDF | 4.8 | 36" | INQUIRE | INQUIRE |
| 2501200 | IC72 Panel-Roof | 26 | Galvanized (G90) | 2.8 | 36" | INQUIRE | INQUIRE |
| 2501241 | IC72 Panel-Roof | 26 | ACGalvalume (AZ55) | 2.8 | 36" | INQUIRE | INQUIRE |
| 25012xx | IC72 Panel-Roof | 26 | MS Colorfast45® | 2.8 | 36" | INQUIRE | INQUIRE |
| 2501273 | IC72 Panel-Roof | 26 | MS CF45 Native Copper / Patriot Red | 2.8 | 36" | INQUIRE | INQUIRE |
| 26012w45 | IC72 Panel-Roof | 26 | Rustic Steel / PVDF | 2.8 | 36" | INQUIRE | INQUIRE |
| 2701241 | IC72 Panel-Roof | 24 | ACGalvalume (AZ55) | 3.58 | 36" | INQUIRE | INQUIRE |
| 28012xx | IC72 Panel-Roof | 24 | Kynar 500 / PVDF | 3.75 | 36" | INQUIRE | INQUIRE |
| 2901241 | IC72 Panel-Roof | 22 | ACGalvalume (AZ55) | 4.32 | 36" | INQUIRE | INQUIRE |
| 30012xx | IC72 Panel-Roof | 22 | Kynar 500 / PVDF | 4.8 | 36" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|---------------------------|--------|--------|--------|---------|------------|
| 6496000 | CLOSURE IC72 PANEL | GREY | | 36" | | INQUIRE |
| 6181630 | IC72 PANEL 12' FIBERGLASS | WHITE | | 12'-0" | | INQUIRE |


CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Commercial Exposed Fastened Panels

PBR-Panel Profile Information

- ✓ Available in 26ga, 24ga and 22ga
- ✓ See color chart for all available colors
- ✓ Paint Warranty - Colorfast 45 year or Kynar 45 year
- ✓ 26ga in full hard, 80 ksi steel; 24ga and 22ga in 50 ksi steel

- ✓ Install over open framing or solid deck
(see load chart for load ratings)
- ✓ 1:12 minimum slope
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|---------------------------|-------|-------------------------------------|-------|----------|------------|------------|
| 2505200 | PBR Panel | 26 | Galvanized (G90) | 2.62 | 36" | INQUIRE | INQUIRE |
| 2505241 | PBR Panel | 26 | ACGalvalume (AZ55) | 2.62 | 36" | INQUIRE | INQUIRE |
| 25052xx | PBR Panel | 26 | MS Colorfast45® | 2.62 | 36" | INQUIRE | INQUIRE |
| 2505273 | PBR Panel | 26 | MS CF45 Native Copper / Patriot Red | 2.62 | 36" | INQUIRE | INQUIRE |
| 26052w45 | PBR Panel | 26 | Rustic Steel / PVDF | 2.755 | 36" | INQUIRE | INQUIRE |
| 2705241 | PBR Panel | 24 | ACGalvalume (AZ55) | 3.3 | 36" | INQUIRE | INQUIRE |
| 28052xx | PBR Panel | 24 | Kynar 500 / PVDF | 3.75 | 36" | INQUIRE | INQUIRE |
| 2905241 | PBR Panel | 22 | ACGalvalume (AZ55) | 4.75 | 36" | INQUIRE | INQUIRE |
| 29052xx | PBR Panel | 22 | Kynar 500 / PVDF | 4.75 | 36" | INQUIRE | INQUIRE |
| 25152xx | PBR Panel-Reversed Rolled | 26 | MS Colorfast45® | 2.62 | 36" | INQUIRE | INQUIRE |
| 28152xx | PBR Panel-Reversed Rolled | 24 | Kynar 500 / PVDF | 3.75 | 36" | INQUIRE | INQUIRE |
| 29152xx | PBR Panel-Reversed Rolled | 22 | Kynar 500 / PVDF | 4.75 | 36" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|--------------------------|--------|--------|--------|---------|------------|
| 6460700 | PBR PANEL OS CLOSURE | GREY | | 36" | | INQUIRE |
| 6460799 | PBR PANEL IS CLOSURE | GREY | | 36" | | INQUIRE |
| 6460699 | PBR OS CLOSURE W/GLUE | GREY | | 36" | | INQUIRE |
| 6460800 | PBR IS CLOSURE W/GLUE | GREY | | 36" | | INQUIRE |
| 6190030 | PBR 12' 8OZ FIBERGLASS | WHITE | | 12'-0" | | INQUIRE |
| 6194000 | PBR 10'-6" POLYCARBONATE | CLEAR | | 10'-6" | | INQUIRE |
| 6198700 | PBR 12' POLYCARBONATE | CLEAR | | 12'-0" | | INQUIRE |
| 6198730 | PBR 12' POLYCARBONATE | WHITE | | 12'-0" | | INQUIRE |


CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Commercial Exposed Fastened Panels

R-Panel Profile Information

- ✓ Available in 29ga, 26ga, 24ga and 22ga
- ✓ See color chart for all available colors
- ✓ Paint Warranty - Colorfast 45 year or Kynar 45 year
- ✓ 29ga & 26ga in full hard, 80 ksi steel; 24ga and 22ga in 50 ksi steel

- ✓ Install over open framing or solid deck
(see load chart for load ratings)
- ✓ For wall use only
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|-----------------------|-------|-------------------------------------|-------|----------|------------|------------|
| 2293041 | R-Panel-Wall | 29 | ACGalvalume (AZ55) | 1.968 | 36" | INQUIRE | INQUIRE |
| 22930xx | R-Panel-Wall | 29 | MS Colorfast45® | 1.968 | 36" | INQUIRE | INQUIRE |
| 2505141 | R-Panel-Wall | 26 | ACGalvalume (AZ55) | 2.62 | 36" | INQUIRE | INQUIRE |
| 25051xx | R-Panel-Wall | 26 | MS Colorfast45® | 2.62 | 36" | INQUIRE | INQUIRE |
| 2505173 | R-Panel-Wall | 26 | MS CF45 Native Copper / Patriot Red | 2.62 | 36" | INQUIRE | INQUIRE |
| 2705141 | R-Panel-Wall | 24 | ACGalvalume (AZ55) | 3.3 | 36" | INQUIRE | INQUIRE |
| 28051xx | R-Panel-Wall | 24 | Kynar 500 / PVDF | 3.75 | 36" | INQUIRE | INQUIRE |
| 2905141 | R-Panel-Wall | 22 | ACGalvalume (AZ55) | 4.75 | 36" | INQUIRE | INQUIRE |
| 29051xx | R-Panel-Wall | 22 | Kynar 500 / PVDF | 4.75 | 36" | INQUIRE | INQUIRE |
| 25151xx | R-Panel-Wall-Reversed | 26 | MS Colorfast45® | 2.62 | 36" | INQUIRE | INQUIRE |
| 28151xx | R-Panel-Wall-Reversed | 24 | Kynar 500 / PVDF | 3.75 | 36" | INQUIRE | INQUIRE |
| 29151xx | R-Panel-Wall-Reversed | 22 | Kynar 500 / PVDF | 4.75 | 36" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|--------------------------|--------|--------|--------|---------|------------|
| 6460700 | PBR PANEL OS CLOSURE | GREY | | 36" | | INQUIRE |
| 6460799 | PBR PANEL IS CLOSURE | GREY | | 36" | | INQUIRE |
| 6460699 | PBR OS CLOSURE W/GLUE | GREY | | 36" | | INQUIRE |
| 6460800 | PBR IS CLOSURE W/GLUE | GREY | | 36" | | INQUIRE |
| 6190030 | PBR 12' 8OZ FIBERGLASS | WHITE | | 12'-0" | | INQUIRE |
| 6194000 | PBR 10'-6" POLYCARBONATE | CLEAR | | 10'-6" | | INQUIRE |
| 6198700 | PBR 12' POLYCARBONATE | CLEAR | | 12'-0" | | INQUIRE |
| 6198730 | PBR 12' POLYCARBONATE | WHITE | | 12'-0" | | INQUIRE |


CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Commercial Exposed Fastened Panels

PBU-Panel Profile Information

- ✓ Available in 26ga, 24ga and 22ga
- ✓ See color chart for all available colors
- ✓ Paint Warranty - Colorfast 45 year or Kynar 45 year
- ✓ 26ga in full hard, 80 ksi steel; 24ga and 22ga in 50 ksi steel

- ✓ Install over open framing or solid deck
(see load chart for load ratings)
- ✓ 1:12 minimum slope
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|---------------------------|-------|--------------------|-------|----------|------------|------------|
| 2503400 | PBU Panel | 26 | Galvanized (G90) | 2.755 | 36" | INQUIRE | INQUIRE |
| 2503441 | PBU Panel | 26 | ACGalvalume (AZ55) | 2.755 | 36" | INQUIRE | INQUIRE |
| 25034xx | PBU Panel | 26 | MS Colorfast45® | 2.755 | 36" | INQUIRE | INQUIRE |
| 2703441 | PBU Panel | 24 | ACGalvalume (AZ55) | 3.3 | 36" | INQUIRE | INQUIRE |
| 28053xx | PBU Panel | 24 | Kynar 500 / PVDF | 3.3 | 36" | INQUIRE | INQUIRE |
| 2903041 | PBU Panel | 22 | ACGalvalume (AZ55) | 4.41 | 36" | INQUIRE | INQUIRE |
| 29030xx | PBU Panel | 22 | Kynar 500 / PVDF | 4.41 | 36" | INQUIRE | INQUIRE |
| 25225xx | PBU Panel-Reversed Rolled | 26 | MS Colorfast45® | 2.62 | 36" | INQUIRE | INQUIRE |
| 28125xx | PBU Panel-Reversed Rolled | 24 | Kynar 500 / PVDF | 3.75 | 36" | INQUIRE | INQUIRE |
| | PBU Panel-Reversed Rolled | 22 | Kynar 500 / PVDF | 4.75 | 36" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|-------------------------------|--------|--------|--------|---------|------------|
| | PBU PANEL OS CLOSURE | GREY | | 36" | | INQUIRE |
| 6461199 | PBU PANEL IS CLOSURE | GREY | | 36" | | INQUIRE |
| 6460999 | PBU OS CLOSURE W/GLUE | GREY | | 36" | | INQUIRE |
| 6461099 | PBU IS CLOSURE W/GLUE | GREY | | 36" | | INQUIRE |
| 6160030 | U-PANEL 12' 8OZ FIBERGLASS | WHITE | | 12'-0" | | INQUIRE |
| 6165030 | U-PANEL 12'-6" 8OZ FIBERGLASS | WHITE | | 12'-6" | | INQUIRE |


CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Commercial Exposed Fastened Panels

U-Panel Profile Information

- ✓ Available in 26ga, 24ga and 22ga
- ✓ See color chart for all available colors
- ✓ Paint Warranty - Colorfast 45 year or Kynar 45 year
- ✓ 26ga in full hard, 80 ksi steel; 24ga and 22ga in 50 ksi steel

- ✓ Install over open framing or solid deck
(see load chart for load ratings)
- ✓ For wall use only
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|-------------------------|-------|--------------------|-------|----------|------------|------------|
| 2292941 | U-Panel Wall | 29 | ACGalvalume (AZ55) | 1.968 | 36" | INQUIRE | INQUIRE |
| 22929xx | U-Panel Wall | 29 | MS Colorfast45® | 1.968 | 36" | INQUIRE | INQUIRE |
| 2502441 | U-Panel Wall | 26 | ACGalvalume (AZ55) | 2.755 | 36" | INQUIRE | INQUIRE |
| 25024xx | U-Panel Wall | 26 | MS Colorfast45® | 2.755 | 36" | INQUIRE | INQUIRE |
| 2702441 | U-Panel Wall | 24 | ACGalvalume (AZ55) | 3.33 | 36" | INQUIRE | INQUIRE |
| 28024xx | U-Panel Wall | 24 | Kynar 500 / PVDF | 3.33 | 36" | INQUIRE | INQUIRE |
| 2902441 | U-Panel Wall | 22 | ACGalvalume (AZ55) | 4.388 | 36" | INQUIRE | INQUIRE |
| 29024xx | U-Panel Wall | 22 | Kynar 500 / PVDF | 4.388 | 36" | INQUIRE | INQUIRE |
| | U Panel-Reversed Rolled | 26 | MS Colorfast45® | 2.62 | 36" | INQUIRE | INQUIRE |
| 28224xx | U Panel-Reversed Rolled | 24 | Kynar 500 / PVDF | 3.75 | 36" | INQUIRE | INQUIRE |
| | U Panel-Reversed Rolled | 22 | Kynar 500 / PVDF | 4.75 | 36" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|-------------------------------|--------|--------|--------|---------|------------|
| | U PANEL OS CLOSURE | GREY | | 36" | | INQUIRE |
| 6461199 | U PANEL IS CLOSURE | GREY | | 36" | | INQUIRE |
| 6460999 | U OS CLOSURE W/GLUE | GREY | | 36" | | INQUIRE |
| 6461099 | U IS CLOSURE W/GLUE | GREY | | 36" | | INQUIRE |
| 6160030 | U-PANEL 12' 8OZ FIBERGLASS | WHITE | | 12'-0" | | INQUIRE |
| 6165030 | U-PANEL 12'-6" 8OZ FIBERGLASS | WHITE | | 12'-6" | | INQUIRE |


CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Commercial Exposed Fastened Panels

V-Line32 Profile Information

- ✓ Available in 26ga, 24ga and 22ga
- ✓ See color chart for all available colors
- ✓ Paint Warranty - Colorfast 45 year or Kynar 45 year
- ✓ 26ga in full hard, 80 ksi steel; 24ga and 22ga in 50 ksi steel

- ✓ Install over open framing or solid deck
(see load chart for load ratings)
- ✓ 1:12 minimum slope
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|-------------|-------|--------------------|-------|----------|------------|------------|
| 2511041 | V-LINE 32 | 26 | ACGalvalume (AZ55) | 2.755 | 32" | INQUIRE | INQUIRE |
| 25110xx | V-LINE 32 | 26 | MS Colorfast45® | 2.755 | 32" | INQUIRE | INQUIRE |
| 2711041 | V-LINE 32 | 24 | ACGalvalume (AZ55) | 3.483 | 32" | INQUIRE | INQUIRE |
| 28110xx | V-LINE 32 | 24 | Kynar 500 / PVDF | 3.483 | 32" | INQUIRE | INQUIRE |
| 2911041 | V-LINE 32 | 22 | ACGalvalume (AZ55) | 4.335 | 32" | INQUIRE | INQUIRE |
| 30110xx | V-LINE 32 | 22 | Kynar 500 / PVDF | 4.33 | 32" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|----------------|--------|--------|--------|---------|------------|
| 6462099 | CLOSURE V LINE | GREY | | 32" | | INQUIRE |

CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Concealed Fastened Panels

12" Image II Profile Information

- ✓ Hidden fastener system for residential and architectural use
- ✓ 26ga and 24ga Standard.
- ✓ See color chart for available colors
- ✓ Paint Warranty - Colorfast 45 year / Kynar 45 year
- ✓ Oil Canning is not a reason for rejection

- ✓ Available with striations, flat(w/waiver) or with minor ribs
- ✓ Panels installed over solid substrate only
- ✓ Minimum recommended roof slope: 3:12
- ✓ Not recommended in lengths over 30'-0"
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|-----------------------|-------|-------------------------------------|-------|----------|------------|------------|
| 2544100 | Image II 12" Striated | 26 | Galvanized (G60) | 1.1 | 12" | INQUIRE | INQUIRE |
| 2544141 | Image II 12" Striated | 26 | ACGalvalume (AZ55) | 1.1 | 12" | INQUIRE | INQUIRE |
| 25441xx | Image II 12" Striated | 26 | MS Colorfast45® | 1.1 | 12" | INQUIRE | INQUIRE |
| 2544173 | Image II 12" Striated | 26 | MS CF45 Native Copper / Patriot Red | 1.1 | 12" | INQUIRE | INQUIRE |
| 26441w45 | Image II 12" Striated | 26 | Rustic Steel / PVDF | 1.1 | 12" | INQUIRE | INQUIRE |
| 2718841 | Image II 12" Striated | 24 | ACGalvalume (AZ55) | 1.44 | 12" | INQUIRE | INQUIRE |
| 27188xx | Image II 12" Striated | 24 | Kynar 500 / PVDF | 1.44 | 12" | INQUIRE | INQUIRE |
| 2514600 | Image II 12" Ribbed | 26 | Galvanized (G60) | 1.1 | 12" | INQUIRE | INQUIRE |
| 2514641 | Image II 12" Ribbed | 26 | ACGalvalume (AZ55) | 1.1 | 12" | INQUIRE | INQUIRE |
| 25146xx | Image II 12" Ribbed | 26 | MS Colorfast45® | 1.1 | 12" | INQUIRE | INQUIRE |
| 2514673 | Image II 12" Ribbed | 26 | MS CF45 Native Copper / Patriot Red | 1.1 | 12" | INQUIRE | INQUIRE |
| 26442W45 | Image II 12" Ribbed | 26 | Rustic Steel / PVDF | 1.1 | 12" | INQUIRE | INQUIRE |
| 2718641 | Image II 12" Ribbed | 24 | ACGalvalume (AZ55) | 1.44 | 12" | INQUIRE | INQUIRE |
| 27186xx | Image II 12" Ribbed | 24 | Kynar 500 / PVDF | 1.44 | 12" | INQUIRE | INQUIRE |
| 2543100 | Image II 12" Flat | 26 | Galvanized (G60) | 1.1 | 12" | INQUIRE | INQUIRE |
| 2543141 | Image II 12" Flat | 26 | ACGalvalume (AZ55) | 1.1 | 12" | INQUIRE | INQUIRE |
| 25431xx | Image II 12" Flat | 26 | MS Colorfast45® | 1.1 | 12" | INQUIRE | INQUIRE |
| 2543173 | Image II 12" Flat | 26 | MS CF45 Native Copper / Patriot Red | 1.1 | 12" | INQUIRE | INQUIRE |
| 26440W45 | Image II 12" Flat | 26 | Rustic Steel / PVDF | 1.1 | 12" | INQUIRE | INQUIRE |
| 2719041 | Image II 12" Flat | 24 | ACGalvalume (AZ55) | 1.44 | 12" | INQUIRE | INQUIRE |
| 27190xx | Image II 12" Flat | 24 | Kynar 500 / PVDF | 1.44 | 12" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 30'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|-------------------------------|--------|--------|--------|---------|------------|
| 6460499 | IMAGE II CLOSURE 36" | GREY | | 36" | | INQUIRE |
| 6463999 | IMAGE II CLOSURE 32" | GREY | | 32" | | INQUIRE |
| 6852406 | COR-A-VENT MATERIAL 4' | GREY | | 48" | | INQUIRE |
| 6460599 | IMII COBRA VENT MATERIAL 36" | GREY | | 36" | | INQUIRE |
| 6462350 | IMII 16" LOW PROFILE VENT 32" | GREY | | 32" | | INQUIRE |
| 6462398 | IMII 12" LOW PROFILE VENT 36" | GREY | | 36" | | INQUIRE |



CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Concealed Fastened Panels

16" Image II Profile Information

- ✓ Hidden fastener system for residential and architectural use
- ✓ 26ga and 24ga Standard.
- ✓ See color chart for available colors
- ✓ Paint Warranty - Colorfast 45 year / Kynar 45 year
- ✓ Oil Canning is not a reason for rejection

- ✓ Available with striations, flat(w/waiver) or with minor ribs
- ✓ Panels installed over solid substrate only
- ✓ Minimum recommended roof slope: 3:12
- ✓ Not recommended in lengths over 30'-0"
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|-----------------------|-------|-------------------------------------|-------|----------|------------|------------|
| 2544400 | Image II 16" Striated | 26 | Galvanized (G60) | 1.345 | 16" | INQUIRE | INQUIRE |
| 2544441 | Image II 16" Striated | 26 | ACGalvalume (AZ55) | 1.345 | 16" | INQUIRE | INQUIRE |
| 25444xx | Image II 16" Striated | 26 | MS Colorfast45® | 1.345 | 16" | INQUIRE | INQUIRE |
| 2544473 | Image II 16" Striated | 26 | MS CF45 Native Copper / Patriot Red | 1.345 | 16" | INQUIRE | INQUIRE |
| 26444w45 | Image II 16" Striated | 26 | Rustic Steel / PVDF | 1.345 | 16" | INQUIRE | INQUIRE |
| 2718741 | Image II 16" Striated | 24 | ACGalvalume (AZ55) | 1.707 | 16" | INQUIRE | INQUIRE |
| 27187xx | Image II 16" Striated | 24 | Kynar 500 / PVDF | 1.707 | 16" | INQUIRE | INQUIRE |
| 2534600 | Image II 16" Ribbed | 26 | Galvanized (G60) | 1.345 | 16" | INQUIRE | INQUIRE |
| 2534641 | Image II 16" Ribbed | 26 | ACGalvalume (AZ55) | 1.345 | 16" | INQUIRE | INQUIRE |
| 25346xx | Image II 16" Ribbed | 26 | MS Colorfast45® | 1.345 | 16" | INQUIRE | INQUIRE |
| 2534673 | Image II 16" Ribbed | 26 | MS CF45 Native Copper / Patriot Red | 1.345 | 16" | INQUIRE | INQUIRE |
| 26346W45 | Image II 16" Ribbed | 26 | Rustic Steel / PVDF | 1.345 | 16" | INQUIRE | INQUIRE |
| 2718941 | Image II 16" Ribbed | 24 | ACGalvalume (AZ55) | 1.707 | 16" | INQUIRE | INQUIRE |
| 27189xx | Image II 16" Ribbed | 24 | Kynar 500 / PVDF | 1.707 | 16" | INQUIRE | INQUIRE |
| 2543400 | Image II 16" Flat | 26 | Galvanized (G60) | 1.345 | 16" | INQUIRE | INQUIRE |
| 2543441 | Image II 16" Flat | 26 | ACGalvalume (AZ55) | 1.345 | 16" | INQUIRE | INQUIRE |
| 25434xx | Image II 16" Flat | 26 | MS Colorfast45® | 1.345 | 16" | INQUIRE | INQUIRE |
| 2543473 | Image II 16" Flat | 26 | MS CF45 Native Copper / Patriot Red | 1.345 | 16" | INQUIRE | INQUIRE |
| 26347W45 | Image II 16" Flat | 26 | Rustic Steel / PVDF | 1.345 | 16" | INQUIRE | INQUIRE |
| 2719141 | Image II 16" Flat | 24 | ACGalvalume (AZ55) | 1.707 | 16" | INQUIRE | INQUIRE |
| 27191xx | Image II 16" Flat | 24 | Kynar 500 / PVDF | 1.707 | 16" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 30'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|-------------------------------|--------|--------|--------|---------|------------|
| 6460499 | IMAGE II CLOSURE 36" | GREY | | 36" | | INQUIRE |
| 6463999 | IMAGE II CLOSURE 32" | GREY | | 32" | | INQUIRE |
| 6852406 | COR-A-VENT MATERIAL 4' | GREY | | 48" | | INQUIRE |
| 6460599 | IMII COBRA VENT MATERIAL 36" | GREY | | 36" | | INQUIRE |
| 6462350 | IMII 16" LOW PROFILE VENT 32" | GREY | | 32" | | INQUIRE |
| 6462398 | IMII 12" LOW PROFILE VENT 36" | GREY | | 36" | | INQUIRE |


CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Concealed Fastened Panels

Box-Batten Profile Information

- ✓ Hidden fastener system for residential and architectural use
- ✓ 26ga and 24ga Standard 22ga Optional
- ✓ See color chart for available colors
- ✓ Paint Warranty - Colorfast 45 year / Kynar 45 year
- ✓ Oil Canning is not a reason for rejection

- ✓ Available with striations or flat(w/waiver)
- ✓ Panels installed over solid substrate only
- ✓ Minimum recommended roof slope: 3:12
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|----------------|-------|--------------------|-------|----------|------------|------------|
| 2524041 | Box Batten 12" | 26 | ACGalvalume (AZ55) | 0.87 | 12" | INQUIRE | INQUIRE |
| 25240xx | Box Batten 12" | 26 | MS Colorfast45® | 0.87 | 12" | INQUIRE | INQUIRE |
| 2724041 | Box Batten 12" | 24 | ACGalvalume (AZ55) | 1.11 | 12" | INQUIRE | INQUIRE |
| 28240xx | Box Batten 12" | 24 | Kynar 500 / PVDF | 1.11 | 12" | INQUIRE | INQUIRE |
| 3024041 | Box Batten 12" | 22 | ACGalvalume (AZ55) | 1.4 | 12" | INQUIRE | INQUIRE |
| 30240xx | Box Batten 12" | 22 | Kynar 500 / PVDF | 1.4 | 12" | INQUIRE | INQUIRE |
| 2524841 | Box Batten 16" | 26 | ACGalvalume (AZ55) | 1.14 | 16" | INQUIRE | INQUIRE |
| 25248xx | Box Batten 16" | 26 | MS Colorfast45® | 1.14 | 16" | INQUIRE | INQUIRE |
| 2724841 | Box Batten 16" | 24 | ACGalvalume (AZ55) | 1.447 | 16" | INQUIRE | INQUIRE |
| 28248xx | Box Batten 16" | 24 | Kynar 500 / PVDF | 1.447 | 16" | INQUIRE | INQUIRE |
| 3024841 | Box Batten 16" | 22 | ACGalvalume (AZ55) | 1.85 | 16" | INQUIRE | INQUIRE |
| 30248xx | Box Batten 16" | 22 | Kynar 500 / PVDF | 1.85 | 16" | INQUIRE | INQUIRE |
| 2526541 | Box Batten 18" | 26 | ACGalvalume (AZ55) | 1.26 | 18" | INQUIRE | INQUIRE |
| 25265xx | Box Batten 18" | 26 | MS Colorfast45® | 1.26 | 18" | INQUIRE | INQUIRE |
| 2726541 | Box Batten 18" | 24 | ACGalvalume (AZ55) | 1.615 | 18" | INQUIRE | INQUIRE |
| 28265xx | Box Batten 18" | 24 | Kynar 500 / PVDF | 1.615 | 18" | INQUIRE | INQUIRE |
| 3026541 | Box Batten 18" | 22 | ACGalvalume (AZ55) | 2.07 | 18" | INQUIRE | INQUIRE |
| 30265xx | Box Batten 18" | 22 | Kynar 500 / PVDF | 2.07 | 18" | INQUIRE | INQUIRE |
| 2519941 | Box Batten Cap | 26 | ACGalvalume (AZ55) | 0.3 | | | INQUIRE |
| 25199xx | Box Batten Cap | 26 | MS Colorfast45® | 0.3 | | | INQUIRE |
| 2719941 | Box Batten Cap | 24 | ACGalvalume (AZ55) | 0.38 | | | INQUIRE |
| 28199xx | Box Batten Cap | 24 | Kynar 500 / PVDF | 0.38 | | | INQUIRE |
| 3019941 | Box Batten Cap | 22 | ACGalvalume (AZ55) | 0.4 | | | INQUIRE |
| 30199xx | Box Batten Cap | 22 | Kynar 500 / PVDF | 0.4 | | | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|-----------------|--------|--------|--------|---------|------------|
| 4924000 | Box Batten Clip | GALV | 0.058 | | | INQUIRE |


CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Concealed Fastened Panels

Maxi-Batten Profile Information

- ✓ Hidden fastener system for residential and architectural use
- ✓ 26ga and 24ga Standard 22ga Optional
- ✓ See color chart for available colors
- ✓ Paint Warranty - Colorfast 45 year / Kynar 45 year
- ✓ Oil Canning is not a reason for rejection

- ✓ Available with striations or flat(w/waiver)
- ✓ Panels installed over solid substrate only
- ✓ Minimum recommended roof slope: 3:12
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|---------------------|-------|--------------------|-------|----------|------------|------------|
| 2524041 | Maxi Batten 13 1/4" | 26 | ACGalvalume (AZ55) | 0.87 | 13.25" | INQUIRE | INQUIRE |
| 25240xx | Maxi Batten 13 1/4" | 26 | MS Colorfast45® | 0.87 | 13.25" | INQUIRE | INQUIRE |
| 2724041 | Maxi Batten 13 1/4" | 24 | ACGalvalume (AZ55) | 1.11 | 13.25" | INQUIRE | INQUIRE |
| 28240xx | Maxi Batten 13 1/4" | 24 | Kynar 500 / PVDF | 1.11 | 13.25" | INQUIRE | INQUIRE |
| 3024041 | Maxi Batten 13 1/4" | 22 | ACGalvalume (AZ55) | 1.4 | 13.25" | INQUIRE | INQUIRE |
| 30240xx | Maxi Batten 13 1/4" | 22 | Kynar 500 / PVDF | 1.4 | 13.25" | INQUIRE | INQUIRE |
| 2524841 | Maxi Batten 17 1/4" | 26 | ACGalvalume (AZ55) | 1.14 | 17.25" | INQUIRE | INQUIRE |
| 25248xx | Maxi Batten 17 1/4" | 26 | MS Colorfast45® | 1.14 | 17.25" | INQUIRE | INQUIRE |
| 2724841 | Maxi Batten 17 1/4" | 24 | ACGalvalume (AZ55) | 1.447 | 17.25" | INQUIRE | INQUIRE |
| 28248xx | Maxi Batten 17 1/4" | 24 | Kynar 500 / PVDF | 1.447 | 17.25" | INQUIRE | INQUIRE |
| 3024841 | Maxi Batten 17 1/4" | 22 | ACGalvalume (AZ55) | 1.85 | 17.25" | INQUIRE | INQUIRE |
| 30248xx | Maxi Batten 17 1/4" | 22 | Kynar 500 / PVDF | 1.85 | 17.25" | INQUIRE | INQUIRE |
| 2526541 | Maxi Batten 19 1/4" | 26 | ACGalvalume (AZ55) | 1.26 | 19.25" | INQUIRE | INQUIRE |
| 25265xx | Maxi Batten 19 1/4" | 26 | Kynar 500 / PVDF | 1.26 | 19.25" | INQUIRE | INQUIRE |
| 2726541 | Maxi Batten 19 1/4" | 24 | ACGalvalume (AZ55) | 1.615 | 19.25" | INQUIRE | INQUIRE |
| 28265xx | Maxi Batten 19 1/4" | 24 | Kynar 500 / PVDF | 1.615 | 19.25" | INQUIRE | INQUIRE |
| 3026541 | Maxi Batten 19 1/4" | 22 | ACGalvalume (AZ55) | 2.07 | 19.25" | INQUIRE | INQUIRE |
| 30265xx | Maxi Batten 19 1/4" | 22 | Kynar 500 / PVDF | 2.07 | 19.25" | INQUIRE | INQUIRE |
| 2519941 | Maxi Batten Cap | 26 | ACGalvalume (AZ55) | 0.3 | | | INQUIRE |
| 25199xx | Maxi Batten Cap | 26 | MS Colorfast45® | 0.3 | | | INQUIRE |
| 2719941 | Maxi Batten Cap | 24 | ACGalvalume (AZ55) | 0.38 | | | INQUIRE |
| 28199xx | Maxi Batten Cap | 24 | Kynar 500 / PVDF | 0.38 | | | INQUIRE |
| 3019941 | Maxi Batten Cap | 22 | ACGalvalume (AZ55) | 0.4 | | | INQUIRE |
| 30199xx | Maxi Batten Cap | 22 | Kynar 500 / PVDF | 0.4 | | | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|------------------|--------|--------|--------|---------|------------|
| 4934000 | Maxi Batten Clip | GALV | 0.204 | | | INQUIRE |


CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Concealed Fastened Panels

Mini-Batten 1" Profile Information

- ✓ Hidden fastener system for residential and architectural use
- ✓ 26ga and 24ga Standard 22ga Optional
- ✓ See color chart for available colors
- ✓ Paint Warranty - Colorfast 45 year / Kynar 45 year
- ✓ Oil Canning is not a reason for rejection

- ✓ Available with striations or flat(w/waiver)
- ✓ Panels installed over solid substrate only
- ✓ Minimum recommended roof slope: 3:12
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|--------------------|-------|--------------------|-------|----------|------------|------------|
| 2523841 | 1" Mini Batten 12" | 26 | ACGalvalume (AZ55) | 0.94 | 12" | INQUIRE | INQUIRE |
| 25238xx | 1" Mini Batten 12" | 26 | MS Colorfast45® | 0.94 | 12" | INQUIRE | INQUIRE |
| 2723841 | 1" Mini Batten 12" | 24 | ACGalvalume (AZ55) | 1.19 | 12" | INQUIRE | INQUIRE |
| 28238xx | 1" Mini Batten 12" | 24 | Kynar 500 / PVDF | 1.19 | 12" | INQUIRE | INQUIRE |
| 3023841 | 1" Mini Batten 12" | 22 | ACGalvalume (AZ55) | 1.4 | 12" | INQUIRE | INQUIRE |
| 30238xx | 1" Mini Batten 12" | 22 | Kynar 500 / PVDF | 1.4 | 12" | INQUIRE | INQUIRE |
| 2524441 | 1" Mini Batten 16" | 26 | ACGalvalume (AZ55) | 1.2 | 16" | INQUIRE | INQUIRE |
| 25244xx | 1" Mini Batten 16" | 26 | MS Colorfast45® | 1.2 | 16" | INQUIRE | INQUIRE |
| 2724441 | 1" Mini Batten 16" | 24 | ACGalvalume (AZ55) | 1.447 | 16" | INQUIRE | INQUIRE |
| 28244xx | 1" Mini Batten 16" | 24 | Kynar 500 / PVDF | 1.447 | 16" | INQUIRE | INQUIRE |
| 3024441 | 1" Mini Batten 16" | 22 | ACGalvalume (AZ55) | 1.657 | 16" | INQUIRE | INQUIRE |
| 30244xx | 1" Mini Batten 16" | 22 | Kynar 500 / PVDF | 1.657 | 16" | INQUIRE | INQUIRE |
| 2526041 | 1" Mini Batten 18" | 26 | ACGalvalume (AZ55) | 1.33 | 18" | INQUIRE | INQUIRE |
| 25260xx | 1" Mini Batten 18" | 26 | MS Colorfast45® | 1.33 | 18" | INQUIRE | INQUIRE |
| 2726041 | 1" Mini Batten 18" | 24 | ACGalvalume (AZ55) | 1.684 | 18" | INQUIRE | INQUIRE |
| 28260xx | 1" Mini Batten 18" | 24 | Kynar 500 / PVDF | 1.684 | 18" | INQUIRE | INQUIRE |
| 3026041 | 1" Mini Batten 18" | 22 | ACGalvalume (AZ55) | 1.9 | 18" | INQUIRE | INQUIRE |
| 30260xx | 1" Mini Batten 18" | 22 | Kynar 500 / PVDF | 1.9 | 18" | INQUIRE | INQUIRE |
| 2519841 | Mini Batten Cap | 26 | ACGalvalume (AZ55) | 0.17 | | | INQUIRE |
| 25198xx | Mini Batten Cap | 26 | MS Colorfast45® | 0.17 | | | INQUIRE |
| 2719841 | Mini Batten Cap | 24 | ACGalvalume (AZ55) | 0.22 | | | INQUIRE |
| 28198xx | Mini Batten Cap | 24 | Kynar 500 / PVDF | 0.22 | | | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 20'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|---------------------|--------|--------|--------|---------|------------|
| 4924010 | 1" Mini Batten Clip | GALV | 0.058 | | | INQUIRE |


CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Concealed Fastened Panels

Mini-Batten 1 1/2" Profile Information

- ✓ Hidden fastener system for residential and architectural use
- ✓ 26ga and 24ga Standard 22ga Optional
- ✓ See color chart for available colors
- ✓ Paint Warranty - Colorfast 45 year / Kynar 45 year
- ✓ Oil Canning is not a reason for rejection

- ✓ Available with striations or flat(w/waiver)
- ✓ Panels installed over solid substrate only
- ✓ Minimum recommended roof slope: 3:12
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|------------------------|-------|--------------------|-------|----------|------------|------------|
| 2523941 | 1 1/2" Mini Batten 12" | 26 | ACGalvalume (AZ55) | 1 | 12" | INQUIRE | INQUIRE |
| 25239xx | 1 1/2" Mini Batten 12" | 26 | MS Colorfast45® | 1 | 12" | INQUIRE | INQUIRE |
| 2723941 | 1 1/2" Mini Batten 12" | 24 | ACGalvalume (AZ55) | 1.27 | 12" | INQUIRE | INQUIRE |
| 28239xx | 1 1/2" Mini Batten 12" | 24 | Kynar 500 / PVDF | 1.27 | 12" | INQUIRE | INQUIRE |
| 3023941 | 1 1/2" Mini Batten 12" | 22 | ACGalvalume (AZ55) | 1.397 | 12" | INQUIRE | INQUIRE |
| 30239xx | 1 1/2" Mini Batten 12" | 22 | Kynar 500 / PVDF | 1.397 | 12" | INQUIRE | INQUIRE |
| 2524641 | 1 1/2" Mini Batten 16" | 26 | ACGalvalume (AZ55) | 1.27 | 16" | INQUIRE | INQUIRE |
| 25246xx | 1 1/2" Mini Batten 16" | 26 | MS Colorfast45® | 1.27 | 16" | INQUIRE | INQUIRE |
| 2724641 | 1 1/2" Mini Batten 16" | 24 | ACGalvalume (AZ55) | 1.513 | 16" | INQUIRE | INQUIRE |
| 28246xx | 1 1/2" Mini Batten 16" | 24 | Kynar 500 / PVDF | 1.513 | 16" | INQUIRE | INQUIRE |
| 3024641 | 1 1/2" Mini Batten 16" | 22 | ACGalvalume (AZ55) | 1.6 | 16" | INQUIRE | INQUIRE |
| 30246xx | 1 1/2" Mini Batten 16" | 22 | Kynar 500 / PVDF | 1.6 | 16" | INQUIRE | INQUIRE |
| 2526241 | 1 1/2" Mini Batten 18" | 26 | ACGalvalume (AZ55) | 1.39 | 18" | INQUIRE | INQUIRE |
| 25262xx | 1 1/2" Mini Batten 18" | 26 | MS Colorfast45® | 1.39 | 18" | INQUIRE | INQUIRE |
| 2726241 | 1 1/2" Mini Batten 18" | 24 | ACGalvalume (AZ55) | 1.775 | 18" | INQUIRE | INQUIRE |
| 28262xx | 1 1/2" Mini Batten 18" | 24 | Kynar 500 / PVDF | 1.775 | 18" | INQUIRE | INQUIRE |
| 3026241 | 1 1/2" Mini Batten 18" | 22 | ACGalvalume (AZ55) | 2 | 18" | INQUIRE | INQUIRE |
| 30262xx | 1 1/2" Mini Batten 18" | 22 | Kynar 500 / PVDF | 2 | 18" | INQUIRE | INQUIRE |
| 2519841 | Mini Batten Cap | 26 | ACGalvalume (AZ55) | 0.17 | | | INQUIRE |
| 25198xx | Mini Batten Cap | 26 | MS Colorfast45® | 0.17 | | | INQUIRE |
| 2719841 | Mini Batten Cap | 24 | ACGalvalume (AZ55) | 0.22 | | | INQUIRE |
| 28198xx | Mini Batten Cap | 24 | Kynar 500 / PVDF | 0.22 | | | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|-------------------------|--------|--------|--------|---------|------------|
| 4924020 | 1 1/2" Mini Batten Clip | GALV | 0.058 | | | INQUIRE |


CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Concealed Fastened Panels

Curved Mini-Batten 1" Profile Information

- ✓ Hidden fastener system for residential and architectural use
- ✓ 26ga and 24ga Standard 22ga Optional
- ✓ See color chart for available colors
- ✓ Paint Warranty - Colorfast 45 year / Kynar 45 year

- ✓ Oil Canning is not a reason for rejection
- ✓ Available with striations or flat(w/waiver)
- ✓ Panels installed over solid substrate only
- ✓ Minimum radius 4'-0"



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|------------------------|-------|--------------------|-------|----------|------------|------------|
| 2523741 | Curved Mini Batten 12" | 26 | ACGalvalume (AZ55) | 1.06 | 12" | INQUIRE | INQUIRE |
| 25237xx | Curved Mini Batten 12" | 26 | MS Colorfast45® | 1.06 | 12" | INQUIRE | INQUIRE |
| 2723741 | Curved Mini Batten 12" | 24 | ACGalvalume (AZ55) | 1.36 | 12" | INQUIRE | INQUIRE |
| 28237xx | Curved Mini Batten 12" | 24 | Kynar 500 / PVDF | 1.36 | 12" | INQUIRE | INQUIRE |
| 3023741 | Curved Mini Batten 12" | 22 | ACGalvalume (AZ55) | 1.55 | 12" | INQUIRE | INQUIRE |
| 30237xx | Curved Mini Batten 12" | 22 | Kynar 500 / PVDF | 1.55 | 12" | INQUIRE | INQUIRE |
| 2524541 | Curved Mini Batten 16" | 26 | ACGalvalume (AZ55) | 1.33 | 16" | INQUIRE | INQUIRE |
| 25245xx | Curved Mini Batten 16" | 26 | MS Colorfast45® | 1.33 | 16" | INQUIRE | INQUIRE |
| 2724541 | Curved Mini Batten 16" | 24 | ACGalvalume (AZ55) | 1.68 | 16" | INQUIRE | INQUIRE |
| 28245xx | Curved Mini Batten 16" | 24 | Kynar 500 / PVDF | 1.68 | 16" | INQUIRE | INQUIRE |
| 3024541 | Curved Mini Batten 16" | 22 | ACGalvalume (AZ55) | 1.94 | 16" | INQUIRE | INQUIRE |
| 30245xx | Curved Mini Batten 16" | 22 | Kynar 500 / PVDF | 1.94 | 16" | INQUIRE | INQUIRE |
| 2526141 | Curved Mini Batten 18" | 26 | ACGalvalume (AZ55) | 1.46 | 18" | INQUIRE | INQUIRE |
| 25261xx | Curved Mini Batten 18" | 26 | MS Colorfast45® | 1.46 | 18" | INQUIRE | INQUIRE |
| 2726141 | Curved Mini Batten 18" | 24 | ACGalvalume (AZ55) | 1.86 | 18" | INQUIRE | INQUIRE |
| 28261xx | Curved Mini Batten 18" | 24 | Kynar 500 / PVDF | 1.86 | 18" | INQUIRE | INQUIRE |
| 3026141 | Curved Mini Batten 18" | 22 | ACGalvalume (AZ55) | 2.15 | 18" | INQUIRE | INQUIRE |
| 30261xx | Curved Mini Batten 18" | 22 | Kynar 500 / PVDF | 2.15 | 18" | INQUIRE | INQUIRE |
| 2520041 | Curved Batten Cap | 26 | ACGalvalume (AZ55) | 0.17 | | | INQUIRE |
| 25200xx | Curved Batten Cap | 26 | MS Colorfast45® | 0.17 | | | INQUIRE |
| 2720041 | Curved Batten Cap | 24 | ACGalvalume (AZ55) | 0.22 | | | INQUIRE |
| 28200xx | Curved Batten Cap | 24 | Kynar 500 / PVDF | 0.22 | | | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform
- Curving machine available at www.msseamers.com

| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|-------------------------|--------|--------|--------|---------|------------|
| 4924030 | Curved Mini Batten Clip | GALV | 0.058 | | | INQUIRE |



CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Concealed Fastened Panels

Soffit Profile Information

- ✓ Hidden fastener system for residential and architectural use
- ✓ 26ga and 24ga Standard 22ga Optional
- ✓ See color chart for available colors
- ✓ Paint Warranty - Colorfast 45 year / Kynar 45 year
- ✓ Oil Canning is not a reason for rejection

- ✓ Available with V-Grooves or Flat(w/waiver)
- ✓ Panels installed over solid substrate or open framing
- ✓ Not recommended in lengths over 5'-0" for 26ga
- ✓ Not recommended in lengths over 20'-0" for 24ga
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|---------------------------|-------|-------------------------------------|-------|----------|------------|------------|
| 2433800 | Soffit 12" Flat-Solid | 29 | Galvanized (G60) | 0.78 | 12" | INQUIRE | INQUIRE |
| 2433841 | Soffit 12" Flat-Solid | 29 | ACGalvalume (AZ55) | 0.78 | 12" | INQUIRE | INQUIRE |
| 24338xx | Soffit 12" Flat-Solid | 29 | MS Colorfast45® | 0.78 | 12" | INQUIRE | INQUIRE |
| 2533800 | Soffit 12" Flat-Solid | 26 | Galvanized (G60) | 1.04 | 12" | INQUIRE | INQUIRE |
| 2533841 | Soffit 12" Flat-Solid | 26 | ACGalvalume (AZ55) | 1.04 | 12" | INQUIRE | INQUIRE |
| 25338xx | Soffit 12" Flat-Solid | 26 | MS Colorfast45® | 1.04 | 12" | INQUIRE | INQUIRE |
| 2533873 | Soffit 12" Flat-Solid | 26 | MS CF45 Native Copper / Patriot Red | 1.04 | 12" | INQUIRE | INQUIRE |
| 26338w45 | Soffit 12" Flat-Solid | 26 | Rustic Steel / PVDF | 1.04 | 12" | INQUIRE | INQUIRE |
| 2733841 | Soffit 12" Flat-Solid | 24 | ACGalvalume (AZ55) | 1.32 | 12" | INQUIRE | INQUIRE |
| 28338XX | Soffit 12" Flat-Solid | 24 | Kynar 500 / PVDF | 1.32 | 12" | INQUIRE | INQUIRE |
| 2933841 | Soffit 12" Flat-Solid | 22 | ACGalvalume (AZ55) | 1.62 | 12" | INQUIRE | INQUIRE |
| 29338XX | Soffit 12" Flat-Solid | 22 | Kynar 500 / PVDF | 1.62 | 12" | INQUIRE | INQUIRE |
| 2433900 | Soffit 12" V-Groove-Solid | 29 | Galvanized (G60) | 0.78 | 12" | INQUIRE | INQUIRE |
| 2433941 | Soffit 12" V-Groove-Solid | 29 | ACGalvalume (AZ55) | 0.78 | 12" | INQUIRE | INQUIRE |
| 24339xx | Soffit 12" V-Groove-Solid | 29 | MS Colorfast45® | 0.78 | 12" | INQUIRE | INQUIRE |
| 2533900 | Soffit 12" V-Groove-Solid | 26 | Galvanized (G60) | 1.04 | 12" | INQUIRE | INQUIRE |
| 2533941 | Soffit 12" V-Groove-Solid | 26 | ACGalvalume (AZ55) | 1.04 | 12" | INQUIRE | INQUIRE |
| 25339xx | Soffit 12" V-Groove-Solid | 26 | MS Colorfast45® | 1.04 | 12" | INQUIRE | INQUIRE |
| 2533973 | Soffit 12" V-Groove-Solid | 26 | MS CF45 Native Copper / Patriot Red | 1.04 | 12" | INQUIRE | INQUIRE |
| 26339w45 | Soffit 12" V-Groove-Solid | 26 | Rustic Steel / PVDF | 1.04 | 12" | INQUIRE | INQUIRE |
| 2733941 | Soffit 12" V-Groove-Solid | 24 | ACGalvalume (AZ55) | 1.32 | 12" | INQUIRE | INQUIRE |
| 28339XX | Soffit 12" V-Groove-Solid | 24 | Kynar 500 / PVDF | 1.32 | 12" | INQUIRE | INQUIRE |
| 2933941 | Soffit 12" V-Groove-Solid | 22 | ACGalvalume (AZ55) | 1.62 | 12" | INQUIRE | INQUIRE |
| 29339XX | Soffit 12" V-Groove-Solid | 22 | Kynar 500 / PVDF | 1.62 | 12" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 20'.
- Shading on Galvalume and Galvanized finishes may be non-uniform



CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Concealed Fastened Panels

Lanced Soffit Profile Information

- ✓ Hidden fastener system for residential and architectural use
- ✓ 26ga and 24ga Standard 22ga Optional
- ✓ See color chart for available colors
- ✓ Paint Warranty - Colorfast 45 year / Kynar 45 year
- ✓ Oil Canning is not a reason for rejection

- ✓ Available with V-Grooves or Flat(w/waiver)
- ✓ Panels installed over solid substrate or open framing
- ✓ Not recommended in lengths over 5'-0" for 26ga
- ✓ Not recommended in lengths over 20'-0" for 24ga
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|--------------------------|-------|-------------------------------------|-------|----------|------------|------------|
| 2434100 | Soffit 12" Flat Lanced | 29 | Galvanized (G60) | 0.78 | 12" | INQUIRE | INQUIRE |
| 2434141 | Soffit 12" Flat Lanced | 29 | ACGalvalume (AZ55) | 0.78 | 12" | INQUIRE | INQUIRE |
| 24341xx | Soffit 12" Flat Lanced | 29 | MS Colorfast45® | 0.78 | 12" | INQUIRE | INQUIRE |
| 2534100 | Soffit 12" Flat Lanced | 26 | Galvanized (G60) | 1.04 | 12" | INQUIRE | INQUIRE |
| 2534141 | Soffit 12" Flat Lanced | 26 | ACGalvalume (AZ55) | 1.04 | 12" | INQUIRE | INQUIRE |
| 25341xx | Soffit 12" Flat Lanced | 26 | MS Colorfast45® | 1.04 | 12" | INQUIRE | INQUIRE |
| 2534073 | Soffit 12" Flat Lanced | 26 | MS CF45 Native Copper / Patriot Red | 1.04 | 12" | INQUIRE | INQUIRE |
| 26341w45 | Soffit 12" Flat Lanced | 26 | Rustic Steel / PVDF | 1.04 | 12" | INQUIRE | INQUIRE |
| 2734141 | Soffit 12" Flat Lanced | 24 | ACGalvalume (AZ55) | 1.32 | 12" | INQUIRE | INQUIRE |
| 28347XX | Soffit 12" Flat Lanced | 24 | Kynar 500 / PVDF | 1.32 | 12" | INQUIRE | INQUIRE |
| 2934741 | Soffit 12" Flat Lanced | 22 | ACGalvalume (AZ55) | 1.62 | 12" | INQUIRE | INQUIRE |
| 30347XX | Soffit 12" Flat Lanced | 22 | Kynar 500 / PVDF | 1.62 | 12" | INQUIRE | INQUIRE |
| 2434000 | Soffit 12" Groove Lanced | 29 | Galvanized (G60) | 0.78 | 12" | INQUIRE | INQUIRE |
| 2434041 | Soffit 12" Groove Lanced | 29 | ACGalvalume (AZ55) | 0.78 | 12" | INQUIRE | INQUIRE |
| 24340xx | Soffit 12" Groove Lanced | 29 | MS Colorfast45® | 0.78 | 12" | INQUIRE | INQUIRE |
| 2534000 | Soffit 12" Groove Lanced | 26 | Galvanized (G60) | 1.04 | 12" | INQUIRE | INQUIRE |
| 2534041 | Soffit 12" Groove Lanced | 26 | ACGalvalume (AZ55) | 1.04 | 12" | INQUIRE | INQUIRE |
| 25340xx | Soffit 12" Groove Lanced | 26 | MS Colorfast45® | 1.04 | 12" | INQUIRE | INQUIRE |
| 2534073 | Soffit 12" Groove Lanced | 26 | MS CF45 Native Copper / Patriot Red | 1.04 | 12" | INQUIRE | INQUIRE |
| 26340w45 | Soffit 12" Groove Lanced | 26 | Rustic Steel / PVDF | 1.04 | 12" | INQUIRE | INQUIRE |
| 2734141 | Soffit 12" Groove Lanced | 24 | ACGalvalume (AZ55) | 1.32 | 12" | INQUIRE | INQUIRE |
| 28347XX | Soffit 12" Groove Lanced | 24 | Kynar 500 / PVDF | 1.32 | 12" | INQUIRE | INQUIRE |
| 2934941 | Soffit 12" Groove Lanced | 22 | ACGalvalume (AZ55) | 1.62 | 12" | INQUIRE | INQUIRE |
| 30349XX | Soffit 12" Groove Lanced | 22 | Kynar 500 / PVDF | 1.62 | 12" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 20'.
- Shading on Galvalume and Galvanized finishes may be non-uniform


CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Concealed Fastened Panels

TLC-1 and TLC-2 Profile Information

- ✓ Hidden fastener system for residential and architectural use
- ✓ 24ga Standard 22ga Optional
- ✓ See color chart for available colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Oil Canning is not a reason for rejection
- ✓ Available with striations, flat(w/waiver) or with Grooves
- ✓ Panels installed over solid substrate or open framing
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|-----------------|-------|--------------------|-------|----------|------------|------------|
| 22F6741 | TLC-1 Flat | 24 | ACGalvalume (AZ55) | 1.61 | 12" | INQUIRE | INQUIRE |
| 22F67xx | TLC-1 Flat | 24 | Kynar 500 / PVDF | 1.61 | 12" | INQUIRE | INQUIRE |
| 23F6741 | TLC-1 Flat | 22 | ACGalvalume (AZ55) | 1.83 | 12" | INQUIRE | INQUIRE |
| 23F67xx | TLC-1 Flat | 22 | Kynar 500 / PVDF | 1.83 | 12" | INQUIRE | INQUIRE |
| 24F6741 | TLC-1 Flat | 20 | ACGalvalume (AZ55) | 2.45 | 12" | INQUIRE | INQUIRE |
| 24F67xx | TLC-1 Flat | 20 | Kynar 500 / PVDF | 2.45 | 12" | INQUIRE | INQUIRE |
| 25F6741 | TLC-1 Flat | 18 | ACGalvalume (AZ55) | 3.16 | 12" | INQUIRE | INQUIRE |
| 25F67xx | TLC-1 Flat | 18 | Kynar 500 / PVDF | 3.16 | 12" | INQUIRE | INQUIRE |
| 22F6941 | TLC-2 V-Grooves | 24 | ACGalvalume (AZ55) | 1.61 | 12" | INQUIRE | INQUIRE |
| 22F69xx | TLC-2 V-Grooves | 24 | Kynar 500 / PVDF | 1.61 | 12" | INQUIRE | INQUIRE |
| 23F6941 | TLC-2 V-Grooves | 22 | ACGalvalume (AZ55) | 1.83 | 12" | INQUIRE | INQUIRE |
| 23F69xx | TLC-2 V-Grooves | 22 | Kynar 500 / PVDF | 1.83 | 12" | INQUIRE | INQUIRE |
| 24F6941 | TLC-2 V-Grooves | 20 | ACGalvalume (AZ55) | 2.45 | 12" | INQUIRE | INQUIRE |
| 24F69xx | TLC-2 V-Grooves | 20 | Kynar 500 / PVDF | 2.45 | 12" | INQUIRE | INQUIRE |
| 25F6941 | TLC-2 V-Grooves | 18 | ACGalvalume (AZ55) | 3.16 | 12" | INQUIRE | INQUIRE |
| 25F69xx | TLC-2 V-Grooves | 18 | Kynar 500 / PVDF | 3.16 | 12" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform


CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Concealed Fastened Panels

TLC-3 and TLC-4 Profile Information

- ✓ Hidden fastener system for residential and architectural use
- ✓ 24ga Standard 22ga Optional
- ✓ See color chart for available colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Oil Canning is not a reason for rejection
- ✓ Available with striations, flat(w/waiver) or with Grooves
- ✓ Panels installed over solid substrate or open framing
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|----------------|-------|--------------------|-------|----------|------------|------------|
| 22F7241 | TLC-3 V-Groove | 24 | ACGalvalume (AZ55) | 1.61 | 12" | INQUIRE | INQUIRE |
| 22F72xx | TLC-3 V-Groove | 24 | Kynar 500 / PVDF | 1.61 | 12" | INQUIRE | INQUIRE |
| 23F7241 | TLC-3 V-Groove | 22 | ACGalvalume (AZ55) | 1.83 | 12" | INQUIRE | INQUIRE |
| 23F72xx | TLC-3 V-Groove | 22 | Kynar 500 / PVDF | 1.83 | 12" | INQUIRE | INQUIRE |
| 24F7241 | TLC-3 V-Groove | 20 | ACGalvalume (AZ55) | 2.45 | 12" | INQUIRE | INQUIRE |
| 24F72xx | TLC-3 V-Groove | 20 | Kynar 500 / PVDF | 2.45 | 12" | INQUIRE | INQUIRE |
| 25F7241 | TLC-3 V-Groove | 18 | ACGalvalume (AZ55) | 3.16 | 12" | INQUIRE | INQUIRE |
| 25F72xx | TLC-3 V-Groove | 18 | Kynar 500 / PVDF | 3.16 | 12" | INQUIRE | INQUIRE |
| 22F7341 | TLC-4 Striated | 24 | ACGalvalume (AZ55) | 1.61 | 12" | INQUIRE | INQUIRE |
| 22F73xx | TLC-4 Striated | 24 | Kynar 500 / PVDF | 1.61 | 12" | INQUIRE | INQUIRE |
| 23F7341 | TLC-4 Striated | 22 | ACGalvalume (AZ55) | 1.83 | 12" | INQUIRE | INQUIRE |
| 23F73xx | TLC-4 Striated | 22 | Kynar 500 / PVDF | 1.83 | 12" | INQUIRE | INQUIRE |
| 24F7341 | TLC-4 Striated | 20 | ACGalvalume (AZ55) | 2.45 | 12" | INQUIRE | INQUIRE |
| 24F73xx | TLC-4 Striated | 20 | Kynar 500 / PVDF | 2.45 | 12" | INQUIRE | INQUIRE |
| 25F7341 | TLC-4 Striated | 18 | ACGalvalume (AZ55) | 3.16 | 12" | INQUIRE | INQUIRE |
| 25F73xx | TLC-4 Striated | 18 | Kynar 500 / PVDF | 3.16 | 12" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform



CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Concealed Fastened Panels

TLC-9 and TLC-10 Profile Information

- ✓ Hidden fastener system for residential and architectural use
- ✓ 24ga Standard 22ga Optional
- ✓ See color chart for available colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Oil Canning is not a reason for rejection
- ✓ Available with striations, flat(w/waiver) or with Grooves
- ✓ Panels installed over solid substrate or open framing
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|------------------|-------|--------------------|-------|----------|------------|------------|
| 22F9241 | TLC-9 Flat | 24 | ACGalvalume (AZ55) | 1.61 | 12" | INQUIRE | INQUIRE |
| 22F92xx | TLC-9 Flat | 24 | Kynar 500 / PVDF | 1.61 | 12" | INQUIRE | INQUIRE |
| 23F9241 | TLC-9 Flat | 22 | ACGalvalume (AZ55) | 1.83 | 12" | INQUIRE | INQUIRE |
| 23F92xx | TLC-9 Flat | 22 | Kynar 500 / PVDF | 1.83 | 12" | INQUIRE | INQUIRE |
| 24F9241 | TLC-9 Flat | 20 | ACGalvalume (AZ55) | 2.45 | 12" | INQUIRE | INQUIRE |
| 24F92xx | TLC-9 Flat | 20 | Kynar 500 / PVDF | 2.45 | 12" | INQUIRE | INQUIRE |
| 25F9241 | TLC-9 Flat | 18 | ACGalvalume (AZ55) | 3.16 | 12" | INQUIRE | INQUIRE |
| 25F92xx | TLC-9 Flat | 18 | Kynar 500 / PVDF | 3.16 | 12" | INQUIRE | INQUIRE |
| 22F9341 | TLC-10 V-Grooves | 24 | ACGalvalume (AZ55) | 1.61 | 12" | INQUIRE | INQUIRE |
| 22F93xx | TLC-10 V-Grooves | 24 | Kynar 500 / PVDF | 1.61 | 12" | INQUIRE | INQUIRE |
| 23F9341 | TLC-10 V-Grooves | 22 | ACGalvalume (AZ55) | 1.83 | 12" | INQUIRE | INQUIRE |
| 23F93xx | TLC-10 V-Grooves | 22 | Kynar 500 / PVDF | 1.83 | 12" | INQUIRE | INQUIRE |
| 24F9341 | TLC-10 V-Grooves | 20 | ACGalvalume (AZ55) | 2.45 | 12" | INQUIRE | INQUIRE |
| 24F93xx | TLC-10 V-Grooves | 20 | Kynar 500 / PVDF | 2.45 | 12" | INQUIRE | INQUIRE |
| 25F9341 | TLC-10 V-Grooves | 18 | ACGalvalume (AZ55) | 3.16 | 12" | INQUIRE | INQUIRE |
| 25F93xx | TLC-10 V-Grooves | 18 | Kynar 500 / PVDF | 3.16 | 12" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform


CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Concealed Fastened Panels

TLC-11 and TLC-12 Profile Information

- ✓ Hidden fastener system for residential and architectural use
- ✓ 24ga Standard 22ga Optional
- ✓ See color chart for available colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Oil Canning is not a reason for rejection
- ✓ Available with striations, flat(w/waiver) or with Grooves
- ✓ Panels installed over solid substrate or open framing
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|-----------------|-------|--------------------|-------|----------|------------|------------|
| 22F9441 | TLC-11 Flat | 24 | ACGalvalume (AZ55) | 1.61 | 12" | INQUIRE | INQUIRE |
| 22F94xx | TLC-11 Flat | 24 | Kynar 500 / PVDF | 1.61 | 12" | INQUIRE | INQUIRE |
| 23F9441 | TLC-11 Flat | 22 | ACGalvalume (AZ55) | 1.83 | 12" | INQUIRE | INQUIRE |
| 23F94xx | TLC-11 Flat | 22 | Kynar 500 / PVDF | 1.83 | 12" | INQUIRE | INQUIRE |
| 24F9441 | TLC-11 Flat | 20 | ACGalvalume (AZ55) | 2.45 | 12" | INQUIRE | INQUIRE |
| 24F94xx | TLC-11 Flat | 20 | Kynar 500 / PVDF | 2.45 | 12" | INQUIRE | INQUIRE |
| 25F9441 | TLC-11 Flat | 18 | ACGalvalume (AZ55) | 3.16 | 12" | INQUIRE | INQUIRE |
| 25F94xx | TLC-11 Flat | 18 | Kynar 500 / PVDF | 3.16 | 12" | INQUIRE | INQUIRE |
| 22W1241 | TLC-12 V-Groove | 24 | ACGalvalume (AZ55) | 1.61 | 12" | INQUIRE | INQUIRE |
| 22W12xx | TLC-12 V-Groove | 24 | Kynar 500 / PVDF | 1.61 | 12" | INQUIRE | INQUIRE |
| 23W1241 | TLC-12 V-Groove | 22 | ACGalvalume (AZ55) | 1.83 | 12" | INQUIRE | INQUIRE |
| 23W12xx | TLC-12 V-Groove | 22 | Kynar 500 / PVDF | 1.83 | 12" | INQUIRE | INQUIRE |
| 24W1241 | TLC-12 V-Groove | 20 | ACGalvalume (AZ55) | 2.45 | 12" | INQUIRE | INQUIRE |
| 24W12xx | TLC-12 V-Groove | 20 | Kynar 500 / PVDF | 2.45 | 12" | INQUIRE | INQUIRE |
| 25W1241 | TLC-12 V-Groove | 18 | ACGalvalume (AZ55) | 3.16 | 12" | INQUIRE | INQUIRE |
| 25W12xx | TLC-12 V-Groove | 18 | Kynar 500 / PVDF | 3.16 | 12" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform


CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Concealed Fastened Panels

TLC-13 and TLC-14 Profile Information

- ✓ Hidden fastener system for residential and architectural use
- ✓ 24ga Standard 22ga Optional
- ✓ See color chart for available colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Oil Canning is not a reason for rejection
- ✓ Available with striations, flat(w/waiver) or with Grooves
- ✓ Panels installed over solid substrate or open framing
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|-----------------|-------|--------------------|-------|----------|------------|------------|
| 22W1341 | TLC-13 Flat | 24 | ACGalvalume (AZ55) | 1.61 | 12" | INQUIRE | INQUIRE |
| 22W13xx | TLC-13 Flat | 24 | Kynar 500 / PVDF | 1.61 | 12" | INQUIRE | INQUIRE |
| 23W1341 | TLC-13 Flat | 22 | ACGalvalume (AZ55) | 1.83 | 12" | INQUIRE | INQUIRE |
| 23W13xx | TLC-13 Flat | 22 | Kynar 500 / PVDF | 1.83 | 12" | INQUIRE | INQUIRE |
| 24W1341 | TLC-13 Flat | 20 | ACGalvalume (AZ55) | 2.45 | 12" | INQUIRE | INQUIRE |
| 24W13xx | TLC-13 Flat | 20 | Kynar 500 / PVDF | 2.45 | 12" | INQUIRE | INQUIRE |
| 25W1341 | TLC-13 Flat | 18 | ACGalvalume (AZ55) | 3.16 | 12" | INQUIRE | INQUIRE |
| 25W13xx | TLC-13 Flat | 18 | Kynar 500 / PVDF | 3.16 | 12" | INQUIRE | INQUIRE |
| 22W1441 | TLC-14 V-Groove | 24 | ACGalvalume (AZ55) | 1.61 | 12" | INQUIRE | INQUIRE |
| 22W14xx | TLC-14 V-Groove | 24 | Kynar 500 / PVDF | 1.61 | 12" | INQUIRE | INQUIRE |
| 23W1441 | TLC-14 V-Groove | 22 | ACGalvalume (AZ55) | 1.83 | 12" | INQUIRE | INQUIRE |
| 23W14xx | TLC-14 V-Groove | 22 | Kynar 500 / PVDF | 1.83 | 12" | INQUIRE | INQUIRE |
| 24W1441 | TLC-14 V-Groove | 20 | ACGalvalume (AZ55) | 2.45 | 12" | INQUIRE | INQUIRE |
| 24W14xx | TLC-14 V-Groove | 20 | Kynar 500 / PVDF | 2.45 | 12" | INQUIRE | INQUIRE |
| 25W1441 | TLC-14 V-Groove | 18 | ACGalvalume (AZ55) | 3.16 | 12" | INQUIRE | INQUIRE |
| 25W14xx | TLC-14 V-Groove | 18 | Kynar 500 / PVDF | 3.16 | 12" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform


CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Concealed Fastened Panels

TLC-15 and TLC-16 Profile Information

- ✓ Hidden fastener system for residential and architectural use
- ✓ 24ga Standard 22ga Optional
- ✓ See color chart for available colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Oil Canning is not a reason for rejection
- ✓ Available with striations, flat(w/waiver) or with Grooves
- ✓ Panels installed over solid substrate or open framing
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|-----------------|-------|--------------------|-------|----------|------------|------------|
| 22W1541 | TLC-15 Flat | 24 | ACGalvalume (AZ55) | 1.61 | 12" | INQUIRE | INQUIRE |
| 22W15xx | TLC-15 Flat | 24 | Kynar 500 / PVDF | 1.61 | 12" | INQUIRE | INQUIRE |
| 23W1541 | TLC-15 Flat | 22 | ACGalvalume (AZ55) | 1.83 | 12" | INQUIRE | INQUIRE |
| 23W15xx | TLC-15 Flat | 22 | Kynar 500 / PVDF | 1.83 | 12" | INQUIRE | INQUIRE |
| 24W1541 | TLC-15 Flat | 20 | ACGalvalume (AZ55) | 2.45 | 12" | INQUIRE | INQUIRE |
| 24W15xx | TLC-15 Flat | 20 | Kynar 500 / PVDF | 2.45 | 12" | INQUIRE | INQUIRE |
| 25W1541 | TLC-15 Flat | 18 | ACGalvalume (AZ55) | 3.16 | 12" | INQUIRE | INQUIRE |
| 25W15xx | TLC-15 Flat | 18 | Kynar 500 / PVDF | 3.16 | 12" | INQUIRE | INQUIRE |
| 22W1641 | TLC-16 V-Groove | 24 | ACGalvalume (AZ55) | 1.61 | 12" | INQUIRE | INQUIRE |
| 22W16xx | TLC-16 V-Groove | 24 | Kynar 500 / PVDF | 1.61 | 12" | INQUIRE | INQUIRE |
| 23W1641 | TLC-16 V-Groove | 22 | ACGalvalume (AZ55) | 1.83 | 12" | INQUIRE | INQUIRE |
| 23W16xx | TLC-16 V-Groove | 22 | Kynar 500 / PVDF | 1.83 | 12" | INQUIRE | INQUIRE |
| 24W1641 | TLC-16 V-Groove | 20 | ACGalvalume (AZ55) | 2.45 | 12" | INQUIRE | INQUIRE |
| 24W16xx | TLC-16 V-Groove | 20 | Kynar 500 / PVDF | 2.45 | 12" | INQUIRE | INQUIRE |
| 25W1641 | TLC-16 V-Groove | 18 | ACGalvalume (AZ55) | 3.16 | 12" | INQUIRE | INQUIRE |
| 25W16xx | TLC-16 V-Groove | 18 | Kynar 500 / PVDF | 3.16 | 12" | INQUIRE | INQUIRE |

NOTES


- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Standing Seam Panels

Clip-Loc Profile Information

- ✓ Hidden fastener / clip system for industrial / commercial use
- ✓ 26ga and 24ga standard 22ga optional
- ✓ See color chart for available colors
- ✓ Paint Warranty - Colorfast 45 year / Kynar 45 year
- ✓ Manufactured from 50 ksi steel
- ✓ Install over open framing or solid deck (see load chart for ratings)
- ✓ Minimum recommended roof slope: 1:12
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|----------------|-------|--------------------|-------|----------|------------|------------|
| 2541041 | Clip-Loc PANEL | 26 | ACGalvalume (AZ55) | 1.42 | 16" | INQUIRE | INQUIRE |
| 25410xx | Clip-Loc PANEL | 26 | MS Colorfast45® | 1.42 | 16" | INQUIRE | INQUIRE |
| 2841041 | Clip-Loc PANEL | 24 | ACGalvalume (AZ55) | 1.92 | 16" | INQUIRE | INQUIRE |
| 28410xx | Clip-Loc PANEL | 24 | Kynar 500 / PVDF | 1.92 | 16" | INQUIRE | INQUIRE |
| 2941041 | Clip-Loc PANEL | 22 | ACGalvalume (AZ55) | 2.5 | 16" | INQUIRE | INQUIRE |
| 29410xx | Clip-Loc PANEL | 22 | Kynar 500 / PVDF | 2.5 | 16" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|----------------------------|--------|--------|--------|---------|------------|
| 4923250 | Clip-Loc Clip | GALV | 0.3156 | | | INQUIRE |
| 4923870 | Clip-Loc FLOATING RAKE ZEE | GALV | | 10'-0" | | INQUIRE |
| 6484799 | CLOSURE CLIP LOC OUTSIDE | GREY | | 32" | | INQUIRE |
| 6484899 | CLOSURE CLIP LOC INSIDE | GREY | | 32" | | INQUIRE |
| 6485799 | CLIP LOC OUTSIDE GLUED | GREY | | 32" | | INQUIRE |
| 6485899 | CLIP LOC INSIDE GLUED | GREY | | 32" | | INQUIRE |


CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Standing Seam Panels

16" Magna-Loc 90 Profile Information

- ✓ Hidden fastener / clip system for industrial / commercial use
- ✓ Mechanically seamed panel system. www.msseamers.com
- ✓ 24ga standard (22ga available, please inquire)
- ✓ See color chart for available colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Manufactured from 50 ksi steel
- ✓ Striations Standard. Flat available with waiver.
- ✓ Oil Canning is not a reason for rejection
- ✓ Minimum recommended roof slope: 1/2 :12
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|--------------------------|-------|--------------------|-------|----------|------------|------------|
| 2735241 | Magna-Loc 16" Striated | 24 | ACGalvalume (AZ55) | 1.827 | 16" | INQUIRE | INQUIRE |
| 28352xx | Magna-Loc 16" Striated | 24 | Kynar 500 / PVDF | 1.827 | 16" | INQUIRE | INQUIRE |
| 2935241 | Magna-Loc 16" Striated | 22 | ACGalvalume (AZ55) | 2.3 | 16" | INQUIRE | INQUIRE |
| 30352xx | Magna-Loc 16" Striated | 22 | Kynar 500 / PVDF | 2.3 | 16" | INQUIRE | INQUIRE |
| 2735141 | Magna-Loc 16" Flat | 24 | ACGalvalume (AZ55) | 1.827 | 16" | INQUIRE | INQUIRE |
| 28351xx | Magna-Loc 16" Flat | 24 | Kynar 500 / PVDF | 1.827 | 16" | INQUIRE | INQUIRE |
| 2935141 | Magna-Loc 16" Flat | 22 | ACGalvalume (AZ55) | 2.3 | 16" | INQUIRE | INQUIRE |
| 30351xx | Magna-Loc 16" Flat | 22 | Kynar 500 / PVDF | 2.3 | 16" | INQUIRE | INQUIRE |
| 2785041 | Magna-Loc 16" Pencil-Rib | 24 | ACGalvalume (AZ55) | 1.827 | 16" | INQUIRE | INQUIRE |
| 28850xx | Magna-Loc 16" Pencil-Rib | 24 | Kynar 500 / PVDF | 1.827 | 16" | INQUIRE | INQUIRE |
| 2985041 | Magna-Loc 16" Pencil-Rib | 22 | ACGalvalume (AZ55) | 2.3 | 16" | INQUIRE | INQUIRE |
| 30850xx | Magna-Loc 16" Pencil-Rib | 22 | Kynar 500 / PVDF | 2.3 | 16" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|------------------------------|---------|--------|--------|---------|------------|
| 4923321 | ML 2 1/8" UTILITY FIXED CLIP | GALV | | | | INQUIRE |
| 4923322 | ML 2 3/8" LOW FIXED CLIP | GALV | | | | INQUIRE |
| 4923302 | ML 2 3/8" LOW FLOATING CLIP | GALV | | | | INQUIRE |
| 4923303 | ML 3 3/8" HIGH FLOATING CLIP | GALV | | | | INQUIRE |
| 4923886 | CLIP BEARING PLATE | GALV | | | | INQUIRE |
| 4923850 | ML 2" UTILITY RAKE ZEE | GALV | | 10'-0" | | INQUIRE |
| 4923855 | ML 2 3/8" LOW RAKE ZEE | GALV | | 10'-0" | | INQUIRE |
| 4923865 | ML 3 3/8" HIGH RAKE ZEE | GALV | | 10'-0" | | INQUIRE |
| 4923835 | 3/8" LOW EAVE PLATE | GALV | | 10'-0" | | INQUIRE |
| 4923845 | 1 3/8" HIGH EAVE PLATE | GALV | | 10'-0" | | INQUIRE |
| 4923640 | 48" BACK-UP CHANNEL | GALV | | 48" | | INQUIRE |
| 4925010 | ML 16" END DAM | GALV | | | | INQUIRE |
| 4925541 | ML 16" END DAM | GLUME | | | | INQUIRE |
| 4935541 | ML 16" END DAM | GLUME | | | | INQUIRE |
| 49255xx | ML 16" END DAM (LEFT/RIGHT) | PAINTED | | | | INQUIRE |
| 49355xx | ML 16" END DAM (LEFT/RIGHT) | PAINTED | | | | INQUIRE |
| 49257xx | ML 16" END DAM (RIGHT/LEFT) | PAINTED | | | | INQUIRE |
| 49358xx | ML 16" END DAM (RIGHT/LEFT) | PAINTED | | | | INQUIRE |



CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Standing Seam Panels

18" Magna-Loc 90 Profile Information

- ✓ Hidden fastener / clip system for industrial / commercial use
- ✓ Mechanically seamed panel system. www.msseamers.com
- ✓ 24ga standard (22ga available, please inquire)
- ✓ See color chart for available colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Manufactured from 50 ksi steel
- ✓ Striations Standard. Flat available with waiver.
- ✓ Oil Canning is not a reason for rejection
- ✓ Minimum recommended roof slope: 1/2 :12
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|--------------------------|-------|--------------------|-------|----------|------------|------------|
| 2735441 | Magna-Loc 18" Striated | 24 | ACGalvalume (AZ55) | 1.95 | 18" | INQUIRE | INQUIRE |
| 28354xx | Magna-Loc 18" Striated | 24 | Kynar 500 / PVDF | 1.95 | 18" | INQUIRE | INQUIRE |
| 2935441 | Magna-Loc 18" Striated | 22 | ACGalvalume (AZ55) | 2.4 | 18" | INQUIRE | INQUIRE |
| 30354xx | Magna-Loc 18" Striated | 22 | Kynar 500 / PVDF | 2.4 | 18" | INQUIRE | INQUIRE |
| 2735341 | Magna-Loc 18" Flat | 24 | ACGalvalume (AZ55) | 1.95 | 18" | INQUIRE | INQUIRE |
| 28353xx | Magna-Loc 18" Flat | 24 | Kynar 500 / PVDF | 1.95 | 18" | INQUIRE | INQUIRE |
| 2935341 | Magna-Loc 18" Flat | 22 | ACGalvalume (AZ55) | 2.4 | 18" | INQUIRE | INQUIRE |
| 30353xx | Magna-Loc 18" Flat | 22 | Kynar 500 / PVDF | 2.4 | 18" | INQUIRE | INQUIRE |
| 2785241 | Magna-Loc 18" Pencil-Rib | 24 | ACGalvalume (AZ55) | 1.95 | 18" | INQUIRE | INQUIRE |
| 28852xx | Magna-Loc 18" Pencil-Rib | 24 | Kynar 500 / PVDF | 1.95 | 18" | INQUIRE | INQUIRE |
| 2985241 | Magna-Loc 18" Pencil-Rib | 22 | ACGalvalume (AZ55) | 2.4 | 18" | INQUIRE | INQUIRE |
| 30852xx | Magna-Loc 18" Pencil-Rib | 22 | Kynar 500 / PVDF | 2.4 | 18" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48' may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|------------------------------|---------|--------|--------|---------|------------|
| 4923321 | ML 2 1/8" UTILITY FIXED CLIP | GALV | | | | INQUIRE |
| 4923322 | ML 2 3/8" LOW FIXED CLIP | GALV | | | | INQUIRE |
| 4923302 | ML 2 3/8" LOW FLOATING CLIP | GALV | | | | INQUIRE |
| 4923303 | ML 3 3/8" HIGH FLOATING CLIP | GALV | | | | INQUIRE |
| 4923886 | CLIP BEARING PLATE | GALV | | | | INQUIRE |
| 4923850 | ML 2" UTILITY RAKE ZEE | GALV | | 10'-0" | | INQUIRE |
| 4923855 | ML 2 3/8" LOW RAKE ZEE | GALV | | 10'-0" | | INQUIRE |
| 4923865 | ML 3 3/8" HIGH RAKE ZEE | GALV | | 10'-0" | | INQUIRE |
| 4923835 | 3/8" LOW EAVE PLATE | GALV | | 10'-0" | | INQUIRE |
| 4923845 | 1 3/8" HIGH EAVE PLATE | GALV | | 10'-0" | | INQUIRE |
| 4923645 | 72" BACK-UP CHANNEL | GALV | | 72" | | INQUIRE |
| 4925020 | ML 18" END DAM | GALV | | | | INQUIRE |
| 4925641 | ML 18" END DAM | GLUME | | | | INQUIRE |
| 4935641 | ML 18" END DAM | GLUME | | | | INQUIRE |
| 49256xx | ML 18" END DAM (LEFT/RIGHT) | PAINTED | | | | INQUIRE |
| 49356xx | ML 18" END DAM (LEFT/RIGHT) | PAINTED | | | | INQUIRE |
| 49265xx | ML 18" END DAM (RIGHT/LEFT) | PAINTED | | | | INQUIRE |
| | ML 18" END DAM (RIGHT/LEFT) | PAINTED | | | | INQUIRE |


CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Standing Seam Panels

16" Magna-Loc 180 Profile Information

- ✓ Hidden fastener / clip system for industrial / commercial use
- ✓ Mechanically seamed panel system. www.msseamers.com
- ✓ 24ga standard (22ga available, please inquire)
- ✓ See color chart for available colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Manufactured from 50 ksi steel
- ✓ Striations Standard. Flat available with waiver.
- ✓ Oil Canning is not a reason for rejection
- ✓ Minimum recommended roof slope: 1/2 :12
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|----------------------------|-------|--------------------|-------|----------|------------|------------|
| 2735841 | Magna-Loc 180 16" Striated | 24 | ACGalvalume (AZ55) | 1.73 | 16" | INQUIRE | INQUIRE |
| 28358xx | Magna-Loc 180 16" Striated | 24 | Kynar 500 / PVDF | 1.73 | 16" | INQUIRE | INQUIRE |
| 2935841 | Magna-Loc 180 16" Striated | 22 | ACGalvalume (AZ55) | 2.3 | 16" | INQUIRE | INQUIRE |
| 30358xx | Magna-Loc 180 16" Striated | 22 | Kynar 500 / PVDF | 2.3 | 16" | INQUIRE | INQUIRE |
| 2735741 | Magna-Loc 180 16" Flat | 24 | ACGalvalume (AZ55) | 1.73 | 16" | INQUIRE | INQUIRE |
| 28357xx | Magna-Loc 180 16" Flat | 24 | Kynar 500 / PVDF | 1.73 | 16" | INQUIRE | INQUIRE |
| 2935741 | Magna-Loc 180 16" Flat | 22 | ACGalvalume (AZ55) | 2.3 | 16" | INQUIRE | INQUIRE |
| 30357xx | Magna-Loc 180 16" Flat | 22 | Kynar 500 / PVDF | 2.3 | 16" | INQUIRE | INQUIRE |
| 2735541 | ML 180 16" Pencil-Rib | 24 | ACGalvalume (AZ55) | 1.73 | 16" | INQUIRE | INQUIRE |
| 28355xx | ML 180 16" Pencil-Rib | 24 | Kynar 500 / PVDF | 1.73 | 16" | INQUIRE | INQUIRE |
| 2935541 | ML 180 16" Pencil-Rib | 22 | ACGalvalume (AZ55) | 2.3 | 16" | INQUIRE | INQUIRE |
| 30355xx | ML 180 16" Pencil-Rib | 22 | Kynar 500 / PVDF | 2.3 | 16" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|------------------------------|---------|--------|--------|---------|------------|
| 4923321 | ML 2 1/8" UTILITY FIXED CLIP | GALV | | | | INQUIRE |
| 4923322 | ML 2 3/8" LOW FIXED CLIP | GALV | | | | INQUIRE |
| 4923302 | ML 2 3/8" LOW FLOATING CLIP | GALV | | | | INQUIRE |
| 4923303 | ML 3 3/8" HIGH FLOATING CLIP | GALV | | | | INQUIRE |
| 4923886 | CLIP BEARING PLATE | GALV | | | | INQUIRE |
| 4923850 | ML 2" UTILITY RAKE ZEE | GALV | | 10'-0" | | INQUIRE |
| 4923855 | ML 2 3/8" LOW RAKE ZEE | GALV | | 10'-0" | | INQUIRE |
| 4923865 | ML 3 3/8" HIGH RAKE ZEE | GALV | | 10'-0" | | INQUIRE |
| 4923835 | 3/8" LOW EAVE PLATE | GALV | | 10'-0" | | INQUIRE |
| 4923845 | 1 3/8" HIGH EAVE PLATE | GALV | | 10'-0" | | INQUIRE |
| 4923640 | 48" BACK-UP CHANNEL | GALV | | 48" | | INQUIRE |
| 4925010 | ML 16" END DAM | GALV | | | | INQUIRE |
| 4925541 | ML 16" END DAM | GLUME | | | | INQUIRE |
| 4935541 | ML 16" END DAM | GLUME | | | | INQUIRE |
| 49255xx | ML 16" END DAM (LEFT/RIGHT) | PAINTED | | | | INQUIRE |
| 49355xx | ML 16" END DAM (LEFT/RIGHT) | PAINTED | | | | INQUIRE |
| 49257xx | ML 16" END DAM (RIGHT/LEFT) | PAINTED | | | | INQUIRE |
| 49358xx | ML 16" END DAM (RIGHT/LEFT) | PAINTED | | | | INQUIRE |



CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Standing Seam Panels

18" Magna-Loc 180 Profile Information

- ✓ Hidden fastener / clip system for industrial / commercial use
- ✓ Mechanically seamed panel system. www.msseamers.com
- ✓ 24ga standard (22ga available, please inquire)
- ✓ See color chart for available colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Manufactured from 50 ksi steel
- ✓ Striations Standard. Flat available with waiver.
- ✓ Oil Canning is not a reason for rejection
- ✓ Minimum recommended roof slope: 1/2 :12
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|----------------------------|-------|--------------------|-------|----------|------------|------------|
| 2736041 | Magna-Loc 180 18" Striated | 24 | ACGalvalume (AZ55) | 1.89 | 18" | INQUIRE | INQUIRE |
| 28360xx | Magna-Loc 180 18" Striated | 24 | Kynar 500 / PVDF | 1.89 | 18" | INQUIRE | INQUIRE |
| 2936041 | Magna-Loc 180 18" Striated | 22 | ACGalvalume (AZ55) | 2.4 | 18" | INQUIRE | INQUIRE |
| 30360xx | Magna-Loc 180 18" Striated | 22 | Kynar 500 / PVDF | 2.4 | 18" | INQUIRE | INQUIRE |
| 2735941 | Magna-Loc 180 18" Flat | 24 | ACGalvalume (AZ55) | 1.89 | 18" | INQUIRE | INQUIRE |
| 28359xx | Magna-Loc 180 18" Flat | 24 | Kynar 500 / PVDF | 1.89 | 18" | INQUIRE | INQUIRE |
| 2935941 | Magna-Loc 180 18" Flat | 22 | ACGalvalume (AZ55) | 2.4 | 18" | INQUIRE | INQUIRE |
| 30359xx | Magna-Loc 180 18" Flat | 22 | Kynar 500 / PVDF | 2.4 | 18" | INQUIRE | INQUIRE |
| 2735641 | ML 180 18" Pencil-Rib | 24 | ACGalvalume (AZ55) | 1.89 | 18" | INQUIRE | INQUIRE |
| 28356xx | ML 180 18" Pencil-Rib | 24 | Kynar 500 / PVDF | 1.89 | 18" | INQUIRE | INQUIRE |
| 2935641 | ML 180 18" Pencil-Rib | 22 | ACGalvalume (AZ55) | 2.4 | 18" | INQUIRE | INQUIRE |
| 30356xx | ML 180 18" Pencil-Rib | 22 | Kynar 500 / PVDF | 2.4 | 18" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48' may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|------------------------------|---------|--------|--------|---------|------------|
| 4923321 | ML 2 1/8" UTILITY FIXED CLIP | GALV | | | | INQUIRE |
| 4923322 | ML 2 3/8" LOW FIXED CLIP | GALV | | | | INQUIRE |
| 4923302 | ML 2 3/8" LOW FLOATING CLIP | GALV | | | | INQUIRE |
| 4923303 | ML 3 3/8" HIGH FLOATING CLIP | GALV | | | | INQUIRE |
| 4923886 | CLIP BEARING PLATE | GALV | | | | INQUIRE |
| 4923850 | ML 2" UTILITY RAKE ZEE | GALV | | 10'-0" | | INQUIRE |
| 4923855 | ML 2 3/8" LOW RAKE ZEE | GALV | | 10'-0" | | INQUIRE |
| 4923865 | ML 3 3/8" HIGH RAKE ZEE | GALV | | 10'-0" | | INQUIRE |
| 4923835 | 3/8" LOW EAVE PLATE | GALV | | 10'-0" | | INQUIRE |
| 4923845 | 1 3/8" HIGH EAVE PLATE | GALV | | 10'-0" | | INQUIRE |
| 4923645 | 72" BACK-UP CHANNEL | GALV | | 72" | | INQUIRE |
| 4925020 | ML 18" END DAM | GALV | | | | INQUIRE |
| 4925641 | ML 18" END DAM | GLUME | | | | INQUIRE |
| 4935641 | ML 18" END DAM | GLUME | | | | INQUIRE |
| 49256xx | ML 18" END DAM (LEFT/RIGHT) | PAINTED | | | | INQUIRE |
| 49356xx | ML 18" END DAM (LEFT/RIGHT) | PAINTED | | | | INQUIRE |
| 49265xx | ML 18" END DAM (RIGHT/LEFT) | PAINTED | | | | INQUIRE |
| | ML 18" END DAM (RIGHT/LEFT) | PAINTED | | | | INQUIRE |

CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS



Standing Seam Panels

18" Seam-Loc Profile Information

24" Seam-Loc Profile Information

- ✓ Hidden fastener / clip system for industrial / commercial use
- ✓ Mechanically seamed panel system. www.msseamers.com
- ✓ 24ga standard (22ga available, please inquire)
- ✓ See color chart for available colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Manufactured from 50 ksi steel
- ✓ Striations Standard. Flat available with waiver.
- ✓ Oil Canning is not a reason for rejection
- ✓ Minimum recommended roof slope: 1/4 :12
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|---------------|-------|--------------------|-------|----------|------------|------------|
| 2741841 | Seam-Loc 18IN | 24 | ACGalvalume (AZ55) | 1.8 | 18" | INQUIRE | INQUIRE |
| 28418xx | Seam-Loc 18IN | 24 | Kynar 500 / PVDF | 1.8 | 18" | INQUIRE | INQUIRE |
| 2740541 | Seam-Loc 24IN | 24 | ACGalvalume (AZ55) | 2.38 | 24" | INQUIRE | INQUIRE |
| 28405xx | Seam-Loc 24IN | 24 | Kynar 500 / PVDF | 2.38 | 24" | INQUIRE | INQUIRE |
| 2941841 | Seam-Loc 18IN | 22 | ACGalvalume (AZ55) | 2.4 | 18" | INQUIRE | INQUIRE |
| 30418xx | Seam-Loc 18IN | 22 | Kynar 500 / PVDF | 2.4 | 18" | INQUIRE | INQUIRE |
| 2940541 | Seam-Loc 24IN | 22 | ACGalvalume (AZ55) | 2.81 | 24" | INQUIRE | INQUIRE |
| 30405xx | Seam-Loc 24IN | 22 | Kynar 500 / PVDF | 2.81 | 24" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|---------------------------------|---------|--------|--------|---------|------------|
| 4934500 | SL 2 5/8" Utility Floating Clip | GALV | | | | INQUIRE |
| 4934505 | SL 3 1/8" Low Floating Clip | GALV | | | | INQUIRE |
| 4934515 | SL 4 1/8" High Floating Clip | GALV | | | | INQUIRE |
| 4923886 | CLIP BEARING PLATE | GALV | | | | INQUIRE |
| 4923810 | SL 2 5/8" UTILITY RAKE ANGLE | GALV | | 10'-0" | | INQUIRE |
| 4923815 | SL 3 1/8" FLOATING RAKE ANGLE | GALV | | 10'-0" | | INQUIRE |
| 4923825 | SL 4 1/8" FLOATING RAKE ANGLE | GALV | | 10'-0" | | INQUIRE |
| 4923835 | 3/8" LOW EAVE PLATE | GALV | | 10'-0" | | INQUIRE |
| 4923845 | 1 3/8" HIGH EAVE PLATE | GALV | | 10'-0" | | INQUIRE |
| 4923602 | 24" COMPRESSION PLATE | GALV | | 24" | | INQUIRE |
| 4923604 | 18" COMPRESSION PLATE | GALV | | 18" | | INQUIRE |
| 4923705 | SL INSIDE CLOSURE | GLUME | | | | INQUIRE |
| 49244xx | SL INSIDE CLOSURE | PAINTED | | | | INQUIRE |
| 4923701 | SL 18" OUTSIDE CLOSURE | GLUME | | | | INQUIRE |
| 49247xx | SL 18" OUTSIDE CLOSURE | PAINTED | | | | INQUIRE |
| 49244xx | SL 18" OUTSIDE CLOSURE | PAINTED | | | | INQUIRE |
| 4923700 | SL 24" OUTSIDE CLOSURE | GLUME | | | | INQUIRE |
| 49246xx | SL 24" OUTSIDE CLOSURE | PAINTED | | | | INQUIRE |


CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Standing Seam Panels

Snap-Loc 24 Profile Information

- ✓ Hidden fastener / clip system for industrial / commercial use
- ✓ 24ga standard (22ga available, please inquire)
- ✓ See color chart for available colors
- ✓ Paint Warranty - Kynar 45 year

- ✓ Manufactured from 50 ksi steel
- ✓ Oil Canning is not a reason for rejection
- ✓ Minimum recommended roof slope: 1/4 :12
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|-------------|-------|--------------------|-------|----------|------------|------------|
| 2736841 | Snap-Loc 24 | 24 | ACGalvalume (AZ55) | 2.38 | 24" | INQUIRE | INQUIRE |
| 28368xx | Snap-Loc 24 | 24 | Kynar 500 / PVDF | 2.38 | 24" | INQUIRE | INQUIRE |
| 2936841 | Snap-Loc 24 | 22 | ACGalvalume (AZ55) | 2.69 | 24" | INQUIRE | INQUIRE |
| 30368xx | Snap-Loc 24 | 22 | Kynar 500 / PVDF | 2.69 | 24" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 60" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|------------------------------|---------|--------|--------|---------|------------|
| 4923400 | SL 3 1/4" Low Fixed Clip | GALV | 0.34 | | | INQUIRE |
| 4923405 | SL 4 1/4" High Fixed Clip | GALV | 0.5 | | | INQUIRE |
| 4923410 | SL 3 1/4" Low Floating Clip | GALV | 0.34 | | | INQUIRE |
| 4923415 | SL 4 1/4" High Floating Clip | GALV | 0.5 | | | INQUIRE |
| 4923886 | CLIP BEARING PLATE | GALV | | | | INQUIRE |
| 4923815 | 3 1/8" FLOATING RAKE ANGLE | GALV | | 10'-0" | | INQUIRE |
| 4923825 | 4 1/8" FLOATING RAKE ANGLE | GALV | | 10'-0" | | INQUIRE |
| 4923829 | 1/4" LOW EAVE PLATE | GALV | | 6'-0" | | INQUIRE |
| 4923839 | 1 1/4" HIGH EAVE PLATE | GALV | | 6'-0" | | INQUIRE |
| 4923715 | 24" COMPRESSION PLATE | GALV | | 24" | | INQUIRE |
| 4923725 | SL INSIDE CLOSURE | GLUME | | | | INQUIRE |
| 49242xx | SL INSIDE CLOSURE | PAINTED | | | | INQUIRE |
| 4923720 | SL 24" OUTSIDE CLOSURE | GLUME | | | | INQUIRE |
| 49243xx | SL 24" OUTSIDE CLOSURE | PAINTED | | | | INQUIRE |


CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Standing Seam Panels

2 3/8" T-Armor 12" Profile Information

- ✓ Hidden fastener / clip system for industrial / commercial use
- ✓ Mechanically seamed panel system. www.msseamers.com
- ✓ 24ga standard (22ga available, please inquire)
- ✓ See color chart for available colors

- ✓ Paint Warranty - Kynar 45 year
- ✓ Oil Canning is not a reason for rejection
- ✓ Minimum recommended roof slope: 1/4 :12
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|------------------------------|-------|--------------------|-------|----------|------------|------------|
| TA10141 | 2 3/8" T-Armor 12" Flat | 24 | ACGalvalume (AZ55) | 1.35 | 12" | INQUIRE | INQUIRE |
| TA101xx | 2 3/8" T-Armor 12" Flat | 24 | Kynar 500 / PVDF | 1.35 | 12" | INQUIRE | INQUIRE |
| TA20141 | 2 3/8" T-Armor 12" Flat | 22 | ACGalvalume (AZ55) | 1.74 | 12" | INQUIRE | INQUIRE |
| TA201xx | 2 3/8" T-Armor 12" Flat | 22 | Kynar 500 / PVDF | 1.74 | 12" | INQUIRE | INQUIRE |
| TA11141 | 2 3/8" TA 12" Pencil Rib | 24 | ACGalvalume (AZ55) | 1.35 | 12" | INQUIRE | INQUIRE |
| TA111xx | 2 3/8" TA 12" Pencil Rib | 24 | Kynar 500 / PVDF | 1.35 | 12" | INQUIRE | INQUIRE |
| TA21141 | 2 3/8" TA 12" Pencil Rib | 22 | ACGalvalume (AZ55) | 1.74 | 12" | INQUIRE | INQUIRE |
| TA211xx | 2 3/8" TA 12" Pencil Rib | 22 | Kynar 500 / PVDF | 1.74 | 12" | INQUIRE | INQUIRE |
| TA12141 | 2 3/8" T-Armor 12" Minor Rib | 24 | ACGalvalume (AZ55) | 1.35 | 12" | INQUIRE | INQUIRE |
| TA121xx | 2 3/8" T-Armor 12" Minor Rib | 24 | Kynar 500 / PVDF | 1.35 | 12" | INQUIRE | INQUIRE |
| TA22141 | 2 3/8" T-Armor 12" Minor Rib | 22 | ACGalvalume (AZ55) | 1.74 | 12" | INQUIRE | INQUIRE |
| TA221xx | 2 3/8" T-Armor 12" Minor Rib | 22 | Kynar 500 / PVDF | 1.74 | 12" | INQUIRE | INQUIRE |
| TA13141 | 2 3/8" T-Armor 12" Striated | 24 | ACGalvalume (AZ55) | 1.35 | 12" | INQUIRE | INQUIRE |
| TA131xx | 2 3/8" T-Armor 12" Striated | 24 | Kynar 500 / PVDF | 1.35 | 12" | INQUIRE | INQUIRE |
| TA23141 | 2 3/8" T-Armor 12" Striated | 22 | ACGalvalume (AZ55) | 1.74 | 12" | INQUIRE | INQUIRE |
| TA231xx | 2 3/8" T-Armor 12" Striated | 22 | Kynar 500 / PVDF | 1.74 | 12" | INQUIRE | INQUIRE |
| TA14141 | 2 3/8" T-Armor 12" Mesa | 24 | ACGalvalume (AZ55) | 1.35 | 12" | INQUIRE | INQUIRE |
| TA141xx | 2 3/8" T-Armor 12" Mesa | 24 | Kynar 500 / PVDF | 1.35 | 12" | INQUIRE | INQUIRE |
| TA24141 | 2 3/8" T-Armor 12" Mesa | 22 | ACGalvalume (AZ55) | 1.74 | 12" | INQUIRE | INQUIRE |
| TA241xx | 2 3/8" T-Armor 12" Mesa | 22 | Kynar 500 / PVDF | 1.74 | 12" | INQUIRE | INQUIRE |
| TA15141 | 2 3/8" T-Armor 12" Plank | 24 | ACGalvalume (AZ55) | 1.35 | 12" | INQUIRE | INQUIRE |
| TA151xx | 2 3/8" T-Armor 12" Plank | 24 | Kynar 500 / PVDF | 1.35 | 12" | INQUIRE | INQUIRE |
| TA25141 | 2 3/8" T-Armor 12" Plank | 22 | ACGalvalume (AZ55) | 1.74 | 12" | INQUIRE | INQUIRE |
| TA251xx | 2 3/8" T-Armor 12" Plank | 22 | Kynar 500 / PVDF | 1.74 | 12" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 72" may have a cut charge. Maximum length available is 80'.
- Shading on Galvalume and Galvanized finishes may be non-uniform


CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Standing Seam Panels

2 3/8" T-Armor 16" Profile Information

- ✓ Hidden fastener / clip system for industrial / commercial use
- ✓ Mechanically seamed panel system. www.msseamers.com
- ✓ 24ga standard (22ga available, please inquire)
- ✓ See color chart for available colors

- ✓ Paint Warranty - Kynar 45 year
- ✓ Oil Canning is not a reason for rejection
- ✓ Minimum recommended roof slope: 1/4 :12
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|------------------------------|-------|--------------------|-------|----------|------------|------------|
| TA10241 | 2 3/8" T-Armor 16" Flat | 24 | ACGalvalume (AZ55) | 1.65 | 16" | INQUIRE | INQUIRE |
| TA102xx | 2 3/8" T-Armor 16" Flat | 24 | Kynar 500 / PVDF | 1.65 | 16" | INQUIRE | INQUIRE |
| TA20241 | 2 3/8" T-Armor 16" Flat | 22 | ACGalvalume (AZ55) | 1.82 | 16" | INQUIRE | INQUIRE |
| TA202xx | 2 3/8" T-Armor 16" Flat | 22 | Kynar 500 / PVDF | 1.82 | 16" | INQUIRE | INQUIRE |
| TA11241 | 2 3/8" TA 16" Pencil Rib | 24 | ACGalvalume (AZ55) | 1.65 | 16" | INQUIRE | INQUIRE |
| TA112xx | 2 3/8" TA 16" Pencil Rib | 24 | Kynar 500 / PVDF | 1.65 | 16" | INQUIRE | INQUIRE |
| TA21241 | 2 3/8" TA 16" Pencil Rib | 22 | ACGalvalume (AZ55) | 1.82 | 16" | INQUIRE | INQUIRE |
| TA212xx | 2 3/8" TA 16" Pencil Rib | 22 | Kynar 500 / PVDF | 1.82 | 16" | INQUIRE | INQUIRE |
| TA12241 | 2 3/8" T-Armor 16" Minor Rib | 24 | ACGalvalume (AZ55) | 1.65 | 16" | INQUIRE | INQUIRE |
| TA122xx | 2 3/8" T-Armor 16" Minor Rib | 24 | Kynar 500 / PVDF | 1.65 | 16" | INQUIRE | INQUIRE |
| TA22241 | 2 3/8" T-Armor 16" Minor Rib | 22 | ACGalvalume (AZ55) | 1.82 | 16" | INQUIRE | INQUIRE |
| TA222xx | 2 3/8" T-Armor 16" Minor Rib | 22 | Kynar 500 / PVDF | 1.82 | 16" | INQUIRE | INQUIRE |
| TA13241 | 2 3/8" T-Armor 16" Striated | 24 | ACGalvalume (AZ55) | 1.65 | 16" | INQUIRE | INQUIRE |
| TA132xx | 2 3/8" T-Armor 16" Striated | 24 | Kynar 500 / PVDF | 1.65 | 16" | INQUIRE | INQUIRE |
| TA23241 | 2 3/8" T-Armor 16" Striated | 22 | ACGalvalume (AZ55) | 1.82 | 16" | INQUIRE | INQUIRE |
| TA232xx | 2 3/8" T-Armor 16" Striated | 22 | Kynar 500 / PVDF | 1.82 | 16" | INQUIRE | INQUIRE |
| TA14241 | 2 3/8" T-Armor 16" Mesa | 24 | ACGalvalume (AZ55) | 1.65 | 16" | INQUIRE | INQUIRE |
| TA142xx | 2 3/8" T-Armor 16" Mesa | 24 | Kynar 500 / PVDF | 1.65 | 16" | INQUIRE | INQUIRE |
| TA24241 | 2 3/8" T-Armor 16" Mesa | 22 | ACGalvalume (AZ55) | 1.82 | 16" | INQUIRE | INQUIRE |
| TA242xx | 2 3/8" T-Armor 16" Mesa | 22 | Kynar 500 / PVDF | 1.82 | 16" | INQUIRE | INQUIRE |
| TA15241 | 2 3/8" T-Armor 16" Plank | 24 | ACGalvalume (AZ55) | 1.65 | 16" | INQUIRE | INQUIRE |
| TA152xx | 2 3/8" T-Armor 16" Plank | 24 | Kynar 500 / PVDF | 1.65 | 16" | INQUIRE | INQUIRE |
| TA25241 | 2 3/8" T-Armor 16" Plank | 22 | ACGalvalume (AZ55) | 1.82 | 16" | INQUIRE | INQUIRE |
| TA252xx | 2 3/8" T-Armor 16" Plank | 22 | Kynar 500 / PVDF | 1.82 | 16" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 72" may have a cut charge. Maximum length available is 80'.
- Shading on Galvalume and Galvanized finishes may be non-uniform


CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Standing Seam Panels

2 3/8" T-Armor 18" Profile Information

- ✓ Hidden fastener / clip system for industrial / commercial use
- ✓ Mechanically seamed panel system. www.msseamers.com
- ✓ 24ga standard (22ga available, please inquire)
- ✓ See color chart for available colors

- ✓ Paint Warranty - Kynar 45 year
- ✓ Oil Canning is not a reason for rejection
- ✓ Minimum recommended roof slope: 1/4 :12
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|------------------------------|-------|--------------------|-------|----------|------------|------------|
| TA10341 | 2 3/8" T-Armor 18" Flat | 24 | ACGalvalume (AZ55) | 2.14 | 18" | INQUIRE | INQUIRE |
| TA103xx | 2 3/8" T-Armor 18" Flat | 24 | Kynar 500 / PVDF | 2.14 | 18" | INQUIRE | INQUIRE |
| TA20341 | 2 3/8" T-Armor 18" Flat | 22 | ACGalvalume (AZ55) | 2.2 | 18" | INQUIRE | INQUIRE |
| TA203xx | 2 3/8" T-Armor 18" Flat | 22 | Kynar 500 / PVDF | 2.2 | 18" | INQUIRE | INQUIRE |
| TA11341 | 2 3/8" TA 18" Pencil Rib | 24 | ACGalvalume (AZ55) | 2.14 | 18" | INQUIRE | INQUIRE |
| TA113xx | 2 3/8" TA 18" Pencil Rib | 24 | Kynar 500 / PVDF | 2.14 | 18" | INQUIRE | INQUIRE |
| TA21341 | 2 3/8" TA 18" Pencil Rib | 22 | ACGalvalume (AZ55) | 2.2 | 18" | INQUIRE | INQUIRE |
| TA213xx | 2 3/8" TA 18" Pencil Rib | 22 | Kynar 500 / PVDF | 2.2 | 18" | INQUIRE | INQUIRE |
| TA12341 | 2 3/8" T-Armor 18" Minor Rib | 24 | ACGalvalume (AZ55) | 2.14 | 18" | INQUIRE | INQUIRE |
| TA123xx | 2 3/8" T-Armor 18" Minor Rib | 24 | Kynar 500 / PVDF | 2.14 | 18" | INQUIRE | INQUIRE |
| TA22341 | 2 3/8" T-Armor 18" Minor Rib | 22 | ACGalvalume (AZ55) | 2.2 | 18" | INQUIRE | INQUIRE |
| TA223xx | 2 3/8" T-Armor 18" Minor Rib | 22 | Kynar 500 / PVDF | 2.2 | 18" | INQUIRE | INQUIRE |
| TA13341 | 2 3/8" T-Armor 18" Striated | 24 | ACGalvalume (AZ55) | 2.14 | 18" | INQUIRE | INQUIRE |
| TA133xx | 2 3/8" T-Armor 18" Striated | 24 | Kynar 500 / PVDF | 2.14 | 18" | INQUIRE | INQUIRE |
| TA23341 | 2 3/8" T-Armor 18" Striated | 22 | ACGalvalume (AZ55) | 2.2 | 18" | INQUIRE | INQUIRE |
| TA233xx | 2 3/8" T-Armor 18" Striated | 22 | Kynar 500 / PVDF | 2.2 | 18" | INQUIRE | INQUIRE |
| TA14341 | 2 3/8" T-Armor 18" Mesa | 24 | ACGalvalume (AZ55) | 2.14 | 18" | INQUIRE | INQUIRE |
| TA143xx | 2 3/8" T-Armor 18" Mesa | 24 | Kynar 500 / PVDF | 2.14 | 18" | INQUIRE | INQUIRE |
| TA24341 | 2 3/8" T-Armor 18" Mesa | 22 | ACGalvalume (AZ55) | 2.2 | 18" | INQUIRE | INQUIRE |
| TA243xx | 2 3/8" T-Armor 18" Mesa | 22 | Kynar 500 / PVDF | 2.2 | 18" | INQUIRE | INQUIRE |
| TA15341 | 2 3/8" T-Armor 18" Plank | 24 | ACGalvalume (AZ55) | 2.14 | 18" | INQUIRE | INQUIRE |
| TA153xx | 2 3/8" T-Armor 18" Plank | 24 | Kynar 500 / PVDF | 2.14 | 18" | INQUIRE | INQUIRE |
| TA25341 | 2 3/8" T-Armor 18" Plank | 22 | ACGalvalume (AZ55) | 2.2 | 18" | INQUIRE | INQUIRE |
| TA253xx | 2 3/8" T-Armor 18" Plank | 22 | Kynar 500 / PVDF | 2.2 | 18" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 72" may have a cut charge. Maximum length available is 80'.
- Shading on Galvalume and Galvanized finishes may be non-uniform


CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Standing Seam Panels

3" T-Armor 12" Profile Information

- ✓ Hidden fastener / clip system for industrial / commercial use
- ✓ Mechanically seamed panel system. www.msseamers.com
- ✓ 24ga standard (22ga available, please inquire)
- ✓ See color chart for available colors

- ✓ Paint Warranty - Kynar 45 year
- ✓ Oil Canning is not a reason for rejection
- ✓ Minimum recommended roof slope: 1/4 :12
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|---------------------------|-------|--------------------|-------|----------|------------|------------|
| TA10541 | 3" T-Armor 12" Flat | 24 | ACGalvalume (AZ55) | 1.49 | 12" | INQUIRE | INQUIRE |
| TA105xx | 3" T-Armor 12" Flat | 24 | Kynar 500 / PVDF | 1.49 | 12" | INQUIRE | INQUIRE |
| TA20541 | 3" T-Armor 12" Flat | 22 | ACGalvalume (AZ55) | 1.77 | 12" | INQUIRE | INQUIRE |
| TA205xx | 3" T-Armor 12" Flat | 22 | Kynar 500 / PVDF | 1.77 | 12" | INQUIRE | INQUIRE |
| TA11541 | 3" T-Armor 12" Pencil Rib | 24 | ACGalvalume (AZ55) | 1.49 | 12" | INQUIRE | INQUIRE |
| TA115xx | 3" T-Armor 12" Pencil Rib | 24 | Kynar 500 / PVDF | 1.49 | 12" | INQUIRE | INQUIRE |
| TA21541 | 3" T-Armor 12" Pencil Rib | 22 | ACGalvalume (AZ55) | 1.77 | 12" | INQUIRE | INQUIRE |
| TA215xx | 3" T-Armor 12" Pencil Rib | 22 | Kynar 500 / PVDF | 1.77 | 12" | INQUIRE | INQUIRE |
| TA12541 | 3" T-Armor 12" Minor Rib | 24 | ACGalvalume (AZ55) | 1.49 | 12" | INQUIRE | INQUIRE |
| TA125xx | 3" T-Armor 12" Minor Rib | 24 | Kynar 500 / PVDF | 1.49 | 12" | INQUIRE | INQUIRE |
| TA22541 | 3" T-Armor 12" Minor Rib | 22 | ACGalvalume (AZ55) | 1.77 | 12" | INQUIRE | INQUIRE |
| TA225xx | 3" T-Armor 12" Minor Rib | 22 | Kynar 500 / PVDF | 1.77 | 12" | INQUIRE | INQUIRE |
| TA13541 | 3" T-Armor 12" Striated | 24 | ACGalvalume (AZ55) | 1.49 | 12" | INQUIRE | INQUIRE |
| TA135xx | 3" T-Armor 12" Striated | 24 | Kynar 500 / PVDF | 1.49 | 12" | INQUIRE | INQUIRE |
| TA23541 | 3" T-Armor 12" Striated | 22 | ACGalvalume (AZ55) | 1.77 | 12" | INQUIRE | INQUIRE |
| TA235xx | 3" T-Armor 12" Striated | 22 | Kynar 500 / PVDF | 1.77 | 12" | INQUIRE | INQUIRE |
| TA14541 | 3" T-Armor 12" Mesa | 24 | ACGalvalume (AZ55) | 1.49 | 12" | INQUIRE | INQUIRE |
| TA145xx | 3" T-Armor 12" Mesa | 24 | Kynar 500 / PVDF | 1.49 | 12" | INQUIRE | INQUIRE |
| TA24541 | 3" T-Armor 12" Mesa | 22 | ACGalvalume (AZ55) | 1.77 | 12" | INQUIRE | INQUIRE |
| TA245xx | 3" T-Armor 12" Mesa | 22 | Kynar 500 / PVDF | 1.77 | 12" | INQUIRE | INQUIRE |
| TA15541 | 3" T-Armor 12" Plank | 24 | ACGalvalume (AZ55) | 1.49 | 12" | INQUIRE | INQUIRE |
| TA155xx | 3" T-Armor 12" Plank | 24 | Kynar 500 / PVDF | 1.49 | 12" | INQUIRE | INQUIRE |
| TA25541 | 3" T-Armor 12" Plank | 22 | ACGalvalume (AZ55) | 1.77 | 12" | INQUIRE | INQUIRE |
| TA255xx | 3" T-Armor 12" Plank | 22 | Kynar 500 / PVDF | 1.77 | 12" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 72" may have a cut charge. Maximum length available is 80'.
- Shading on Galvalume and Galvanized finishes may be non-uniform


CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Standing Seam Panels

3" T-Armor 16" Profile Information

- ✓ Hidden fastener / clip system for industrial / commercial use
- ✓ Mechanically seamed panel system. www.msseamers.com
- ✓ 24ga standard (22ga available, please inquire)
- ✓ See color chart for available colors

- ✓ Paint Warranty - Kynar 45 year
- ✓ Oil Canning is not a reason for rejection
- ✓ Minimum recommended roof slope: 1/4 :12
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|---------------------------|-------|--------------------|-------|----------|------------|------------|
| TA10641 | 3" T-Armor 16" Flat | 24 | ACGalvalume (AZ55) | 1.65 | 16" | INQUIRE | INQUIRE |
| TA106xx | 3" T-Armor 16" Flat | 24 | Kynar 500 / PVDF | 1.65 | 16" | INQUIRE | INQUIRE |
| TA20641 | 3" T-Armor 16" Flat | 22 | ACGalvalume (AZ55) | 1.82 | 16" | INQUIRE | INQUIRE |
| TA206xx | 3" T-Armor 16" Flat | 22 | Kynar 500 / PVDF | 1.82 | 16" | INQUIRE | INQUIRE |
| TA11641 | 3" T-Armor 16" Pencil Rib | 24 | ACGalvalume (AZ55) | 1.65 | 16" | INQUIRE | INQUIRE |
| TA116xx | 3" T-Armor 16" Pencil Rib | 24 | Kynar 500 / PVDF | 1.65 | 16" | INQUIRE | INQUIRE |
| TA21641 | 3" T-Armor 16" Pencil Rib | 22 | ACGalvalume (AZ55) | 1.82 | 16" | INQUIRE | INQUIRE |
| TA216xx | 3" T-Armor 16" Pencil Rib | 22 | Kynar 500 / PVDF | 1.82 | 16" | INQUIRE | INQUIRE |
| TA12641 | 3" T-Armor 16" Minor Rib | 24 | ACGalvalume (AZ55) | 1.65 | 16" | INQUIRE | INQUIRE |
| TA126xx | 3" T-Armor 16" Minor Rib | 24 | Kynar 500 / PVDF | 1.65 | 16" | INQUIRE | INQUIRE |
| TA22641 | 3" T-Armor 16" Minor Rib | 22 | ACGalvalume (AZ55) | 1.82 | 16" | INQUIRE | INQUIRE |
| TA226xx | 3" T-Armor 16" Minor Rib | 22 | Kynar 500 / PVDF | 1.82 | 16" | INQUIRE | INQUIRE |
| TA13641 | 3" T-Armor 16" Striated | 24 | ACGalvalume (AZ55) | 1.65 | 16" | INQUIRE | INQUIRE |
| TA136xx | 3" T-Armor 16" Striated | 24 | Kynar 500 / PVDF | 1.65 | 16" | INQUIRE | INQUIRE |
| TA23641 | 3" T-Armor 16" Striated | 22 | ACGalvalume (AZ55) | 1.82 | 16" | INQUIRE | INQUIRE |
| TA236xx | 3" T-Armor 16" Striated | 22 | Kynar 500 / PVDF | 1.82 | 16" | INQUIRE | INQUIRE |
| TA14641 | 3" T-Armor 16" Mesa | 24 | ACGalvalume (AZ55) | 1.65 | 16" | INQUIRE | INQUIRE |
| TA146xx | 3" T-Armor 16" Mesa | 24 | Kynar 500 / PVDF | 1.65 | 16" | INQUIRE | INQUIRE |
| TA24641 | 3" T-Armor 16" Mesa | 22 | ACGalvalume (AZ55) | 1.82 | 16" | INQUIRE | INQUIRE |
| TA246xx | 3" T-Armor 16" Mesa | 22 | Kynar 500 / PVDF | 1.82 | 16" | INQUIRE | INQUIRE |
| TA15641 | 3" T-Armor 16" Plank | 24 | ACGalvalume (AZ55) | 1.65 | 16" | INQUIRE | INQUIRE |
| TA156xx | 3" T-Armor 16" Plank | 24 | Kynar 500 / PVDF | 1.65 | 16" | INQUIRE | INQUIRE |
| TA25641 | 3" T-Armor 16" Plank | 22 | ACGalvalume (AZ55) | 1.82 | 16" | INQUIRE | INQUIRE |
| TA256xx | 3" T-Armor 16" Plank | 22 | Kynar 500 / PVDF | 1.82 | 16" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 72" may have a cut charge. Maximum length available is 80'.
- Shading on Galvalume and Galvanized finishes may be non-uniform


CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Standing Seam Panels

3" T-Armor 18" Profile Information

- ✓ Hidden fastener / clip system for industrial / commercial use
- ✓ Mechanically seamed panel system. www.msseamers.com
- ✓ 24ga standard (22ga available, please inquire)
- ✓ See color chart for available colors

- ✓ Paint Warranty - Kynar 45 year
- ✓ Oil Canning is not a reason for rejection
- ✓ Minimum recommended roof slope: 1/4 :12
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|---------------------------|-------|--------------------|-------|----------|------------|------------|
| TA10741 | 3" T-Armor 18" Flat | 24 | ACGalvalume (AZ55) | 1.85 | 18" | INQUIRE | INQUIRE |
| TA107xx | 3" T-Armor 18" Flat | 24 | Kynar 500 / PVDF | 1.85 | 18" | INQUIRE | INQUIRE |
| TA20741 | 3" T-Armor 18" Flat | 22 | ACGalvalume (AZ55) | 2.2 | 18" | INQUIRE | INQUIRE |
| TA207xx | 3" T-Armor 18" Flat | 22 | Kynar 500 / PVDF | 2.2 | 18" | INQUIRE | INQUIRE |
| TA11741 | 3" T-Armor 18" Pencil Rib | 24 | ACGalvalume (AZ55) | 1.85 | 18" | INQUIRE | INQUIRE |
| TA117xx | 3" T-Armor 18" Pencil Rib | 24 | Kynar 500 / PVDF | 1.85 | 18" | INQUIRE | INQUIRE |
| TA21741 | 3" T-Armor 18" Pencil Rib | 22 | ACGalvalume (AZ55) | 2.2 | 18" | INQUIRE | INQUIRE |
| TA217xx | 3" T-Armor 18" Pencil Rib | 22 | Kynar 500 / PVDF | 2.2 | 18" | INQUIRE | INQUIRE |
| TA12741 | 3" T-Armor 18" Minor Rib | 24 | ACGalvalume (AZ55) | 1.85 | 18" | INQUIRE | INQUIRE |
| TA127xx | 3" T-Armor 18" Minor Rib | 24 | Kynar 500 / PVDF | 1.85 | 18" | INQUIRE | INQUIRE |
| TA22741 | 3" T-Armor 18" Minor Rib | 22 | ACGalvalume (AZ55) | 2.2 | 18" | INQUIRE | INQUIRE |
| TA227xx | 3" T-Armor 18" Minor Rib | 22 | Kynar 500 / PVDF | 2.2 | 18" | INQUIRE | INQUIRE |
| TA13741 | 3" T-Armor 18" Striated | 24 | ACGalvalume (AZ55) | 1.85 | 18" | INQUIRE | INQUIRE |
| TA137xx | 3" T-Armor 18" Striated | 24 | Kynar 500 / PVDF | 1.85 | 18" | INQUIRE | INQUIRE |
| TA23741 | 3" T-Armor 18" Striated | 22 | ACGalvalume (AZ55) | 2.2 | 18" | INQUIRE | INQUIRE |
| TA237xx | 3" T-Armor 18" Striated | 22 | Kynar 500 / PVDF | 2.2 | 18" | INQUIRE | INQUIRE |
| TA14741 | 3" T-Armor 18" Mesa | 24 | ACGalvalume (AZ55) | 1.85 | 18" | INQUIRE | INQUIRE |
| TA147xx | 3" T-Armor 18" Mesa | 24 | Kynar 500 / PVDF | 1.85 | 18" | INQUIRE | INQUIRE |
| TA24741 | 3" T-Armor 18" Mesa | 22 | ACGalvalume (AZ55) | 2.2 | 18" | INQUIRE | INQUIRE |
| TA247xx | 3" T-Armor 18" Mesa | 22 | Kynar 500 / PVDF | 2.2 | 18" | INQUIRE | INQUIRE |
| TA15741 | 3" T-Armor 18" Plank | 24 | ACGalvalume (AZ55) | 1.85 | 18" | INQUIRE | INQUIRE |
| TA157xx | 3" T-Armor 18" Plank | 24 | Kynar 500 / PVDF | 1.85 | 18" | INQUIRE | INQUIRE |
| TA25741 | 3" T-Armor 18" Plank | 22 | ACGalvalume (AZ55) | 2.2 | 18" | INQUIRE | INQUIRE |
| TA257xx | 3" T-Armor 18" Plank | 22 | Kynar 500 / PVDF | 2.2 | 18" | INQUIRE | INQUIRE |


NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 60' may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform


CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Standing Seam Panels

T-Armor Cap



T-Armor Continuous Clip



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|----------------------|-------|--------------------|-------|----------|------------|------------|
| TAC0141 | T-Armor Cap | 24 | ACGalvalume (AZ55) | 0.21 | | | INQUIRE |
| TAC01xx | T-Armor Cap | 24 | Kynar 500 / PVDF | 0.21 | | | INQUIRE |
| TAC0241 | T-Armor Cap | 22 | ACGalvalume (AZ55) | 0.27 | | | INQUIRE |
| TAC02xx | T-Armor Cap | 22 | Kynar 500 / PVDF | 0.27 | | | INQUIRE |
| 5855199 | TA CONT. CLIP 2 3/8" | 24 | Kynar 500 / PVDF | | | | INQUIRE |
| 5855299 | TA CONT. CLIP 2 3/4" | 24 | Kynar 500 / PVDF | | | | INQUIRE |
| 5855399 | TA CONT. CLIP 3 3/4" | 24 | Kynar 500 / PVDF | | | | INQUIRE |
| 5855499 | TA CONT. CLIP 3" | 24 | Kynar 500 / PVDF | | | | INQUIRE |
| 5855599 | TA CONT. CLIP 3 3/8" | 24 | Kynar 500 / PVDF | | | | INQUIRE |
| 5855699 | TA CONT. CLIP 4 3/8" | 24 | Kynar 500 / PVDF | | | | INQUIRE |
| 6055199 | TA CONT. CLIP 2 3/8" | 22 | Kynar 500 / PVDF | | | | INQUIRE |
| 6055299 | TA CONT. CLIP 2 3/4" | 22 | Kynar 500 / PVDF | | | | INQUIRE |
| 6055399 | TA CONT. CLIP 3 3/4" | 22 | Kynar 500 / PVDF | | | | INQUIRE |
| 6055499 | TA CONT. CLIP 3" | 22 | Kynar 500 / PVDF | | | | INQUIRE |
| 6055599 | TA CONT. CLIP 3 3/8" | 22 | Kynar 500 / PVDF | | | | INQUIRE |
| 6055699 | TA CONT. CLIP 4 3/8" | 22 | Kynar 500 / PVDF | | | | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 72" may have a cut charge. Maximum length available is 80'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|------------------------------------|--------|--------|--------|---------|------------|
| 3640900 | 2 3/8" T-Armor 2 3/8" Utility Clip | GALV | 2.57 | | | INQUIRE |
| 3641000 | 2 3/8" T-Armor 2 3/4" Low Clip | GALV | 2.57 | | | INQUIRE |
| 3641200 | 2 3/8" T-Armor 3 3/4" High Clip | GALV | 2.57 | | | INQUIRE |
| 3641100 | 3" T-Armor 3" Utility Clip | GALV | 2.57 | | | INQUIRE |
| 3641300 | 3" T-Armor 3 3/8" Low Clip | GALV | 2.57 | | | INQUIRE |
| 3641400 | 3" T-Armor 4 3/8" High Clip | GALV | 2.57 | | | INQUIRE |
| 4923886 | CLIP BEARING PLATE | GALV | | 5" | | INQUIRE |
| 3633900 | STIFFENER PLATE | GALV | | 4" | | INQUIRE |
| 4923810 | SL 2 5/8" UTILITY RAKE ANGLE | GALV | | 10'-0" | | INQUIRE |
| 4923815 | SL 3 1/8" FLOATING RAKE ANGLE | GALV | | 10'-0" | | INQUIRE |
| 4923821 | SL 3 3/4" FLOATING RAKE ANGLE | GALV | | 10'-0" | | INQUIRE |
| 4923825 | SL 4 1/8" FLOATING RAKE ANGLE | GALV | | 10'-0" | | INQUIRE |
| 4923829 | 1/4" LOW EAVE PLATE | GALV | | 6'-0" | | INQUIRE |
| 4923835 | 3/8" LOW EAVE PLATE | GALV | | 10'-0" | | INQUIRE |
| 4923845 | 1 3/8" HIGH EAVE PLATE | GALV | | 10'-0" | | INQUIRE |
| 4923640 | 48" BACK-UP CHANNEL | GALV | | 48" | | INQUIRE |
| 4923645 | 72" BACK-UP CHANNEL | GALV | | 72" | | INQUIRE |


CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Standing Seam Panels

12" Vertical Seam Profile Information

- ✓ Hidden fastener / clip system for architectural/commercial use
- ✓ Snap together panel system.
- ✓ 26ga & 24ga standard (22ga available, please inquire)
- ✓ See color chart for available colors
- ✓ Paint Warranty - Colorfast 45 year / Kynar 45 year

- ✓ Striations Standard. Flat available with waiver.
- ✓ Oil Canning is not a reason for rejection
- ✓ Minimum recommended slope: 3:12 (Open Framing)
- ✓ Minimum recommended slope: 1:12 (Solid Deck)
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|----------------------------|-------|-------------------------------------|-------|----------|------------|------------|
| 2543900 | Vertical Seam 12" Striated | 26 | Galvanized (G60) | 1.17 | 12" | INQUIRE | INQUIRE |
| 2543941 | Vertical Seam 12" Striated | 26 | ACGalvalume (AZ55) | 1.17 | 12" | INQUIRE | INQUIRE |
| 25439xx | Vertical Seam 12" Striated | 26 | MS Colorfast45® | 1.17 | 12" | INQUIRE | INQUIRE |
| 2543973 | Vertical Seam 12" Striated | 26 | MS CF45 Native Copper / Patriot Red | 1.17 | 12" | INQUIRE | INQUIRE |
| 26439W45 | Vertical Seam 12" Striated | 26 | Rustic Steel (PVDF) | 1.17 | 12" | INQUIRE | INQUIRE |
| 2743941 | Vertical Seam 12" Striated | 24 | ACGalvalume (AZ55) | 1.5 | 12" | INQUIRE | INQUIRE |
| 28439xx | Vertical Seam 12" Striated | 24 | Kynar 500 / PVDF | 1.5 | 12" | INQUIRE | INQUIRE |
| 2943941 | Vertical Seam 12" Striated | 22 | ACGalvalume (AZ55) | 1.64 | 12" | INQUIRE | INQUIRE |
| 30439xx | Vertical Seam 12" Striated | 22 | Kynar 500 / PVDF | 1.64 | 12" | INQUIRE | INQUIRE |
| 2543800 | Vertical Seam 12" Flat | 26 | Galvanized (G60) | 1.17 | 12" | INQUIRE | INQUIRE |
| 2543841 | Vertical Seam 12" Flat | 26 | ACGalvalume (AZ55) | 1.17 | 12" | INQUIRE | INQUIRE |
| 25438xx | Vertical Seam 12" Flat | 26 | MS Colorfast45® | 1.17 | 12" | INQUIRE | INQUIRE |
| 2543873 | Vertical Seam 12" Flat | 26 | MS CF45 Native Copper / Patriot Red | 1.17 | 12" | INQUIRE | INQUIRE |
| 26438W45 | Vertical Seam 12" Flat | 26 | Rustic Steel (PVDF) | 1.17 | 12" | INQUIRE | INQUIRE |
| 2743841 | Vertical Seam 12" Flat | 24 | ACGalvalume (AZ55) | 1.5 | 12" | INQUIRE | INQUIRE |
| 28438xx | Vertical Seam 12" Flat | 24 | Kynar 500 / PVDF | 1.5 | 12" | INQUIRE | INQUIRE |
| 2943841 | Vertical Seam 12" Flat | 22 | ACGalvalume (AZ55) | 1.64 | 12" | INQUIRE | INQUIRE |
| 30438xx | Vertical Seam 12" Flat | 22 | Kynar 500 / PVDF | 1.64 | 12" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|-----------------------------|-----------------|--------|--------|---------|------------|
| 4923565 | Vertical Seam UL-90 Clip | GALV | 0.2 | | | INQUIRE |
| 4923805 | FLOATING RAKE ANGLE | GALV | | 10'-0" | | INQUIRE |
| 6852406 | COR-A-VENT MATERIAL 4' | GREY | | 48" | | INQUIRE |
| 6464699 | V-SEAM 12" LOW PROFILE VENT | GREY | | 36" | | INQUIRE |
| 6462118 | 12IN V-SEAM PROFILE VENT | GREY | | 100' | | INQUIRE |
| 4923529 | Spider Clip | Stainless Steel | 0.9 | | | INQUIRE |

- Spider Clip used with Maxi Cap - Fontana ONLY!


CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Standing Seam Panels

16" Vertical Seam Profile Information

- ✓ Hidden fastener / clip system for architectural/commercial use
- ✓ Snap together panel system.
- ✓ 26ga & 24ga standard (22ga available, please inquire)
- ✓ See color chart for available colors
- ✓ Paint Warranty - Colorfast 45 year / Kynar 45 year

- ✓ Striations Standard. Flat available with waiver.
- ✓ Oil Canning is not a reason for rejection
- ✓ Minimum recommended slope: 3:12 (Open Framing)
- ✓ Minimum recommended slope: 1:12 (Solid Deck)
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|----------------------------|-------|-------------------------------------|-------|----------|------------|------------|
| 2545900 | Vertical Seam 16" Striated | 26 | Galvanized (G60) | 1.3 | 16" | INQUIRE | INQUIRE |
| 2545941 | Vertical Seam 16" Striated | 26 | ACGalvalume (AZ55) | 1.3 | 16" | INQUIRE | INQUIRE |
| 25459xx | Vertical Seam 16" Striated | 26 | MS Colorfast45® | 1.3 | 16" | INQUIRE | INQUIRE |
| 2545973 | Vertical Seam 16" Striated | 26 | MS CF45 Native Copper / Patriot Red | 1.3 | 16" | INQUIRE | INQUIRE |
| 26459W45 | Vertical Seam 16" Striated | 26 | Rustic Steel (PVDF) | 1.3 | 16" | INQUIRE | INQUIRE |
| 2745941 | Vertical Seam 16" Striated | 24 | ACGalvalume (AZ55) | 1.732 | 16" | INQUIRE | INQUIRE |
| 28459xx | Vertical Seam 16" Striated | 24 | Kynar 500 / PVDF | 1.732 | 16" | INQUIRE | INQUIRE |
| 2945941 | Vertical Seam 16" Striated | 22 | ACGalvalume (AZ55) | 2.214 | 16" | INQUIRE | INQUIRE |
| 30459xx | Vertical Seam 16" Striated | 22 | Kynar 500 / PVDF | 2.214 | 16" | INQUIRE | INQUIRE |
| 2545400 | Vertical Seam 16" Flat | 26 | Galvanized (G60) | 1.3 | 16" | INQUIRE | INQUIRE |
| 2545441 | Vertical Seam 16" Flat | 26 | ACGalvalume (AZ55) | 1.3 | 16" | INQUIRE | INQUIRE |
| 25454xx | Vertical Seam 16" Flat | 26 | MS Colorfast45® | 1.3 | 16" | INQUIRE | INQUIRE |
| 2545473 | Vertical Seam 16" Flat | 26 | MS CF45 Native Copper / Patriot Red | 1.3 | 16" | INQUIRE | INQUIRE |
| 26454W45 | Vertical Seam 16" Flat | 26 | Rustic Steel (PVDF) | 1.3 | 16" | INQUIRE | INQUIRE |
| 2745641 | Vertical Seam 16" Flat | 24 | ACGalvalume (AZ55) | 1.732 | 16" | INQUIRE | INQUIRE |
| 28456xx | Vertical Seam 16" Flat | 24 | Kynar 500 / PVDF | 1.732 | 16" | INQUIRE | INQUIRE |
| 2945041 | Vertical Seam 16" Flat | 22 | ACGalvalume (AZ55) | 2.214 | 16" | INQUIRE | INQUIRE |
| 30450xx | Vertical Seam 16" Flat | 22 | Kynar 500 / PVDF | 2.214 | 16" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|-----------------------------|-----------------|--------|--------|---------|------------|
| 4923565 | Vertical Seam UL-90 Clip | GALV | 0.2 | | | INQUIRE |
| 4923805 | FLOATING RAKE ANGLE | GALV | | 10'-0" | | INQUIRE |
| 6852406 | COR-A-VENT MATERIAL 4' | GREY | | 48" | | INQUIRE |
| 6464799 | V-SEAM 16" LOW PROFILE VENT | GREY | | 32" | | INQUIRE |
| 6462119 | 16IN V-SEAM PROFILE VENT | GREY | | 100' | | INQUIRE |
| 4923529 | Spider Clip | Stainless Steel | 0.9 | | | INQUIRE |

- Spider Clip used with Maxi Cap - Fontana ONLY!



CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Standing Seam Panels

18" Vertical Seam Profile Information

- ✓ Hidden fastener / clip system for architectural/commercial use
- ✓ Snap together panel system.
- ✓ 26ga & 24ga standard (22ga available, please inquire)
- ✓ See color chart for available colors
- ✓ Paint Warranty - Colorfast 45 year / Kynar 45 year

- ✓ Striations Standard. Flat available with waiver.
- ✓ Oil Canning is not a reason for rejection
- ✓ Minimum recommended slope: 3:12 (Open Framing)
- ✓ Minimum recommended slope: 1:12 (Solid Deck)
- ✓ Full line of trim flashings and accessories available



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|----------------------------|-------|-------------------------------------|-------|----------|------------|------------|
| 2546200 | Vertical Seam 18" Striated | 26 | Galvanized (G60) | 1.465 | 18" | INQUIRE | INQUIRE |
| 2546241 | Vertical Seam 18" Striated | 26 | ACGalvalume (AZ55) | 1.465 | 18" | INQUIRE | INQUIRE |
| 25462xx | Vertical Seam 18" Striated | 26 | MS Colorfast45® | 1.465 | 18" | INQUIRE | INQUIRE |
| 2546273 | Vertical Seam 18" Striated | 26 | MS CF45 Native Copper / Patriot Red | 1.465 | 18" | INQUIRE | INQUIRE |
| 26462W45 | Vertical Seam 18" Striated | 26 | Rustic Steel (PVDF) | 1.465 | 18" | INQUIRE | INQUIRE |
| 2746241 | Vertical Seam 18" Striated | 24 | ACGalvalume (AZ55) | 1.995 | 18" | INQUIRE | INQUIRE |
| 28462xx | Vertical Seam 18" Striated | 24 | Kynar 500 / PVDF | 1.995 | 18" | INQUIRE | INQUIRE |
| 2946241 | Vertical Seam 18" Striated | 22 | ACGalvalume (AZ55) | 2.47 | 18" | INQUIRE | INQUIRE |
| 30462xx | Vertical Seam 18" Striated | 22 | Kynar 500 / PVDF | 2.47 | 18" | INQUIRE | INQUIRE |
| 2546000 | Vertical Seam 18" Flat | 26 | Galvanized (G60) | 1.465 | 18" | INQUIRE | INQUIRE |
| 2546041 | Vertical Seam 18" Flat | 26 | ACGalvalume (AZ55) | 1.465 | 18" | INQUIRE | INQUIRE |
| 25460xx | Vertical Seam 18" Flat | 26 | MS Colorfast45® | 1.465 | 18" | INQUIRE | INQUIRE |
| 2546073 | Vertical Seam 18" Flat | 26 | MS CF45 Native Copper / Patriot Red | 1.465 | 18" | INQUIRE | INQUIRE |
| 26460W45 | Vertical Seam 18" Flat | 26 | Rustic Steel (PVDF) | 1.465 | 18" | INQUIRE | INQUIRE |
| 2746041 | Vertical Seam 18" Flat | 24 | ACGalvalume (AZ55) | 1.995 | 18" | INQUIRE | INQUIRE |
| 28460xx | Vertical Seam 18" Flat | 24 | Kynar 500 / PVDF | 1.995 | 18" | INQUIRE | INQUIRE |
| 2946041 | Vertical Seam 18" Flat | 22 | ACGalvalume (AZ55) | 2.47 | 18" | INQUIRE | INQUIRE |
| 30460xx | Vertical Seam 18" Flat | 22 | Kynar 500 / PVDF | 2.47 | 18" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Panel lengths shorter than 48" may have a cut charge. Inquire on lengths greater than 45'.
- Shading on Galvalume and Galvanized finishes may be non-uniform

| PRODUCT NO. | DESCRIPTION | FINISH | WEIGHT | LENGTH | MIN QTY | PRICE / EA |
|-------------|-----------------------------|-----------------|--------|--------|---------|------------|
| 4923565 | Vertical Seam UL-90 Clip | GALV | 0.2 | | | INQUIRE |
| 4923805 | FLOATING RAKE ANGLE | GALV | | 10'-0" | | INQUIRE |
| 6852406 | COR-A-VENT MATERIAL 4' | GREY | | 48" | | INQUIRE |
| 6464899 | V-SEAM 18" LOW PROFILE VENT | GREY | | 32" | | INQUIRE |
| 4923529 | Spider Clip | Stainless Steel | 0.9 | | | INQUIRE |


- Spider Clip used with Maxi Cap - Fontana ONLY!

CONTACT YOUR SALES REPRESENTATIVE FOR FLASHING OPTIONS

Flat Sheets

Flat Sheet Information

- ✓ Available in Various lengths Please Inquire
- ✓ See color chart for all available colors
- ✓ Paint Warranty - Colorfast 45 year / Kynar 45 year
- ✓ Protective film standard on painted finishes.
- ✓ Weathering Steel & Cold Rolled finishes are non-warrant



| PRODUCT NO. | DESCRIPTION | GAUGE | FINISH | WT/LF | NET COV. | PRICE / SF | PRICE / LF |
|-------------|---------------------------|-------|-------------------------|-------|----------|------------|------------|
| 2291500 | 40.875" Flat Sheet - GR80 | 29 | Galvanized (G60) | 2.404 | 40.875" | INQUIRE | INQUIRE |
| 2291541 | 40.875" Flat Sheet - GR80 | 29 | ACGalvalume (AZ55) | 2.404 | 40.875" | INQUIRE | INQUIRE |
| 22915xx | 40.875" Flat Sheet - GR80 | 29 | MS Colorfast45® | 2.404 | 40.875" | INQUIRE | INQUIRE |
| 22730xx | 40.875" Flat Sheet - GR80 | 29 | MS Colorfast45® | 2.404 | 40.875" | INQUIRE | INQUIRE |
| 2294800 | 47.875" Flat Sheet - GR40 | 29 | Galvanized (G60) | 2.404 | 47.875" | INQUIRE | INQUIRE |
| 2294841 | 47.875" Flat Sheet - GR40 | 29 | ACGalvalume (AZ55) | 2.404 | 47.875" | INQUIRE | INQUIRE |
| 22948xx | 47.875" Flat Sheet - GR40 | 29 | MS Colorfast45® | 2.404 | 47.875" | INQUIRE | INQUIRE |
| 2568300 | 48" Flat Sheet | 26 | Galvanized (G60) | 3.054 | 48" | INQUIRE | INQUIRE |
| 2568341 | 48" Flat Sheet | 26 | ACGalvalume (AZ55) | 3.054 | 48" | INQUIRE | INQUIRE |
| 25683xx | 48" Flat Sheet | 26 | MS Colorfast45® | 3.054 | 48" | INQUIRE | INQUIRE |
| 22137xx | 48" Flat Sheet | 26 | MS Colorfast45® | 3.054 | 48" | INQUIRE | INQUIRE |
| 26683W45 | 48" Flat Sheet | 26 | Rustic Steel (PVDF) | 3.054 | 48" | INQUIRE | INQUIRE |
| 2868341 | 48" Flat Sheet | 24 | ACGalvalume (AZ55) | 3.855 | 48" | INQUIRE | INQUIRE |
| 28683xx | 48" Flat Sheet | 24 | Kynar 500 / PVDF | 3.855 | 48" | INQUIRE | INQUIRE |
| 2968341 | 48" Flat Sheet | 22 | ACGalvalume (AZ55) | 4.835 | 48" | INQUIRE | INQUIRE |
| 30683xx | 48" Flat Sheet | 22 | Kynar 500 / PVDF | 4.835 | 48" | INQUIRE | INQUIRE |
| 2223590 | 45.75" Flat Sheet | 22 | Weathering Steel (A606) | 4.608 | 45.75" | INQUIRE | INQUIRE |
| 2223CCR | 48" Flat Sheet | 22 | Cold Rolled (A1008) | 4.608 | 45.75" | INQUIRE | INQUIRE |

NOTES

- Not all finishes and gauges are available at all facilities.
- Pricing does not include applicable Fuel and/or Freight amounts or other temporary charges.
- Pricing does not include applicable packaging or other temporary charges.
- Shading on Galvalume and Galvanized finishes may be non-uniform

****NOTICE** All painted flat sheet is manufactured with a clear protective film. Items with protective film installed should be kept out of direct sun light and must be removed prior to product installation.**