

A photograph of a house with a white metal roof and blue siding. The roof features a complex design with multiple gables and a central dormer. A white downspout is visible on the right side of the roof. The house has a white arched entryway and a white-framed window. The background is a clear blue sky.

# RESIDENTIAL **METAL** ROOFING

**MS Metal Sales**™



# The Metal Roofing Advantage...

Metal Sales understands a home is an important investment for your future. This is why we strive to provide top-quality metal roof panels which are attractive, affordable and durable. Our metal panel designs create a warm, eye-pleasing look that is strikingly different than conventional roofing products. Consider the many advantages a metal roof can offer your home.







### **Strength**

Metal roofing does not warp, split or crack and is impervious to mildew, rot, termites and pests.

### **Weather Resistant**

Properly installed metal roofing systems will withstand inclement weather (high winds, hail, snow and rain) better than any other roofing material.

### **Non-Combustable**

Most metal roofing systems carry fire ratings which will potentially reduce homeowner's overall insurance rate.

### **Paint Warranty**

PVDF and MS Colorfast45® paint systems carry 45 Year warranties.

### **Aesthetics**

Metal roofing is beautiful as well as durable, and is available in many different styles, configurations and colors to fit diverse architectural requirements and tastes.

### **Weight**

Metal roofing weighs from  $\frac{1}{10}$  to  $\frac{1}{2}$  as much as competing materials. Less weight translates to lower transportation and construction costs.

### **Maintenance**

A properly installed metal roofing system is virtually maintenance free over the life of the roof.

### **Application**



Under certain conditions, metal roofing can be installed over the top of existing roofs, bringing significant savings in time and labor in addition to eliminating the growing disposal problem associated with shingles.







## Vertical Seam

- Architectural concealed-clip standing seam panel
- Thickness: 24 ga standard, 22 ga optional
- Snap together panel system, minimum roof slope: 3:12
- Factory-applied side lap sealant
- Concealed clip designed for thermal movement
- Applies over open framing or solid substrate
- Finishes: PVDF, MS Colorfast45® and Acrylic Coated Galvalume®



## Image II™


- Architectural concealed direct-fastened panel
- Thickness: 26 ga standard
- Minimum roof slope: 3:12
- Applies over solid substrate with underlayment
- Finishes: MS Colorfast45® and Acrylic Coated Galvalume®




## Verti-Rib™

- Exposed fastened architectural panel
- Slim vertical rib for the look of standing seam
- Thickness: 29 gauge, 26 gauge and 24 gauge
- Minimum roof slope: 3:12
- Finishes: MS Colorfast45® and Acrylic Coated Galvalume®

### STRIATED




### MINOR RIB




## Pro-Panel II®

- Exposed fastened, trapezoidal rib
- Thickness: 29 ga and 26 ga std
- Minimum roof slope: 3:12
- Finishes: MS Colorfast45®, ColorFit40™, MS Crinkle Finish, MS Wood Grain and ACG



## Classic Rib®

- Exposed fastened, bell-top rib
- Thickness: 29 ga and 26 ga std
- Minimum roof slope: 3:12
- Finishes: MS Colorfast45®, ColorFit40, MS Crinkle Finish, MS Wood Grain and ACG




## WHY METAL SALES?

Our metal roofing and siding panels feature the highest quality protective coating systems to ensure your roof remains pristine, holds its color and is protected under warranty for decades.

- Low maintenance
- Easy installation
- Durable and sustainable
- Highly resistant to wind, hail, snow and rain
- Mildew resistant and will not rot or absorb water


## 5V-Crimp

- Exposed fastened panel, traditional "V" rib panel
- Thickness: 29 gauge and 26 gauge
- Minimum roof slope: 3:12
- Applies over solid substrate with underlayment
- Finishes: MS Colorfast45®, Acrylic Coated Galvalume® and Galvanized



## 2-1/2" Corrugated

- Exposed fastened panel
- Thickness: 29 gauge and 26 gauge
- Minimum roof slope: 3:12
- Applies over open framing or solid substrate
- Finishes: MS Colorfast45®, Acrylic Coated Galvalume® and Galvanized



Note: Other panels and products are available. Contact your nearest branch for more information.